

SUBJECT INDEX

NOTE: Abstract Index follows Author Index

A

Abducens nerve paresis

Noninvasive neuroimaging of basilar artery dolichoectasia in a patient with an isolated abducens nerve paresis, 365

Ablation

Topographically supported customized ablation for the management of decentered laser in situ keratomileusis, 806

AC/A ratio

Medial rectus pulley posterior fixation is as effective as scleral posterior fixation for acquired esotropia with a high AC/A ratio, 1026

Acanthamoeba keratitis

Impression cytology in the diagnosis of *Acanthamoeba* keratitis with surface involvement, 323

Accommodation ratio

Medial rectus pulley posterior fixation is as effective as scleral posterior fixation for acquired esotropia with a high AC/A ratio, 1026

Activities of daily living

Determinants of participation in activities of daily living in people with impaired vision, 265

Acute idiopathic maculopathy

Acute acquired toxoplasma retinitis may present similarly to unilateral acute idiopathic maculopathy, 940

Acute myeloid leukemia

Acute myeloid leukemia presenting as bilateral proptosis from diffuse extraocular muscle infiltration, 948

Acute postcataract extraction endophthalmitis

Subconjunctival antibiotics for acute postcataract extraction endophthalmitis—is it necessary?, 1120

Acute posterior multifocal placoid pigment epitheliopathy

White dot syndromes, 538

Acute retinal necrosis syndrome

Clinical characteristics of acute HSV-2 retinal necrosis, 872

African Americans

See also Race

Increased periocular pigmentation with ocular hypotensive lipid use in African Americans (letter), 783

Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 1170

Unusual clinical phenotype of Avellino corneal dystrophy associated with an Arg124His β ig-H3 mutation in an African-American woman, 765

Age-related macular degeneration

Association of neovascular age-related macular degeneration and hyperhomocysteinemia, 84

Cholesterol and age-related macular degeneration: is there a link?, 750

Do statins prevent age-related macular degeneration? (editorial), 747

Epidemiology of age-related macular degeneration, 486

Limited macular translocation compared with photodynamic therapy in the management of subfoveal choroidal neovascularization in age-related macular degeneration, 880

Pathogenesis of lesions in late age-related macular disease, 504

Photodynamic therapy for age-related macular degeneration: a candid appraisal, 483

Photodynamic therapy for age-related macular degeneration in a clinical setting: visual results and angiographic patterns, 258

Prospective multicenter clinical trial to evaluate the safety and effectiveness of the implantable miniature telescope, 993

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration, 615

Age-related maculopathy

Relation of retinal microvascular characteristics to age-related eye disease: the Beaver Dam Eye Study, 435

Albinism

Positive angle kappa: a sign of albinism in patients with congenital nystagmus, 625

Alcoholic ketoacidosis

Reversible blindness associated with alcoholic ketoacidosis, 775

Alopecia

Pressure alopecia following vitreoretinal surgery, 191

Amblyopia

Comparison of the Amblyopia Treatment Study HOTV and Electronic-Early Treatment of Diabetic Retinopathy Study visual acuity protocols in children aged 5 to 12 years, 278

Prospective, pilot study of treatment of amblyopia in children 10 to <18 years old, 581

American Journal of Ophthalmology

Using the American Journal of Ophthalmology's website for assessing residency subcompetencies in practice-based learning (letter), 206

Amniotic membrane transplantation

Amniotic membrane transplantation in a case of ligneous conjunctivitis, 752

Angiogenesis

Vitreous levels of pigment epithelium-derived factor and vascular endothelial growth factor: implications for ocular angiogenesis, 668

Angiography

Comparison of color to fluorescein angiographic images from patients with early-adult onset grouped drusen suggests drusen substructure, 924

Correlation between fluorescein angiographic and optical coherence tomographic features in clinically significant diabetic macular edema, 313

Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy, 770

Photodynamic therapy for age-related macular degeneration in a clinical setting: visual results and angiographic patterns, 258

Angioma

Retinal capillary angioma in familial exudative vitreoretinopathy treated with photodynamic therapy, 780

Angle closure glaucoma

Mechanism of topiramate-induced acute-onset myopia and angle closure glaucoma, 193

Animal models

Retinal changes after macular translocation with 360-degree retinotomy in monkey eyes, 1034

Vitreous surgery in pigmented rabbits using the new, noncontact wide-field viewing system, 212

Aniridia

Markedly increased central corneal thickness: an unrecognized finding in congenital aniridia, 348

Ultrasound biomicroscopic findings in aniridia, 858

Anisometropia

Anisometropia in Singapore school children, 474

Anterior basement membrane corneal dystrophy

Anterior basement membrane corneal dystrophy and pseudo-unilateral lattice corneal dystrophy in a patient with recurrent corneal erosions, 1124

Anterior chamber depth

Anterior chamber depth in plateau iris syndrome and pupillary block as measured by ultrasound biomicroscopy (letter), 1169

Anterior segment intraocular surgery

Challenge of determining aqueous contamination rate in anterior segment intraocular surgery, 662

Anterior segment retinoblastoma

High-frequency ultrasound of anterior segment retinoblastoma, 944

Antibiotics

Endophthalmitis isolates and antibiotic sensitivities: a 6-year review of culture-proven cases, 38

Shifting trends in in vitro antibiotic susceptibilities for common ocular isolates during a period of 15 years, 43

Subconjunctival antibiotics for acute postcataract extraction endophthalmitis—is it necessary?, 1120

Antiinflammatory agents

Antiinflammatory therapy for dry eye, 337

Apoptosis

Indocyanine green induces apoptosis in human retinal pigment epithelial cells, 931

Aqueous humor

Challenge of determining aqueous contamination rate in anterior segment intraocular surgery, 662

Decrease of pigment epithelium-derived factor in aqueous humor with increasing age, 935

Oxidative stress markers in aqueous humor of glaucoma patients, 62

Aqueous shunts

Aqueous shunt devices compared with trabeculectomy with mitomycin-C for children in the first two years of life (letter), 1163

Arg124His α ig-H3 mutation

Unusual clinical phenotype of Avellino corneal dystrophy associated with an Arg124His β ig-H3 mutation in an African-American woman, 765

Arg677X mutation

Novel 2336-2337delCT mutation in RP1 gene in a Japanese family with autosomal dominant retinitis pigmentosa, 1137

Arteriotomy

Neodymium:yttrium-aluminum-garnet laser arteriotomy with embolectomy for central retinal artery occlusion, 196

Arteriovenous crossing sheathotomy

Evaluation of arteriovenous crossing sheathotomy for branch retinal vein occlusion by fluorescein videoangiography and image analysis, 834

Asians

Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 1170

Surgical outcomes of combined phacoemulsification and glaucoma drainage implant surgery for Asian patients with refractory glaucoma with cataract, 294

Aspirin

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration, 615

Asteroid hyalosis

Optical coherence tomography to detect macular edema in the presence of asteroid hyalosis, 959

Surface calcification of silicone plate intraocular lens in patients with asteroid hyalosis, 979

Atorvastatin

Lipid-lowering drug atorvastatin as an adjunct in the management of diabetic macular edema, 675

Atypical pigment dispersion syndrome

Atypical pigment dispersion syndrome in a child, 753

Autofluorescence

Autofluorescence as a novel approach to diagnosing macular holes, 956

Avellino corneal dystrophy

Unusual clinical phenotype of Avellino corneal dystrophy associated with an Arg124His β ig-H3 mutation in an African-American woman, 765

Avulsed retinal vessel

Treatment of an avulsed retinal vessel with infrared diode laser photocoagulation, 767

B

Bacterial isolates

Endophthalmitis isolates and antibiotic sensitivities: a 6-year review of culture-proven cases, 38

Shifting trends in in vitro antibiotic susceptibilities for common ocular isolates during a period of 15 years, 43

Bartonella henselae

Bartonella henselae infection associated with neuroretinitis, central retinal artery and vein occlusion, neovascular glaucoma, and severe vision loss, 187

Basilar artery dolichoectasia

Noninvasive neuroimaging of basilar artery dolichoectasia in a patient with an isolated abducens nerve paresis, 365

Behcet's disease

Endothelial cell activation and hypercoagulability in ocular Behcet's disease, 850

Belmonte gas esthesiometer

Corneal epitheliopathy of dry eye induces hyperesthesia to mechanical air jet stimulation, 109

Best's vitelliform macular dystrophy

Best's vitelliform macular dystrophy with pseudohypopyon: an optical coherence tomography study, 963

Bimatoprost

Comparison of latanoprost, bimatoprost, and travoprost in patients with elevated intraocular pressure: a 12-week,

- randomized, masked-evaluator multicenter study (letter), 210, 387
- Cystoid macular edema in a low-risk patient after switching from latanoprost to bimatoprost, 966
- Hypertrichosis of vellus hairs of the malar region after unilateral treatment with bimatoprost, 756
- Birdshot chorioretinopathy**
White dot syndromes, 538
- Bleb-associated endophthalmitis**
Delayed-onset, bleb-associated endophthalmitis caused by *Lecytophora mutabilis*, 583
- Blindness**
Reversible blindness associated with alcoholic ketoacidosis, 775
- Blood pressure**
Does refractive error influence the association of blood pressure and retinal vessel diameters? The Blue Mountains Eye Study, 1050
- Blow-out fractures**
Quantitative evaluation of ocular motility in blow-out fractures for selection of nonsurgically managed cases, 777
- Botulinum toxin A**
Retinal detachment from inadvertent intraocular injection of botulinum toxin A, 201
- Brachytherapy**
Survival, anatomic, and functional long-term results in choroidal and ciliary body melanoma after ruthenium brachytherapy (15 years' experience with beta-rays), 893
- Branch retinal vein occlusion**
Evaluation of arteriovenous crossing sheathotomy for branch retinal vein occlusion by fluorescein videoangiography and image analysis, 834
- Four cases of normal-tension glaucoma with disk hemorrhage combined with branch retinal vein occlusion in the contralateral eye, 357
- Buccal fat pad hemorrhage**
Buccal fat pad hemorrhage after retrobulbar injection, 1131
- Bull's-eye maculopathy**
Bull's-eye maculopathy associated with quinacrine therapy for malaria, 577
- Bull's-eye maculopathy secondary to herbal toxicity from uva ursi, 1135
- Burns**
Descemet membrane detachment with hemorrhage after alkali burn to the cornea, 185
- Macular burn after transpupillary thermotherapy for occult choroidal neovascularization, JUN Benhamou, Cohen, & Erginay
- Microwave-superheated Vics Vapo Rub: an ocular public health danger, 379

C

- C-20-1 perimetry**
Learning effect among perimetric novices with screening C-20-1 frequency doubling technology perimetry, 551
- Calcific band keratopathy**
EDTA chelation for calcific band keratopathy: results and long-term follow-up, 1056
- Cancer-associated retinopathy**
Clinical and immunologic aspects of cancer-associated retinopathy, 1118

Carbohydrate sulfotransferase gene

- Novel mutations in the carbohydrate sulfotransferase gene (CHST6) in American patients with macular corneal dystrophy, 465

Cataract

- See also Nuclear cataracts
- Case-control study of endophthalmitis after cataract surgery comparing scleral tunnel and clear corneal wounds (letter), 598
- Diode-laser-induced cataract and iris atrophy as a complication of eyelid hair removal, 762
- Role of patient age and intraocular gas use in cataract progression after vitrectomy for macular holes and epiretinal membranes, 250
- Surgical outcomes of combined phacoemulsification and glaucoma drainage implant surgery for Asian patients with refractory glaucoma with cataract, 294
- Wavefront analysis of an eye with monocular triplopia and nuclear cataract, 361

Cataract surgery

- Frequency and predictors of glaucoma after pediatric cataract surgery, 30
- Impact of cataract surgery on the visual ability of the very old, 145

Cellulitis

- Orbital cellulitis, panophthalmitis, and ecthyma gangrenosum in an immunocompromised host with *Pseudomonas* septicemia, 176

Central retinal vein occlusion

- Bartonella henselae* infection associated with neuroretinitis, central retinal artery and vein occlusion, neovascular glaucoma, and severe vision loss, 187
- Intractable glaucoma following intravitreal triamcinolone in central retinal vein occlusion, 758
- Intravitreal triamcinolone acetonide in eyes with cystoid macular edema associated with central retinal vein occlusion (letter), 593, 596
- Neodymium:yttrium-aluminum-garnet laser arteriotomy with embolectomy for central retinal artery occlusion, 196
- Predominant loss of the photopic negative response in central retinal artery occlusion, 938
- Radial optic neurotomy as treatment for central retinal vein occlusion (letter), 1161

Central serous chorioretinopathy

- Association between central serous chorioretinopathy and gastroesophageal reflux disease, 1096
- Chronic serous chorioretinopathy: photodynamic therapy, 1073

Cetirizine

- Oculogyric crisis in patients taking cetirizine, 355

Chalazion

- Severe visual loss caused by ocular perforation during chalazion removal, 204

Children

- Anisometropia in Singapore school children, 474
- Aqueous shunt devices compared with trabeculectomy with mitomycin-C for children in the first two years of life (letter), 1163
- Atypical pigment dispersion syndrome in a child, 753
- Cogan syndrome in children: early diagnosis and treatment is critical to prognosis, 757

- Comparison of the Amblyopia Treatment Study HOTV and Electronic-Early Treatment of Diabetic Retinopathy Study visual acuity protocols in children aged 5 to 12 years, 278
- Diagnosis by polymerase chain reaction of ocular posttransplant lymphoproliferative disorder after pediatric renal transplantation, 569
- Frequency and predictors of glaucoma after pediatric cataract surgery, 30
- Intraocular pressure profile of a child on a systemic corticosteroid, 198
- Intraorbital and periorbital tumors in children—value of ultrasound and color Doppler imaging in the differential diagnosis, 1065
- Melanocytoma or congenital optic disk pigmentation (letter), 208
- Ocular rosacea in childhood, 138
- Optical coherence tomography under general anesthesia in a child with nystagmus, 1127
- Prospective, pilot study of treatment of amblyopia in children 10 to <18 years old, 581
- Severe retinopathy in a child with hypoplastic left heart syndrome, 566
- Traumatic pediatric retinal detachment: a comparison between open and closed globe injuries, 1042
- Two patients with severe corneal disease in KID syndrome, 181
- Use of the RetCam 120 for fundus evaluation in uncooperative children, 354
- Visual function in an 11 year old with Fraser cryptophthalmos syndrome (letter), 591
- Cholesterol**
- Cholesterol and age-related macular degeneration: is there a link?, 750
- Chorioretinopathy**
- Association between central serous chorioretinopathy and gastroesophageal reflux disease, 1096
- Chronic serous chorioretinopathy: photodynamic therapy, 1073
- White dot syndromes, 538
- Choroidal melanocytic tumors**
- Optical coherence tomography in the evaluation of retinal changes associated with suspicious choroidal melanocytic tumors, 90
- Choroidal melanoma**
- Clinicopathologic findings in choroidal melanomas after failed transpupillary thermotherapy (letter), 594
- Hemorrhagic complication in an unsuspected macular choroidal melanoma, 574
- Survival, anatomic, and functional long-term results in choroidal and ciliary body melanoma after ruthenium brachytherapy (15 years' experience with beta-rays), 893
- Choroidal metastases**
- Photodynamic therapy for choroidal metastasis from carcinoid tumor, 1143
- Choroidal neovascular membranes**
- Immunohistopathologic evaluation of choroidal neovascular membranes following verteporfin-photodynamic therapy, 914
- Choroidal neovascularization**
- Choroidal neovascularization, 496
- Large submacular hemorrhages after verteporfin therapy, 558
- Limited macular translocation compared with photodynamic therapy in the management of subfoveal choroidal neovascularization in age-related macular degeneration, 880
- Macular burn after transpupillary thermotherapy for occult choroidal neovascularization, 1132
- Responsiveness of the SF-36 Health Survey to changes in visual acuity among patients with subfoveal choroidal neovascularization, 373
- Selective occlusion of subfoveal choroidal neovascularization in pathologic myopia using a new technique of ingrowth site treatment (letter), 383
- Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration, 615
- Choroidal vasculopathy**
- Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy, 770
- Choroideremia**
- Detection of localized retinal dysfunction in a choroideremia carrier, 189
- Chronic solar retinopathy**
- Optical coherence tomography of chronic solar retinopathy, 351
- CHST6**
- Novel mutations in the carbohydrate sulfotransferase gene (CHST6) in American patients with macular corneal dystrophy, 465
- Ciliary body melanoma**
- Survival, anatomic, and functional long-term results in choroidal and ciliary body melanoma after ruthenium brachytherapy (15 years' experience with beta-rays), 893
- Ciprofloxacin**
- Ciprofloxacin and levofloxacin resistance among methicillin-sensitive *Staphylococcus aureus* isolates from keratitis and conjunctivitis, 453
- Ciprofloxacin in endophthalmitis: an emerging alternative (letter), 1167
- In vivo study comparing the ocular absorption of levofloxacin and ciprofloxacin prior to phacoemulsification, 308
- Clinical trials**
- Acute severe visual acuity decrease after photodynamic therapy with verteporfin: case reports from randomized clinical trials—TAP and VIP Report No. 3, 683
- Dropout rates for intent-to-treat and per protocol analyses, 639
- Is adjustment of National Eye Institute Visual Function Questionnaire scores for general health necessary in randomized trials?, 961
- Prospective multicenter clinical trial to evaluate the safety and effectiveness of the implantable miniature telescope, 993
- Randomized, placebo-controlled clinical trial of docosahexaenoic acid supplementation for X-linked retinitis pigmentosa, 704
- Clinicians**
- J. Donald M. Gass, MD: Festschrift Editorial (editorial), 480

- Closed globe**
Traumatic pediatric retinal detachment: a comparison between open and closed globe injuries, 1042
- Clostridium septicum***
Panophthalmitis due to *Clostridium septicum*, 942
- Cogan syndrome**
Cogan syndrome in children: early diagnosis and treatment is critical to prognosis, 757
- Color Doppler imaging**
Intraorbital and periorbital tumors in children—value of ultrasound and color Doppler imaging in the differential diagnosis, 1065
- Complementary and alternative therapies**
Bull's-eye maculopathy secondary to herbal toxicity from uva ursi, 1135
- Computerized kinetic perimetry**
Computerized kinetic perimetry detects tubular visual fields in patients with functional visual loss, 933
- Cones**
Red contact lens for alleviation of photophobia in patients with cone disorders, 774
- Confocal microscopy**
Corneal thickness measurement by confocal microscopy, ultrasound, and scanning slit methods, 1011
- Confocal scanning laser ophthalmoscopy**
Confocal Scanning Laser Ophthalmoscopy Ancillary Study to the Ocular Hypertension Treatment Study: study design and baseline factors, 219

Visualization of retinal pigment epithelial cells in vivo using digital high-resolution confocal scanning laser ophthalmoscopy, 556
- Congenital nystagmus**
Positive angle kappa: a sign of albinism in patients with congenital nystagmus, 625
- Conjunctiva**
Resuturing the scleral flap through conjunctiva for treatment of excess filtration, 173
- Conjunctival melanoma**
Conjunctival melanoma metastasis diagnosed by sentinel lymph node biopsy, 1147
- Conjunctival-corneal intraepithelial neoplasia**
Limbal stem cell deficiency following topical mitomycin C treatment of conjunctival-corneal intraepithelial neoplasia, 950
- Conjunctivitis**
Amniotic membrane transplantation in a case of ligneous conjunctivitis, 752

Ciprofloxacin and levofloxacin resistance among methicillin-sensitive *Staphylococcus aureus* isolates from keratitis and conjunctivitis, 453
- Conjunctivodacryocystorhinostomy**
Lacrimal canalicular bypass surgery with the Lester Jones tube, 101
- Contact lens**
Autoclavable wide-angle contact lens for vitreous surgery, 359

Contact lens-related corneal ulcers in compliant patients, 170

Red contact lens for alleviation of photophobia in patients with cone disorders, 774

Vitreoretinal surgery with slit-lamp illumination combined with a wide-angle-viewing contact lens, 955
- Wide-angle viewing lens for vitrectomy, 760
- Cornea**
Age-related changes in corneal and ocular higher-order wavefront aberrations, 988

Corneal changes after laser in situ keratomileusis: measurement of corneal polarization magnitude and axis, 697
- Cornea power measurements**
Correcting the cornea power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis (letter), 786
- Corneal arcus**
Corneal arcus and hyperlipidemia: findings from an older population, 363
- Corneal curvature**
Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 1170
- Corneal disease**
Two patients with severe corneal disease in KID syndrome, 181
- Corneal dystrophy**
Anterior basement membrane corneal dystrophy and pseudo-unilateral lattice corneal dystrophy in a patient with recurrent corneal erosions, 1124

Compound heterozygous mutations of MIS1 gene in gelatinous droplike corneal dystrophy, 567

Impact of phototherapeutic keratectomy on the outcome of subsequent penetrating keratoplasty in patients with stromal corneal dystrophies, 301

Lattice corneal dystrophy type I without typical lattice lines: role of mutational analysis, 586

Novel mutations in the carbohydrate sulfotransferase gene (CHST6) in American patients with macular corneal dystrophy, 465

Spectrum of clinical manifestations of gelatinous drop-like corneal dystrophy in Japan, 1081

Unusual clinical phenotype of Avellino corneal dystrophy associated with an Arg124His β ig-H3 mutation in an African-American woman, 765
- Corneal epitheliopathy**
Corneal epitheliopathy of dry eye induces hyperesthesia to mechanical air jet stimulation, 109
- Corneal epithelium**
Corneal epithelial-stromal "chit-chat," 389
- Corneal erosions**
Anterior basement membrane corneal dystrophy and pseudo-unilateral lattice corneal dystrophy in a patient with recurrent corneal erosions, 1124
- Corneal polarization axis**
Corneal changes after laser in situ keratomileusis: measurement of corneal polarization magnitude and axis, 697
- Corneal polarization magnitude**
Corneal changes after laser in situ keratomileusis: measurement of corneal polarization magnitude and axis, 697
- Corneal power**
Correcting the corneal power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis (letter), 970
- Corneal thickness**
Corneal thickness measurement by confocal microscopy, ultrasound, and scanning slit methods, 1011

Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 1170

Markedly increased central corneal thickness: an unrecognized finding in congenital aniridia, 348

Corneal trauma

Descemet membrane detachment with hemorrhage after alkali burn to the cornea, 185

Corneal ulcers

Contact lens-related corneal ulcers in compliant patients, 170

Corneal wound

Case-control study of endophthalmitis after cataract surgery comparing scleral tunnel and clear corneal wounds (letter), 598

Corticosteroids

Comparison of efficacies of topical corticosteroids and nonsteroidal anti-inflammatory drops on dry eye patients: a clinical and immunocytochemical study (letter), 1157

Intraocular pressure profile of a child on a systemic corticosteroid, 198

Crystalline lens

Retinal protection using a viscoadaptive viscoelastic agent during removal of a luxated crystalline lens by intravitreal phacoemulsification, 936

Cutaneous hypopigmentation

Cutaneous hypopigmentation following a posterior sub-tenon triamcinolone injection, 779

Cyclic oculomotor paresis and spasms

See Oculomotor paresis with cyclic spasms

Cyclosporin

Antiinflammatory therapy for dry eye, 337

Cys110Arg

Histologic study of retinitis pigmentosa due to a mutation in the RP13 gene (*PRPC8*): comparison with rhodopsin Pro23His, Cys110Arg, and Glu181Lys, 946

Cysticercosis

Orbital cysticercosis-associated scleral indentation presenting with pseudo-retinal detachment, 1153

Cystoid macular edema

See also Macular edema

Cystoid macular edema in a low-risk patient after switching from latanoprost to bimatoprost, 966

Intravitreal triamcinolone acetonide in eyes with cystoid macular edema associated with central retinal vein occlusion (letter), 593, 596

Cytomegalovirus retinitis

Comparability of two fundus photograph reading centers in grading cytomegalovirus retinitis progression, 426

D

Deep anterior lamellar keratoplasty

Endothelial cell density after deep anterior lamellar keratoplasty (Melles technique), 397

Descemet membrane detachment

Descemet membrane detachment with hemorrhage after alkali burn to the cornea, 185

Intracoronary hematoma with Descemet membrane detachment after viscocanalostomy, 195

Diabetes mellitus

Correlation between fluorescein angiographic and optical coherence tomographic features in clinically significant diabetic macular edema, 313

Lipid-lowering drug atorvastatin as an adjunct in the management of diabetic macular edema, 675

Diabetic papillopathy

Intravitreal triamcinolone acetonide for the management of diabetic papillopathy, 1151

Diabetic retinopathy

Comparison of the Amblyopia Treatment Study HOTV and Electronic-Early Treatment of Diabetic Retinopathy Study visual acuity protocols in children aged 5 to 12 years, 278

Screening for sight-threatening diabetic retinopathy: comparison of fundus photography with automated color contrast threshold test, 445

Diffuse unilateral subacute neuroretinitis

White dot syndromes, 538

Diode laser

Diode-laser-induced cataract and iris atrophy as a complication of eyelid hair removal, 762

Treatment of an avulsed retinal vessel with infrared diode laser photocoagulation, 767

Docosahexaenoic acid

Randomized, placebo-controlled clinical trial of docosahexaenoic acid supplementation for X-linked retinitis pigmentosa, 704

Dolichoectasia

Noninvasive neuroimaging of basilar artery dolichoectasia in a patient with an isolated abducens nerve paresis, 365

Druzen

Comparison of color to fluorescein angiographic images from patients with early-adult onset grouped drusen suggests drusen substructure, 924

Dry eye

Antiinflammatory therapy for dry eye, 337

Comparison of efficacies of topical corticosteroids and nonsteroidal anti-inflammatory drops on dry eye patients: a clinical and immunocytochemical study (letter), 1157

Corneal epitheliopathy of dry eye induces hyperesthesia to mechanical air jet stimulation, 109

Effect of punctal occlusion on wavefront aberrations in dry eye patients after laser in situ keratomileusis, 52

Evaluation of the tear film stability after laser in situ keratomileusis using the tear film stability analysis system, 116

E

Early-adult onset grouped drusen

Comparison of color to fluorescein angiographic images from patients with early-adult onset grouped drusen suggests drusen substructure, 924

Echography

Impact of echography on evaluation and management of posterior segment disorders, 24

Ecthyma gangrenosum

Orbital cellulitis, panophthalmitis, and ecthyma gangrenosum in an immunocompromised host with *Pseudomonas* septicemia, 176

EDTA chelation

EDTA chelation for calcific band keratopathy: results and long-term follow-up, 1056

Elderly

Corneal arcus and hyperlipidemia: findings from an older population, 363

Impact of cataract surgery on the visual ability of the very old, 145

Intraocular pressure asymmetry and underdiagnosed open-angle glaucoma in an older population, 380

Electroretinogram

Detection of localized retinal dysfunction in a choroideremia carrier, 189

Transient reduction in retinal function revealed by multifocal electroretinogram after photodynamic therapy, 826

Visual short-term effects of Viagra: double-blind study in healthy young subjects, 842

Embolectomy

Neodymium:yttrium-aluminum-garnet laser arteriotomy with embolectomy for central retinal artery occlusion, 196

Endophthalmitis

Acute endophthalmitis following intravitreal triamcinolone acetate injection (letter), 1158

Case-control study of endophthalmitis after cataract surgery comparing scleral tunnel and clear corneal wounds (letter), 598

Ciprofloxacin in endophthalmitis: an emerging alternative (letter), 1167

Culture-proven endogenous endophthalmitis: clinical features and visual acuity outcomes, 725

Delayed-onset, bleb-associated endophthalmitis caused by *Lecythophora mutabilis*, 583

Endogenous endophthalmitis after otitis media, 202

Endophthalmitis after penetrating keratoplasty: microbiologic spectrum and susceptibility to isolates, 343

Endophthalmitis isolates and antibiotic sensitivities: a 6-year review of culture-proven cases, 38

In vitro investigation of voriconazole susceptibility for keratitis and endophthalmitis fungal pathogens, 820

Listeria monocytogenes-induced endogenous endophthalmitis: bioultrasonic findings, 579

Subconjunctival antibiotics for acute postcataract extraction endophthalmitis—is it necessary?, 1120

Vitreous wick syndrome—a potential cause of endophthalmitis after intravitreal injection of triamcinolone through the pars plana (letter), 1159

Endothelial cells

Endothelial cell activation and hypercoagulability in ocular Behcet's disease, 850

Endothelial cell density after deep anterior lamellar keratoplasty (Melles technique), 397

Epiretinal membrane

Trypan blue has a high affinity to cellular structures such as epiretinal membrane (letter), 207

Epiretinal membranes

Role of patient age and intraocular gas use in cataract progression after vitrectomy for macular holes and epiretinal membranes, 250

Epithelial defects

Influence of intraoperative epithelial defects on outcomes in LASIK for myopia, 244

Epitheliopathy

Corneal epitheliopathy of dry eye induces hyperesthesia to mechanical air jet stimulation, 109

Epstein-Barr virus

Diagnosis by polymerase chain reaction of ocular posttransplant lymphoproliferative disorder after pediatric renal transplantation, 569

Erythema elevatum diutinum

Nodular scleritis and panuveitis with erythema elevatum diutinum, 368

Esotropia

Medial rectus pulley posterior fixation is as effective as scleral posterior fixation for acquired esotropia with a high AC/A ratio, 1026

Ethics

Professionalism: questions, old and new (letter), 600

Ethylenediamine-tetraacetic acid chelation

EDTA chelation for calcific band keratopathy: results and long-term follow-up, 1056

Excyclotorsion

Transposition of the anterior superior oblique insertion as a treatment for excyclotorsion induced from limited macular translocation, 125

Extraocular muscles

Acute myeloid leukemia presenting as bilateral proptosis from diffuse extraocular muscle infiltration, 948

Extraocular muscle enlargement with tendon involvement in thyroid-associated orbitopathy, 1145

Muscular bridge between the inferior oblique and inferior rectus muscles, 121

Eyelid hair removal

Diode-laser-induced cataract and iris atrophy as a complication of eyelid hair removal, 762

F

Factor XII deficiency

Factor XII deficiency: a thrombophilic risk factor for retinal vein occlusion, 459

Familial exudative vitreoretinopathy

Retinal capillary angioma in familial exudative vitreoretinopathy treated with photodynamic therapy, 780

Familial foveal retinoschisis

Optical coherence tomography findings in familial foveal retinoschisis, 179

Optical coherence tomography findings in familial foveal retinoschisis (letter), 1157

Fluorescein angiography

Comparison of color to fluorescein angiographic images from patients with early-adult onset grouped drusen suggests drusen substructure, 924

Correlation between fluorescein angiographic and optical coherence tomographic features in clinically significant diabetic macular edema, 313

Fluorescein videoangiography

Evaluation of arteriovenous crossing sheathotomy for branch retinal vein occlusion by fluorescein videoangiography and image analysis, 834

Foreign bodies

Three cases of intraocular foreign bodies as a result of walking or running along roadways, 585

Foveal retinoschisis

Optical coherence tomography findings in familial foveal retinoschisis (letter), 1157

Foveoschisis

Vitrectomy and internal limiting membrane peeling for myopic foveoschisis, 719

Fractures

Quantitative evaluation of ocular motility in blow-out fractures for selection of nonsurgically managed cases, 777

Fraser cryptophthalmos syndrome

Visual function in an 11 year old with Fraser cryptophthalmos syndrome (letter), 591

Frequency doubling perimetry

Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss, 863

Learning effect among perimetric novices with screening C-20-1 frequency doubling technology perimetry, 551

Validation of test duration as a screening criterion for frequency doubling perimetry, 562

Fundus

Ophthalmic fundus imaging: today and beyond, 511

Use of the RetCam 120 for fundus evaluation in uncooperative children, 354

Fundus photograph reading centers

Comparability of two fundus photograph reading centers in grading cytomegalovirus retinitis progression, 426

Fundus photography

Screening for sight-threatening diabetic retinopathy: comparison of fundus photography with automated color contrast threshold test, 445

G

Gastroesophageal reflux disease

Association between central serous chorioretinopathy and gastroesophageal reflux disease, 1096

Gelatinous droplike corneal dystrophy

Compound heterozygous mutations of M1S1 gene in gelatinous droplike corneal dystrophy, 567

Spectrum of clinical manifestations of gelatinous drop-like corneal dystrophy in Japan, 1081

General anesthesia

Optical coherence tomography under general anesthesia in a child with nystagmus, 1127

Glaucoma

See also Open-angle glaucoma

Bartonella henselae infection associated with neuroretinitis, central retinal artery and vein occlusion, neovascular glaucoma, and severe vision loss, 187

Four cases of normal-tension glaucoma with disk hemorrhage combined with branch retinal vein occlusion in the contralateral eye, 357

Frequency and predictors of glaucoma after pediatric cataract surgery, 30

Identifying early glaucoma with optical coherence tomography, 228

Intractable glaucoma following intravitreal triamcinolone in central retinal vein occlusion, 758

Optical coherence tomography to detect and manage retinal disease and glaucoma, 156

Oxidative stress markers in aqueous humor of glaucoma patients, 62

Persistency and tolerability of ocular hypotensive agents: population-based evidence in the management of glaucoma, S1

Pupil dilatation with intracameral 1% lidocaine during glaucoma filtering surgery (letter), 783

Surgical outcomes of combined phacoemulsification and glaucoma drainage implant surgery for Asian patients with refractory glaucoma with cataract, 294

Validation of test duration as a screening criterion for frequency doubling perimetry, 562

Gliomas

Optic radiation involvement in optic pathway gliomas in neurofibromatosis, 407

Glu181Lys

Histologic study of retinitis pigmentosa due to a mutation in the RP13 gene (PRPC8): comparison with rhodopsin Pro23His, Cys110Arg, and Glu181Lys, 946

Goldmann applanation tension

Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 1170

Gonioscopy

Evaluation of eyes with relative pupillary block by indentation ultrasound biomicroscopy gonioscopy, 552

H

Hard palate mucosal grafts

Hard palate mucosal grafts in oculoplastic surgery: donor site lessons, 1021

Hematoma

Intracoronary hematoma with Descemet membrane detachment after viscocanalostomy, 195

Hemorrhage

Buccal fat pad hemorrhage after retrobulbar injection, 1131

Descemet membrane detachment with hemorrhage after alkali burn to the cornea, 185

Hemorrhagic complication in an unsuspected macular choroidal melanoma, 574

Large submacular hemorrhages after verteporfin therapy, 558

Herbal therapies

Bull's-eye maculopathy secondary to herbal toxicity from uva ursi, 1135

Herpes simplex virus

Clinical characteristics of acute HSV-2 retinal necrosis, 872

New onset of herpes simplex virus epithelial keratitis after penetrating keratoplasty, 415

High-frequency ultrasound

High-frequency ultrasound of anterior segment retinoblastoma, 944

Hispanics

Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 1170

Homocysteine

Association of neovascular age-related macular degeneration and hyperhomocysteinemia, 84

- Total plasma homocysteine and primary open-angle glaucoma, 401
- Homonymous hemianopia**
Transient homonymous hemianopia and positive visual phenomena in nonketotic hyperglycemic patients, 1122
- Humphrey threshold testing**
Sensitivity and specificity of the 76-Suprathreshold visual field test to detect eyes with visual field defect by Humphrey threshold testing in a population-based setting: the Thessaloniki Eye Study, 420
- Hydrogel explants**
Complications of hydrogel explants used in scleral buckling surgery, 96
- Hypercoagulability**
Endothelial cell activation and hypercoagulability in ocular Behcet's disease, 850
- Hyperglycemia**
Transient homonymous hemianopia and positive visual phenomena in nonketotic hyperglycemic patients, 1122
- Hyperhomocysteinemia**
Association of neovascular age-related macular degeneration and hyperhomocysteinemia, 84
- Hyperlipidemia**
Corneal arcus and hyperlipidemia: findings from an older population, 363
- Hypermetropia**
Uveal effusion following laser in situ keratomileusis (LASIK) for hypermetropia, 763
- Hypertrichosis**
Hypertrichosis of vellus hairs of the malar region after unilateral treatment with bimatoprost, 756
- Hypoplastic left heart syndrome**
Severe retinopathy in a child with hypoplastic left heart syndrome, 566
- Hypotensive agents**
Observed time between prescription refills for newer ocular hypotensive agents: the effect of bottle size, S17
Patient persistency with topical ocular hypotensive therapy in a managed care population, S3
Persistency and tolerability of ocular hypotensive agents: population-based evidence in the management of glaucoma, S1
- Hypotonus maculopathy**
Hypotonus maculopathy: magnetic resonance appearance, 563
- Hypotony maculopathy**
Clinical and anatomical reversal of long-term hypotony maculopathy, 953
- I**
- Iatrogenic eye injury**
Latrogenic open globe eye injury following sinus surgery, 175
- Idiopathic juxtafoveal retinal telangiectasis**
Photodynamic therapy of subfoveal neovascular membrane in type 2A idiopathic juxtafoveal retinal telangiectasis, 812
- Idiopathic polypoidal choroidal vasculopathy**
Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy, 770
- Imaging**
See also Optical coherence tomography
Ophthalmic fundus imaging: today and beyond, 511
- Immune recovery uveitis**
Valganciclovir therapy for immune recovery uveitis complicated by macular edema, 636
- Implantable miniature telescope**
Prospective multicenter clinical trial to evaluate the safety and effectiveness of the implantable miniature telescope, 993
- Indentation ultrasound biomicroscopy gonioscopy**
Evaluation of eyes with relative pupillary block by indentation ultrasound biomicroscopy gonioscopy, 552
- Indocyanine green**
Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery, 609
Comment on papers by Ashikaki, Ozeki, Tomida, Sakurai, Tamai, Ogura: retention of dye after indocyanine-green assisted internal limiting membrane peeling (letter), 590
Comment on papers by Ciardella, Schiff, Barile, Vidne, Sparrow, Langton, Chang: persistent indocyanine green fluorescence after vitrectomy for macular hole (letter), 590
Histology of the vitreoretinal interface after staining of the internal limiting membrane using glucose 5% diluted indocyanine and infracyanine green, 345
Indocyanine green induces apoptosis in human retinal pigment epithelial cells, 931
Indocyanine green-assisted macular hole surgery: too pioneering? (editorial), 744
Internal limiting membrane staining with various concentrations of indocyanine green dye (letter), 589
Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy, 770
Reduced concentration and incubation of intravitreal indocyanine green can improve the functional outcome in macular hole surgery (letter), 386
- Infants**
See also Children
Aqueous shunt devices compared with trabeculectomy with mitomycin-C for children in the first two years of life (letter), 1163
- Inferior oblique muscle**
Muscular bridge between the inferior oblique and inferior rectus muscles, 121
- Inferior rectus muscle**
Muscular bridge between the inferior oblique and inferior rectus muscles, 121
- Infracyanine green**
Anatomical and visual outcome of macular hole surgery with infracyanine green-assisted peeling of the internal limiting membrane, endodrainage, and silicone oil tamponade (letter), 1162
Histology of the vitreoretinal interface after staining of the internal limiting membrane using glucose 5% diluted indocyanine and infracyanine green, 345
- Internal limiting membrane**
Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery, 609

- Anatomical and visual outcome of macular hole surgery with intracyanine green-assisted peeling of the internal limiting membrane, endodrainage, and silicone oil tamponade (letter), 1162
- Comment on papers by Ashikaki, Ozeki, Tomida, Sakurai, Tamai, Ogura: retention of dye after indocyanine-green assisted internal limiting membrane peeling (letter), 590
- Histology of the vitreoretinal interface after staining of the internal limiting membrane using glucose 5% diluted indocyanine and intracyanine green, 345
- In vivo observation of internal limiting membrane in an eye with macular hole, 183
- Internal limiting membrane staining with various concentrations of indocyanine green dye (letter), 589
- Reduced concentration and incubation of intravitreal indocyanine green can improve the functional outcome in macular hole surgery (letter), 386
- Triamcinolone acetate-assisted peeling of the internal limiting membrane, 172
- Trypan blue has a high affinity to cellular structures such as epiretinal membrane (letter), 207
- Vitreotomy and internal limiting membrane peeling for myopic foveoschisis, 719

Intracoronary hematoma

- Intracoronary hematoma with Descemet membrane detachment after viscocanalostomy, 195

Intraocular foreign bodies

- Three cases of intraocular foreign bodies as a result of walking or running along roadways, 585

Intraocular lens

- Correcting the cornea power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis (letter), 786
- Correcting the corneal power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis (letter), 970
- In-the-bag intraocular lens dislocation, 630
- Limitation of Scheimpflug videophotography system in quantifying posterior capsule opacification after intraocular lens implantation, 732
- Migration of lens epithelial cells through haptic root of single-piece acrylic-foldable intraocular lens, 377
- Surface calcification of silicone plate intraocular lens in patients with asteroid hyalosis, 979

Intraocular pressure

- Can patients guess their intraocular pressure?, 350
- Comparison of latanoprost, bimatoprost, and travoprost in patients with elevated intraocular pressure: a 12-week, randomized, masked-evaluator multicenter study (letter), 210, 387
- Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 1170
- Intraocular pressure asymmetry and underdiagnosed open-angle glaucoma in an older population, 380
- Intraocular pressure profile of a child on a systemic corticosteroid, 198

Intraorbital tumors

- Intraorbital and periocular tumors in children—value of ultrasound and color Doppler imaging in the differential diagnosis, 1065

Intravitreal gas

- Role of patient age and intraocular gas use in cataract progression after vitrectomy for macular holes and epiretinal membranes, 250

Intravitreal triamcinolone acetate

- Acute endophthalmitis following intravitreal triamcinolone acetate injection (letter), 1158
- Intractable glaucoma following intravitreal triamcinolone in central retinal vein occlusion, 758
- Intravitreal triamcinolone acetate for the management of diabetic papillopathy, 1151
- Intravitreal triamcinolone acetate in eyes with cystoid macular edema associated with central retinal vein occlusion (letter), 593, 596, 593, 596
- Serum levels of triamcinolone acetate after intravitreal injection, 1142
- Vitreous wick syndrome—a potential cause of endophthalmitis after intravitreal injection of triamcinolone through the pars plana (letter), 1159

Iris

- Diode-laser-induced cataract and iris atrophy as a complication of eyelid hair removal, 762

J

J. Donald M. Gass

- J. Donald M. Gass, MD: Festschrift Editorial (editorial), 480

K

Keratitis

- Ciprofloxacin and levofloxacin resistance among methicillin-sensitive *Staphylococcus aureus* isolates from keratitis and conjunctivitis, 453
- Clinical characteristics of microbial keratitis in a University Hospital in Taiwan, 329
- Impression cytology in the diagnosis of *Acanthamoeba* keratitis with surface involvement, 323
- In vitro investigation of voriconazole susceptibility for keratitis and endophthalmitis fungal pathogens, 820
- New onset of herpes simplex virus epithelial keratitis after penetrating keratoplasty, 415
- Therapeutic penetrating keratoplasty for microbial keratitis in Taiwan from 1987 to 2001, 736

Keratitis, ichthyosis, and deafness syndrome

- Two patients with severe corneal disease in KID syndrome, 181

Keratoconjunctivitis sicca

- Vogt-Koyanagi-Harada syndrome and keratoconjunctivitis sicca, 769

Ketoacidosis

- Reversible blindness associated with alcoholic ketoacidosis, 775

KID syndrome

- See Keratitis, ichthyosis, and deafness syndrome

L

Lacrimal canaliculus bypass surgery

- Lacrimal canaliculus bypass surgery with the Lester Jones tube, 101

Laser

Diode-laser-induced cataract and iris atrophy as a complication of eyelid hair removal, 762

Neodymium:yttrium-aluminum-garnet laser arteriotomy with embolectomy for central retinal artery occlusion, 196

Treatment of an avulsed retinal vessel with infrared diode laser photocoagulation, 767

Laser in situ keratomileusis

Corneal changes after laser in situ keratomileusis: measurement of corneal polarization magnitude and axis, 697

Corneal epitheliopathy of dry eye induces hyperesthesia to mechanical air jet stimulation, 109

Correcting the cornea power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis (letter), 786

Correcting the corneal power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis (letter), 970

Effect of punctal occlusion on wavefront aberrations in dry eye patients after laser in situ keratomileusis, 52

Evaluation of the tear film stability after laser in situ keratomileusis using the tear film stability analysis system, 116

Influence of intraoperative epithelial defects on outcomes in LASIK for myopia, 244

Topographically supported customized ablation for the management of decentered laser in situ keratomileusis, 806

Uveal effusion following laser in situ keratomileusis (LASIK) for hypermetropia, 763

Laser photocoagulation

Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy, 770

Positioning the obese or large-breasted patient for macular laser photocoagulation, 178

Treatment of an avulsed retinal vessel with infrared diode laser photocoagulation, 767

LASIK. See Laser in situ keratomileusis

Latanoprost

Comparison of latanoprost, bimatoprost, and travoprost in patients with elevated intraocular pressure: a 12-week, randomized, masked-evaluator multicenter study (letter), 210, 387, 210, 387

Cystoid macular edema in a low-risk patient after switching from latanoprost to bimatoprost, 966

Patient persistency with topical ocular hypotensive therapy in a managed care population, S3

Persistency with latanoprost or timolol in primary open-angle glaucoma suspects, S13

Lattice corneal dystrophy

Anterior basement membrane corneal dystrophy and pseudo-unilateral lattice corneal dystrophy in a patient with recurrent corneal erosions, 1124

Lattice corneal dystrophy type I without typical lattice lines: role of mutational analysis, 586

Leber congenital amaurosis

Thirty-year follow-up of a patient with Leber congenital amaurosis and novel RPE65 mutations, 375

Leber hereditary optic neuropathy

Ophthalmologic findings in a large pedigree of 11778/haplogroup J Leber hereditary optic neuropathy, 271

Lecytophora mutabilis

Delayed-onset, bleb-associated endophthalmitis caused by *Lecytophora mutabilis*, 583

Lens

See also Intraocular lens

Age-related changes in corneal and ocular higher-order wavefront aberrations, 988

Leprosy

Ocular findings in leprosy patients in Nepal in the era of multidrug therapy, 888

Lester Jones tube

Lacrimal canicular bypass surgery with the Lester Jones tube, 101

Leukemia

Acute myeloid leukemia presenting as bilateral proptosis from diffuse extraocular muscle infiltration, 948

Levofloxacin

Ciprofloxacin and levofloxacin resistance among methicillin-sensitive *Staphylococcus aureus* isolates from keratitis and conjunctivitis, 453

In vivo study comparing the ocular absorption of levofloxacin and ciprofloxacin prior to phacoemulsification, 308

Lidocaine

Pupil dilatation with intracameral 1% lidocaine during glaucoma filtering surgery (letter), 783

Ligneous conjunctivitis

Amniotic membrane transplantation in a case of ligneous conjunctivitis, 752

Limbal stem cell deficiency

Limbal stem cell deficiency following topical mitomycin C treatment of conjunctival-corneal intraepithelial neoplasia, 950

Limited macular translocation

Transposition of the anterior superior oblique insertion as a treatment for excyclotorsion induced from limited macular translocation, 125

Lipid-lowering drugs

Lipid-lowering drug atorvastatin as an adjunct in the management of diabetic macular edema, 675

Listeria monocytogenes

Listeria monocytogenes-induced endogenous endophthalmitis: biologic findings, 579

Liver function tests

Liver function tests in metastatic uveal melanoma, 236

Lymphoproliferative disorders after pediatric renal transplantation

Diagnosis by polymerase chain reaction of ocular posttransplant lymphoproliferative disorder after pediatric renal transplantation, 569

M

Macular burn

Macular burn after transpupillary thermotherapy for occult choroidal neovascularization, 1132

Macular choroidal melanoma

Hemorrhagic complication in an unsuspected macular choroidal melanoma, 574

Macular corneal dystrophy

Novel mutations in the carbohydrate sulfotransferase gene (CHST6) in American patients with macular corneal dystrophy, 465

Macular degeneration. See Age-related macular degeneration

Macular edema

- Correlation between fluorescein angiographic and optical coherence tomographic features in clinically significant diabetic macular edema, 313
- Cystoid macular edema in a low-risk patient after switching from latanoprost to bimatoprost, 966
- Evaluation of arteriovenous crossing sheathotomy for branch retinal vein occlusion by fluorescein videoangiography and image analysis, 834
- Interobserver variability in optical coherence tomography for macular edema, 1116
- Intravitreal triamcinolone acetonide in eyes with cystoid macular edema associated with central retinal vein occlusion (letter), 593, 596
- Lipid-lowering drug atorvastatin as an adjunct in the management of diabetic macular edema, 675
- Optical coherence tomography to detect macular edema in the presence of asteroid hyalosis, 959
- Valganciclovir therapy for immune recovery uveitis complicated by macular edema, 636

Macular hole

- Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery, 609
- Anatomical and visual outcome of macular hole surgery with infracyanine green-assisted peeling of the internal limiting membrane, endodrainage, and silicone oil tamponade (letter), 1162
- Autofluorescence as a novel approach to diagnosing macular holes, 956
- Comment on papers by Ciardella, Schiff, Barile, Vidne, Sparrow, Langton, Chang: persistent indocyanine green fluorescence after vitrectomy for macular hole (letter), 590
- In vivo observation of internal limiting membrane in an eye with macular hole, 183
- Indocyanine green-assisted macular hole surgery: too pioneering? (editorial), 744
- Pathogenesis of macular holes and therapeutic implications, 525
- Reduced concentration and incubation of intravitreal indocyanine green can improve the functional outcome in macular hole surgery (letter), 386
- Role of patient age and intraocular gas use in cataract progression after vitrectomy for macular holes and epiretinal membranes, 250

Macular laser photocoagulation

- Positioning the obese or large-breasted patient for macular laser photocoagulation, 178

Macular translocation

- Limited macular translocation compared with photodynamic therapy in the management of subfoveal choroidal neovascularization in age-related macular degeneration, 880
- Retinal changes after macular translocation with 360-degree retinotomy in monkey eyes, 1034
- Transposition of the anterior superior oblique insertion as a treatment for excyclotorsion induced from limited macular translocation, 125
- Use of rotational sutures for limited retinal translocation: a new technique for superior limited macular translocation, 901

Maculopathy

- Acute acquired toxoplasma retinitis may present similarly to unilateral acute idiopathic maculopathy, 940
- Bull's-eye maculopathy associated with quinacrine therapy for malaria, 577
- Bull's-eye maculopathy secondary to herbal toxicity from uva ursi, 1135
- Clinical and anatomical reversal of long-term hypotony maculopathy, 953

Magnetic resonance imaging

- Hypotony maculopathy: magnetic resonance appearance, 563

Malar region

- Hypertrichosis of vellus hairs of the malar region after unilateral treatment with bimatoprost, 756

Malaria

- Bull's-eye maculopathy associated with quinacrine therapy for malaria, 577

Medial rectus pulley posterior fixation

- Medial rectus pulley posterior fixation is as effective as scleral posterior fixation for acquired esotropia with a high AC/A ratio, 1026

Melanocytoma

- Melanocytoma or congenital optic disk pigmentation (letter), 208

Melanoma

- Clinicopathologic findings in choroidal melanomas after failed transpupillary thermotherapy (letter), 594
- Conjunctival melanoma metastasis diagnosed by sentinel lymph node biopsy, 1147
- Hemorrhagic complication in an unsuspected macular choroidal melanoma, 574
- Liver function tests in metastatic uveal melanoma, 236
- Survival, anatomic, and functional long-term results in choroidal and ciliary body melanoma after ruthenium brachytherapy (15 years' experience with beta-rays), 893
- Survival after proton-beam irradiation of uveal melanomas, 1002

Melles technique

- Endothelial cell density after deep anterior lamellar keratoplasty (Melles technique), 397

Mesothelioma

- Metastatic mesothelioma presenting with proptosis, 968

Metastases

- Conjunctival melanoma metastasis diagnosed by sentinel lymph node biopsy, 1147
- Photodynamic therapy for choroidal metastasis from carcinoid tumor, 1143

Metastatic mesothelioma

- Metastatic mesothelioma presenting with proptosis, 968

Metastatic uveal melanoma

- Liver function tests in metastatic uveal melanoma, 236

Methicillin-sensitive *Staphylococcus aureus*

- Ciprofloxacin and levofloxacin resistance among methicillin-sensitive *Staphylococcus aureus* isolates from keratitis and conjunctivitis, 453

Microbial keratitis

- Clinical characteristics of microbial keratitis in a University Hospital in Taiwan, 329

Therapeutic penetrating keratoplasty for microbial keratitis in Taiwan from 1987 to 2001, 736

Mitochondrial disease

SANDO: another presentation of mitochondrial disease, 951

Mitomycin C

Aqueous shunt devices compared with trabeculectomy with mitomycin-C for children in the first two years of life (letter), 1163

Limbal stem cell deficiency following topical mitomycin C treatment of conjunctival-corneal intraepithelial neoplasia, 950

Mitomycin-induced punctual stenosis (letter), 593

Monocular triplopia

Wavefront analysis of an eye with monocular triplopia and nuclear cataract, 361

Monocular vertical prism dissociation test

Monocular vertical prism dissociation test, 135

M1S1 gene

Compound heterozygous mutations of M1S1 gene in gelatinous droplike corneal dystrophy, 567

Mucosal grafts

Hard palate mucosal grafts in oculoplastic surgery: donor site lessons, 1021

Multidrug therapy

Ocular findings in leprosy patients in Nepal in the era of multidrug therapy, 888

Multifocal choroiditis with panuveitis

White dot syndromes, 538

Multifocal electroretinogram

Transient reduction in retinal function revealed by multifocal electroretinogram after photodynamic therapy, 826

Multiple evanescent white dot syndrome

White dot syndromes, 538

Multiple sclerosis

Oriental contrast sensitivity and chromatic contrast threshold in multiple sclerosis, 283

Myopia

Influence of intraoperative epithelial defects on outcomes in LASIK for myopia, 244

Mechanism of topiramate-induced acute-onset myopia and angle closure glaucoma, 193

Selective occlusion of subfoveal choroidal neovascularization in pathologic myopia using a new technique of ingrowth site treatment (letter), 383

Myopic foveoschisis

Vitrectomy and internal limiting membrane peeling for myopic foveoschisis, 719

N

National Eye Institute Visual Function Questionnaire

Is adjustment of National Eye Institute Visual Function Questionnaire scores for general health necessary in randomized trials?, 961

Neodymium:YAG laser

Correlation between posterior capsule opacification and visual function before and after neodymium:YAG laser posterior capsulotomy (letter), 1165

Neodymium:yttrium-aluminum-garnet laser arteriotomy with embolectomy for central retinal artery occlusion, 196

Neovascularization

Choroidal neovascularization, 496

Large submacular hemorrhages after verteporfin therapy, 558

Limited macular translocation compared with photodynamic therapy in the management of subfoveal choroidal neovascularization in age-related macular degeneration, 880

Macular burn after transpupillary thermotherapy for occult choroidal neovascularization, 1132

Responsiveness of the SF-36 Health Survey to changes in visual acuity among patients with subfoveal choroidal neovascularization, 373

Selective occlusion of subfoveal choroidal neovascularization in pathologic myopia using a new technique of ingrowth site treatment (letter), 383

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration, 615

Use of rotational sutures for limited retinal translocation: a new technique for superior limited macular translocation, 901

Neurofibromatosis

Optic radiation involvement in optic pathway gliomas in neurofibromatosis, 407

Neuromyotonia

Adult-onset acquired oculomotor nerve paresis with cyclic spasms: relationship to ocular neuromyotonia, 70

Neuroretinal dystrophy

Decreased levels of pigment epithelium-derived factor in eyes with neuroretinal dystrophic diseases, 1129

Neuroretinitis

Bartonella henselae infection associated with neuroretinitis, central retinal artery and vein occlusion, neovascular glaucoma, and severe vision loss, 187

Newborn

Preimplantation genetic diagnosis for retinoblastoma: the first reported liveborn, 18

Nodular scleritis

Nodular scleritis and panuveitis with erythema elevatum diutinum, 368

Noncontact wide-field viewing system

Vitreous surgery in pigmented rabbits using the new, noncontact wide-field viewing system, 212

Nonketotic hyperglycemia

Transient homonymous hemianopia and positive visual phenomena in nonketotic hyperglycemic patients, 1122

Nonsteroidal anti-inflammatory drugs

Comparison of efficacies of topical corticosteroids and nonsteroidal anti-inflammatory drops on dry eye patients: a clinical and immunocytochemical study (letter), 1157

Nuclear cataracts

See also Cataract

Relation of retinal microvascular characteristics to age-related eye disease: the Beaver Dam Eye Study, 435

Wavefront analysis of an eye with monocular triplopia and nuclear cataract, 361

Nystagmus

Optical coherence tomography under general anesthesia in a child with nystagmus, 1127

Positive angle kappa: a sign of albinism in patients with congenital nystagmus, 625

O

Obesity

Positioning the obese or large-breasted patient for macular laser photocoagulation, 178

Ocular burns

Microwave-superheated Vics Vapo Rub: an ocular public health danger, 379

Ocular hypertension

Confocal Scanning Laser Ophthalmoscopy Ancillary Study to the Ocular Hypertension Treatment Study: study design and baseline factors, 219

Ocular hypotensives

Increased periocular pigmentation with ocular hypotensive lipid use in African Americans (letter), 783

Ocular motility

Quantitative evaluation of ocular motility in blow-out fractures for selection of nonsurgically managed cases, 777

Ocular neuromyotonia

Adult-onset acquired oculomotor nerve paresis with cyclic spasms: relationship to ocular neuromyotonia, 70

Ocular pythiosis

Ocular pythiosis: is it under-diagnosed?, 370

Ocular rosacea

Ocular rosacea in childhood, 138

Ocular tissue

Identification and localization of major soluble vitreous proteins in human ocular tissue, 655

Ocular toxoplasmosis

Ocular toxoplasmosis: a global reassessment Part II: disease manifestations and management, 1

Ocular vaccinia

Ocular vaccinia following exposure to a smallpox vaccinee, 554

Oculogyric crisis

Oculogyric crisis in patients taking cefprozil, 355

Oculomotor paresis with cyclic spasms

Adult-onset acquired oculomotor nerve paresis with cyclic spasms: relationship to ocular neuromyotonia, 70

Oculoplastic surgery

Hard palate mucosal grafts in oculoplastic surgery: donor site lessons, 1021

Off-axis retinoscopy

Effect of off-the-visual-axis retinoscopy on objective refractive measurement, 1101

Ofloxacin

Challenge of determining aqueous contamination rate in anterior segment intraocular surgery, 662

Open globe

Iatrogenic open globe eye injury following sinus surgery, 175
Traumatic pediatric retinal detachment: a comparison between open and closed globe injuries, 1042

Open-angle glaucoma

See also Glaucoma

Enlargement of parapapillary atrophy in follow-up of chronic open-angle glaucoma, 646

Intraocular pressure asymmetry and underdiagnosed open-angle glaucoma in an older population, 380

Learning effect among perimetric novices with screening C-20-1 frequency doubling technology perimetry, 551

Persistency with latanoprost or timolol in primary open-angle glaucoma suspects, S13

Total plasma homocysteine and primary open-angle glaucoma, 401

Ophthalmic plaque therapy

Radiation-blocking glasses allow vision during ophthalmic plaque radiation therapy, 1149

Optic chiasmal syndrome

Clinical features associated with lesions other than pituitary adenoma in patients with an optic chiasmal syndrome, 908

Optic disk

Confocal Scanning Laser Ophthalmoscopy Ancillary Study to the Ocular Hypertension Treatment Study: study design and baseline factors, 219

Melanocytoma or congenital optic disk pigmentation (letter), 208

Optic nerve

Optical coherence tomographic findings of dissociated optic nerve fiber layer appearance, 1155

Optical coherence tomography findings in familial foveal retinoschisis (letter), 1157

Optic neuritis

Visual function more than 10 years after optic neuritis: experience of the Optic Neuritis Treatment Trial, 77

Optic neuropathy

Ophthalmologic findings in a large pedigree of 11778/haplogroup J Leber hereditary optic neuropathy, 271

Optic neurotomy

Radial optic neurotomy as treatment for central retinal vein occlusion (letter), 1161

Radial optic neurotomy in retinal vein occlusion (letter), 970

Optic pathway gliomas

Optic radiation involvement in optic pathway gliomas in neurofibromatosis, 407

Optic radiations

Optic radiation involvement in optic pathway gliomas in neurofibromatosis, 407

Optical coherence tomography

Best's vitelliform macular dystrophy with pseudohypopyon: an optical coherence tomography study, 963

Correlation between fluorescein angiographic and optical coherence tomographic features in clinically significant diabetic macular edema, 313

Identifying early glaucoma with optical coherence tomography, 228

Interobserver variability in optical coherence tomography for macular edema, 1116

Optical coherence tomographic findings of dissociated optic nerve fiber layer appearance, 1155

Optical coherence tomography findings in familial foveal retinoschisis, 179

Optical coherence tomography findings in patients with late solar retinopathy, 1159

Optical coherence tomography in the evaluation of retinal changes associated with suspicious choroidal melanocytic tumors, 90

- Optical coherence tomography of chronic solar retinopathy, 351
- Optical coherence tomography to detect and manage retinal disease and glaucoma, 156
- Optical coherence tomography to detect macular edema in the presence of asteroid hyalosis, 959
- Optical coherence tomography under general anesthesia in a child with nystagmus, 1127
- Orbital cellulitis**
 - Orbital cellulitis, panophthalmitis, and ecthyma gangrenosum in an immunocompromised host with *Pseudomonas* septicemia, 176
- Orbital cysticercosis**
 - Orbital cysticercosis-associated scleral indentation presenting with pseudo-retinal detachment, 1153
- Orbitopathy**
 - Extraocular muscle enlargement with tendon involvement in thyroid-associated orbitopathy, 1145
- Oriental contrast sensitivity**
 - Oriental contrast sensitivity and chromatic contrast threshold in multiple sclerosis, 283
- Otitis media**
 - Endogenous endophthalmitis after otitis media, 202
- Oxidative stress**
 - Oxidative stress markers in aqueous humor of glaucoma patients, 62
- Oxygen therapy**
 - Efficacy of delayed oxygen therapy in the treatment of experimental retinal detachment, 1085

P

- Panophthalmitis**
 - Orbital cellulitis, panophthalmitis, and ecthyma gangrenosum in an immunocompromised host with *Pseudomonas* septicemia, 176
 - Panophthalmitis due to *Clostridium septicum*, 942
- Panuveitis**
 - Nodular scleritis and panuveitis with erythema elevatum diutinum, 368
- Parapapillary atrophy**
 - Enlargement of parapapillary atrophy in follow-up of chronic open-angle glaucoma, 646
- Pars plana**
 - Vitreous wick syndrome—a potential cause of endophthalmitis after intravitreal injection of triamcinolone through the pars plana (letter), 1159
- Pediatrics.** See Children
- Penetrating keratoplasty**
 - Endophthalmitis after penetrating keratoplasty: microbiologic spectrum and susceptibility to isolates, 343
 - Impact of phototherapeutic keratectomy on the outcome of subsequent penetrating keratoplasty in patients with stromal corneal dystrophies, 301
 - New onset of herpes simplex virus epithelial keratitis after penetrating keratoplasty, 415
 - Therapeutic penetrating keratoplasty for microbial keratitis in Taiwan from 1987 to 2001, 736
- Perfluorocarbon**
 - Perfluorocarbon perfused vitrectomy: animal studies, 287

Perimetry

- Computerized kinetic perimetry detects tubular visual fields in patients with functional visual loss, 933
- Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss, 863
- Learning effect among perimetric novices with screening C-20-1 frequency doubling technology perimetry, 551

Periocular pigmentation

- Increased periocular pigmentation with ocular hypotensive lipid use in African Americans (letter), 783

Periorbital tumors

- Intraorbital and periorbital tumors in children—value of ultrasound and color Doppler imaging in the differential diagnosis, 1065

Phacoemulsification

- In vivo study comparing the ocular absorption of levofloxacin and ciprofloxacin prior to phacoemulsification, 308
- Retinal protection using a viscoadaptive viscoelastic agent during removal of a luxated crystalline lens by intravitreal phacoemulsification, 936
- Surgical outcomes of combined phacoemulsification and glaucoma drainage implant surgery for Asian patients with refractory glaucoma with cataract, 294

Photocoagulation

- Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy, 770
- Positioning the obese or large-breasted patient for macular laser photocoagulation, 178

Photodynamic therapy

- Acute severe visual acuity decrease after photodynamic therapy with verteporfin: case reports from randomized clinical trials—TAP and VIP Report No. 3, 683
- Chronic serous chorioretinopathy: photodynamic therapy, 1073
- Immunohistopathologic evaluation of choroidal neovascular membranes following verteporfin-photodynamic therapy, 914
- Limited macular translocation compared with photodynamic therapy in the management of subfoveal choroidal neovascularization in age-related macular degeneration, 880
- Photodynamic therapy for age-related macular degeneration: a candid appraisal, 483
- Photodynamic therapy for age-related macular degeneration in a clinical setting: visual results and angiographic patterns, 258
- Photodynamic therapy for choroidal metastasis from carcinoid tumor, 1143
- Photodynamic therapy of subfoveal neovascular membrane in type 2A idiopathic juxtafoveal retinal telangiectasis, 812
- Retinal capillary angioma in familial exudative vitreoretinopathy treated with photodynamic therapy, 780
- Transient reduction in retinal function revealed by multifocal electroretinogram after photodynamic therapy, 826

Photophobia

- Red contact lens for alleviation of photophobia in patients with cone disorders, 774

Photopic negative response

- Predominant loss of the photopic negative response in central retinal artery occlusion, 938

Phototherapeutic keratectomy

Impact of phototherapeutic keratectomy on the outcome of subsequent penetrating keratoplasty in patients with stromal corneal dystrophies, 301

Pigment epithelium-derived factor

Decrease of pigment epithelium-derived factor in aqueous humor with increasing age, 935

Decreased levels of pigment epithelium-derived factor in eyes with neuroretinal dystrophic diseases, 1129

Vitreous levels of pigment epithelium-derived factor and vascular endothelial growth factor: implications for ocular angiogenesis, 668

Pigmentation

Cutaneous hypopigmentation following a posterior sub-tenon triamcinolone injection, 779

Increased periocular pigmentation with ocular hypotensive lipid use in African Americans (letter), 783

Pituitary adenoma

Clinical features associated with lesions other than pituitary adenoma in patients with an optic chiasmal syndrome, 908

Plateau iris syndrome

Anterior chamber depth in plateau iris syndrome and pupillary block as measured by ultrasound biomicroscopy (letter), 1169

Poliosis

Topical prostaglandin F_{2a} analog induced poliosis, 965

Polymerase chain reaction

Diagnosis by polymerase chain reaction of ocular posttransplant lymphoproliferative disorder after pediatric renal transplantation, 569

Positive angle kappa

Positive angle kappa: a sign of albinism in patients with congenital nystagmus, 625

Posterior capsule opacification

Correlation between posterior capsule opacification and visual function before and after neodymium:YAG laser posterior capsulotomy (letter), 1165

Limitation of Scheimpflug videophotography system in quantifying posterior capsule opacification after intraocular lens implantation, 732

Migration of lens epithelial cells through haptic root of single-piece acrylic-foldable intraocular lens, 377

Posterior chamber intraocular lens dislocation

In-the-bag intraocular lens dislocation, 630

Posterior segment

Impact of echography on evaluation and management of posterior segment disorders, 24

Preimplantation genetic diagnosis

Preimplantation genetic diagnosis for retinoblastoma: the first reported liveborn, 18

Prescriptions

Observed time between prescription refills for newer ocular hypotensive agents: the effect of bottle size, S17

Pressure alopecia

Pressure alopecia following vitreoretinal surgery, 191

Professionalism

Professionalism: questions, old and new (letter), 600

Proliferative vitreoretinopathy

Prevalence and risk factors for proliferative vitreoretinopathy in eyes with rhegmatogenous retinal detachment but no previous vitreoretinal surgery, 1105

Proptosis

Acute myeloid leukemia presenting as bilateral proptosis from diffuse extraocular muscle infiltration, 948

Metastatic mesothelioma presenting with proptosis, 968

Prostaglandin F_{2a}

Topical prostaglandin F_{2a} analog induced poliosis, 965

Protein

Identification and localization of major soluble vitreous proteins in human ocular tissue, 655

Proton-beam therapy

Survival after proton-beam irradiation of uveal melanomas, 1002

Pseudohypopyon

Best's vitelliform macular dystrophy with pseudohypopyon: an optical coherence tomography study, 963

***Pseudomonas* septicemia**

Orbital cellulitis, panophthalmitis, and ecthyma gangrenosum in an immunocompromised host with *Pseudomonas* septicemia, 176

Punctal occlusion

Effect of punctal occlusion on wavefront aberrations in dry eye patients after laser in situ keratomileusis, 52

Punctual stenosis

Mitomycin-induced punctual stenosis (letter), 593

Pupil

Pupil dilatation with intracameral 1% lidocaine during glaucoma filtering surgery (letter), 783

Pupillary block

Anterior chamber depth in plateau iris syndrome and pupillary block as measured by ultrasound biomicroscopy (letter), 1169

Evaluation of eyes with relative pupillary block by indentation ultrasound biomicroscopy gonioscopy, 552

Q

Quinacrine

Bull's-eye maculopathy associated with quinacrine therapy for malaria, 577

R

Race

See African Americans; Asians; Hispanics

Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans (letter), 597, 1170

Radial optic neurotomy

Radial optic neurotomy as treatment for central retinal vein occlusion (letter), 1161

Radial optic neurotomy in retinal vein occlusion (letter), 970

Radiation

Radiation-blocking glasses allow vision during ophthalmic plaque radiation therapy, 1149

Red contact lens

Red contact lens for alleviation of photophobia in patients with cone disorders, 774

Refractive errors

Does refractive error influence the association of blood pressure and retinal vessel diameters? The Blue Mountains Eye Study, 1050

Refractory glaucoma

Surgical outcomes of combined phacoemulsification and glaucoma drainage implant surgery for Asian patients with refractory glaucoma with cataract, 294

Relative pupillary block

Evaluation of eyes with relative pupillary block by indentation ultrasound biomicroscopy gonioscopy, 552

Residency subcompetencies

Using the American Journal of Ophthalmology's website for assessing residency subcompetencies in practice-based learning (letter), 206

RetCam 120

Use of the RetCam 120 for fundus evaluation in uncooperative children, 354

Retina

Optical coherence tomography in the evaluation of retinal changes associated with suspicious choroidal melanocytic tumors, 90

Transient reduction in retinal function revealed by multifocal electroretinogram after photodynamic therapy, 826

Retinal capillary angioma

Retinal capillary angioma in familial exudative vitreoretinopathy treated with photodynamic therapy, 780

Retinal detachment

Efficacy of delayed oxygen therapy in the treatment of experimental retinal detachment, 1085

Intravitreal triamcinolone in the treatment of serous retinal detachment in Vogt-Koyanagi-Harada syndrome, 572

Orbital cysticercosis-associated scleral indentation presenting with pseudo-retinal detachment, 1153

Retinal detachment from inadvertent intraocular injection of botulinum toxin A, 201

Traumatic pediatric retinal detachment: a comparison between open and closed globe injuries, 1042

Retinal disease

Optical coherence tomography to detect and manage retinal disease and glaucoma, 156

Retinal microvasculature

Relation of retinal microvascular characteristics to age-related eye disease: the Beaver Dam Eye Study, 435

Retinal nerve fiber layer

Quantitative assessment of structural damage in eyes with localized visual field abnormalities, 797

Retinal pigment epithelial cells

Indocyanine green induces apoptosis in human retinal pigment epithelial cells, 931

Visualization of retinal pigment epithelial cells in vivo using digital high-resolution confocal scanning laser ophthalmoscopy, 556

Retinal telangiectasis

Photodynamic therapy of subfoveal neovascular membrane in type 2A idiopathic juxtafoveolar retinal telangiectasis, 812

Retinal vein occlusions

Bartonella henselae infection associated with neuroretinitis, central retinal artery and vein occlusion, neovascular glaucoma, and severe vision loss, 187

Evaluation of arteriovenous crossing sheathotomy for branch retinal vein occlusion by fluorescein videoangiography and image analysis, 834

Factor XII deficiency: a thrombophilic risk factor for retinal vein occlusion, 459

Four cases of normal-tension glaucoma with disk hemorrhage combined with branch retinal vein occlusion in the contralateral eye, 357

Intractable glaucoma following intravitreal triamcinolone in central retinal vein occlusion, 758

Intravitreal triamcinolone acetate in eyes with cystoid macular edema associated with central retinal vein occlusion (letter), 593, 596, 593, 596

Neodymium:yttrium-aluminum-garnet laser arteriotomy with embolectomy for central retinal artery occlusion, 196

Predominant loss of the photopic negative response in central retinal artery occlusion, 938

Radial optic neurotomy as treatment for central retinal vein occlusion (letter), 1161

Radial optic neurotomy in retinal vein occlusion (letter), 970

Retinal vessels

Does refractive error influence the association of blood pressure and retinal vessel diameters? The Blue Mountains Eye Study, 1050

Retinitis pigmentosa

Histologic study of retinitis pigmentosa due to a mutation in the RP13 gene (*PRPC8*): comparison with rhodopsin Pro23His, Cys110Arg, and Glu181Lys, 946

Novel 2336-2337delCT mutation in RP1 gene in a Japanese family with autosomal dominant retinitis pigmentosa, 1137

Randomized, placebo-controlled clinical trial of docosahexaenoic acid supplementation for X-linked retinitis pigmentosa, 704

Retinoblastoma

High-frequency ultrasound of anterior segment retinoblastoma, 944

Retinoblastoma gene

Preimplantation genetic diagnosis for retinoblastoma: the first reported liveborn, 18

Retinopathy

Clinical and immunologic aspects of cancer-associated retinopathy, 1118

Optical coherence tomography findings in patients with late solar retinopathy, 1139

Optical coherence tomography of chronic solar retinopathy, 351

Severe retinopathy in a child with hypoplastic left heart syndrome, 566

Retinoschisis

Optical coherence tomography findings in familial foveal retinoschisis, 179

Optical coherence tomography findings in familial foveal retinoschisis (letter), 1157

Retinoscopy

Effect of off-the-visual-axis retinoscopy on objective refractive measurement, 1101

Retinotomy

Retinal changes after macular translocation with 360-degree retinotomy in monkey eyes, 1034

Retrobulbar injection

Buccal fat pad hemorrhage after retrobulbar injection, 1131

Rhegmatogenous retinal detachment

See also Retinal detachment

Prevalence and risk factors for proliferative vitreoretinopathy in eyes with rhegmatogenous retinal detachment but no previous vitreoretinal surgery, 1105

Rhodopsin Pro23His

Histologic study of retinitis pigmentosa due to a mutation in the RP13 gene (PRPC8): comparison with rhodopsin Pro23His, Cys110Arg, and Glu181Lys, 946

Rosacea

Ocular rosacea in childhood, 138

RP1 gene

Novel 2336-2337delCT mutation in RP1 gene in a Japanese family with autosomal dominant retinitis pigmentosa, 1137

RP13 gene

Histologic study of retinitis pigmentosa due to a mutation in the RP13 gene (PRPC8): comparison with rhodopsin Pro23His, Cys110Arg, and Glu181Lys, 946

RPE65 gene

Thirty-year follow-up of a patient with Leber congenital amaurosis and novel RPE65 mutations, 375

RPGR mutations

Increasing evidence for syndromic phenotypes associated with RPGR mutations (letter), 785

Ruthenium brachytherapy

Survival, anatomic, and functional long-term results in choroidal and ciliary body melanoma after ruthenium brachytherapy (15 years' experience with beta-rays), 893

S

SANDO

SANDO: another presentation of mitochondrial disease, 951

SARS

Ocular screening in severe acute respiratory syndrome, 773

Scanning slit pachymetry

Corneal thickness measurement by confocal microscopy, ultrasound, and scanning slit methods, 1011

Scheimpflug videophotography

Limitation of Scheimpflug videophotography system in quantifying posterior capsule opacification after intraocular lens implantation, 732

Sclera

Orbital cysticercosis-associated scleral indentation presenting with pseudo-retinal detachment, 1153

Scleral buckling surgery

Complications of hydrogel explants used in scleral buckling surgery, 96

Scleral flap

Resuturing the scleral flap through conjunctiva for treatment of excess filtration, 173

Scleral tunnel wound

Case-control study of endophthalmitis after cataract surgery comparing scleral tunnel and clear corneal wounds (letter), 598

Screenings

Ocular screening in severe acute respiratory syndrome, 773

Screening for sight-threatening diabetic retinopathy: comparison of fundus photography with automated color contrast threshold test, 445

Validation of test duration as a screening criterion for frequency doubling perimetry, 562

Sensory ataxic neuropathy, dysarthria, and ophthalmoparesis

SANDO: another presentation of mitochondrial disease, 951

Sentinel lymph node biopsy

Conjunctival melanoma metastasis diagnosed by sentinel lymph node biopsy, 1147

Septicemia

Orbital cellulitis, panophthalmitis, and ecthyma gangrenosum in an immunocompromised host with *Pseudomonas* septicemia, 176

Serous retinal detachment

Intravitreal triamcinolone in the treatment of serous retinal detachment in Vogt-Koyanagi-Harada syndrome, 572

76-Suprathreshold visual field test

Sensitivity and specificity of the 76-Suprathreshold visual field test to detect eyes with visual field defect by Humphrey threshold testing in a population-based setting: the Thessaloniki Eye Study, 420

Severe acute respiratory syndrome

Ocular screening in severe acute respiratory syndrome, 773

SF-36 Health Survey

Responsiveness of the SF-36 Health Survey to changes in visual acuity among patients with subfoveal choroidal neovascularization, 373

Sildenafil citrate

Visual short-term effects of Viagra: double-blind study in healthy young subjects, 842

Silicone oil tamponade

Anatomical and visual outcome of macular hole surgery with infracyanine green-assisted peeling of the internal limiting membrane, endodrainage, and silicone oil tamponade (letter), 1162

Silicone plate intraocular lens

Surface calcification of silicone plate intraocular lens in patients with asteroid hyalosis, 979

Sinus surgery

Iatrogenic open globe eye injury following sinus surgery, 175

Slit-lamp illumination

Vitreoretinal surgery with slit-lamp illumination combined with a wide-angle-viewing contact lens, 955

Smallpox vaccination

Ocular vaccinia following exposure to a smallpox vaccinee, 554

Solar retinopathy

Optical coherence tomography findings in patients with late solar retinopathy, 1139

Optical coherence tomography of chronic solar retinopathy, 351

Staphylococcus aureus

Ciprofloxacin and levofloxacin resistance among methicillin-sensitive *Staphylococcus aureus* isolates from keratitis and conjunctivitis, 453

Statins

Do statins prevent age-related macular degeneration? (editorial), 747

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration, 615

Statistics

- Comparison of measurement methods requires appropriate statistical methodology (letter), 787

Strabismus surgery

- Transposition of the anterior superior oblique insertion as a treatment for excyclotorsion induced from limited macular translocation, 125

Subconjunctival antibiotics

- Subconjunctival antibiotics for acute postcataract extraction endophthalmitis—is it necessary?, 1120

Subfoveal choroidal neovascularization

- Limited macular translocation compared with photodynamic therapy in the management of subfoveal choroidal neovascularization in age-related macular degeneration, 880
- Responsiveness of the SF-36 Health Survey to changes in visual acuity among patients with subfoveal choroidal neovascularization, 373
- Selective occlusion of subfoveal choroidal neovascularization in pathologic myopia using a new technique of ingrowth site treatment (letter), 383
- Use of rotational sutures for limited retinal translocation: a new technique for superior limited macular translocation, 901

Subfoveal neovascular membrane

- Photodynamic therapy of subfoveal neovascular membrane in type 2A idiopathic juxtafoveolar retinal telangiectasis, 812

Submacular hemorrhage

- Large submacular hemorrhages after verteporfin therapy, 558

Subretinal fluid

- Optical coherence tomography in the evaluation of retinal changes associated with suspicious choroidal melanocytic tumors, 90

Sub-tenon space

- Cutaneous hypopigmentation following a posterior sub-tenon triamcinolone injection, 779

Superior oblique tendon

- Transposition of the anterior superior oblique insertion as a treatment for excyclotorsion induced from limited macular translocation, 125

Surgery

- Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery, 609
- Anatomical and visual outcome of macular hole surgery with infracyanine green-assisted peeling of the internal limiting membrane, endodrainage, and silicone oil tamponade (letter), 1162
- Case-control study of endophthalmitis after cataract surgery comparing scleral tunnel and clear corneal wounds (letter), 598
- Challenge of determining aqueous contamination rate in anterior segment intraocular surgery, 662
- Frequency and predictors of glaucoma after pediatric cataract surgery, 30
- Hard palate mucosal grafts in oculoplastic surgery: donor site lessons, 1021
- Impact of cataract surgery on the visual ability of the very old, 145
- Indocyanine green-assisted macular hole surgery: too pioneering? (editorial), 744

- Lacrimal canalicular bypass surgery with the Lester Jones tube, 101

- Pressure alopecia following vitreoretinal surgery, 191

- Prevalence and risk factors for proliferative vitreoretinopathy in eyes with rhegmatogenous retinal detachment but no previous vitreoretinal surgery, 1105

- Pupil dilatation with intracameral 1% lidocaine during glaucoma filtering surgery (letter), 783

- Reduced concentration and incubation of intravitreal indocyanine green can improve the functional outcome in macular hole surgery (letter), 386

- Surgical outcomes of combined phacoemulsification and glaucoma drainage implant surgery for Asian patients with refractory glaucoma with cataract, 294

- Transposition of the anterior superior oblique insertion as a treatment for excyclotorsion induced from limited macular translocation, 125

- Vitreoretinal surgery with slit-lamp illumination combined with a wide-angle-viewing contact lens, 955

- Vitreous surgery in pigmented rabbits using the new, noncontact wide-field viewing system, 212

Sutures

- Use of rotational sutures for limited retinal translocation: a new technique for superior limited macular translocation, 901

Sympathetic ophthalmia

- Intravitreal triamcinolone acetonide for treatment of sympathetic ophthalmia, 367

T

Tear film stability analysis

- Evaluation of the tear film stability after laser in situ keratomileusis using the tear film stability analysis system, 116

Telescope

- Prospective multicenter clinical trial to evaluate the safety and effectiveness of the implantable miniature telescope, 993

360 retinotomy

- Retinal changes after macular translocation with 360-degree retinotomy in monkey eyes, 1034

Thrombophilia

- Factor XII deficiency: a thrombophilic risk factor for retinal vein occlusion, 459

Thyroid-associated orbitopathy

- Extraocular muscle enlargement with tendon involvement in thyroid-associated orbitopathy, 1145

Timolol

- Persistency with latanoprost or timolol in primary open-angle glaucoma suspects, S13

Tomography. See Optical coherence tomography

Topiramate

- Mechanism of topiramate-induced acute-onset myopia and angle closure glaucoma, 193

Topographically supported customized ablation

- Topographically supported customized ablation for the management of decentered laser in situ keratomileusis, 806

Total reactive antioxidant potential

- Oxidative stress markers in aqueous humor of glaucoma patients, 62

Toxoplasma retinitis

Acute acquired toxoplasma retinitis may present similarly to unilateral acute idiopathic maculopathy, 940

Toxoplasmosis

Ocular toxoplasmosis: a global reassessment Part II: disease manifestations and management, 1

Trabeculectomy

Aqueous shunt devices compared with trabeculectomy with mitomycin-C for children in the first two years of life (letter), 1163

Resuturing the scleral flap through conjunctiva for treatment of excess filtration, 173

Transplantation

Amniotic membrane transplantation in a case of ligneous conjunctivitis, 752

Diagnosis by polymerase chain reaction of ocular posttransplant lymphoproliferative disorder after pediatric renal transplantation, 569

Transpupillary thermotherapy

Clinicopathologic findings in choroidal melanomas after failed transpupillary thermotherapy (letter), 594

Macular burn after transpupillary thermotherapy for occult choroidal neovascularization, 1132

Trauma

Quantitative evaluation of ocular motility in blow-out fractures for selection of nonsurgically managed cases, 777

Three cases of intraocular foreign bodies as a result of walking or running along roadways, 585

Traumatic pediatric retinal detachment: a comparison between open and closed globe injuries, 1042

Travoprost

Comparison of latanoprost, bimatoprost, and travoprost in patients with elevated intraocular pressure: a 12-week, randomized, masked-evaluator multicenter study (letter), 210, 387

Triamcinolone acetonide

Acute endophthalmitis following intravitreal triamcinolone acetonide injection (letter), 1166

Cutaneous hypopigmentation following a posterior sub-tenon triamcinolone injection, 779

Intractable glaucoma following intravitreal triamcinolone in central retinal vein occlusion, 758

Intraocular availability of triamcinolone acetonide after intravitreal injection, 560

Intravitreal triamcinolone acetonide for the management of diabetic papillopathy, 1151

Intravitreal triamcinolone acetonide for treatment of sympathetic ophthalmia, 367

Intravitreal triamcinolone acetonide in eyes with cystoid macular edema associated with central retinal vein occlusion (letter), 593, 596

Intravitreal triamcinolone in the treatment of serous retinal detachment in Vogt-Koyanagi-Harada syndrome, 572

Serum levels of triamcinolone acetonide after intravitreal injection, 1142

Triamcinolone acetonide-assisted peeling of the internal limiting membrane, 172

Vitreous wick syndrome—a potential cause of endophthalmitis after intravitreal injection of triamcinolone through the pars plana (letter), 1159

Tritan contrast threshold

Screening for sight-threatening diabetic retinopathy: comparison of fundus photography with automated color contrast threshold test, 445

Trypan blue

Trypan blue has a high affinity to cellular structures such as epiretinal membrane (letter), 207

Tumors

Intraorbital and periocular tumors in children—value of ultrasound and color Doppler imaging in the differential diagnosis, 1065

Photodynamic therapy for choroidal metastasis from carcinoid tumor, 1143

U

Ulcers

Contact lens-related corneal ulcers in compliant patients, 170

Ultrasound

Corneal thickness measurement by confocal microscopy, ultrasound, and scanning slit methods, 1011

High-frequency ultrasound of anterior segment retinoblastoma, 944

Intraorbital and periocular tumors in children—value of ultrasound and color Doppler imaging in the differential diagnosis, 1065

Ultrasound biomicroscopy

Anterior chamber depth in plateau iris syndrome and pupillary block as measured by ultrasound biomicroscopy (letter), 1169

Ultrasound biomicroscopic findings in aniridia, 858

Ultrasound biomicroscopy gonioscopy

Evaluation of eyes with relative pupillary block by indentation ultrasound biomicroscopy gonioscopy, 552

Uva ursi

Bull's-eye maculopathy secondary to herbal toxicity from uva ursi, 1135

Uveal effusion

Uveal effusion following laser in situ keratomileusis (LASIK) for hypermetropia, 763

Uveal melanoma

Liver function tests in metastatic uveal melanoma, 236

Survival after proton-beam irradiation of uveal melanomas, 1002

Uveitis

Valganciclovir therapy for immune recovery uveitis complicated by macular edema, 636

V

Valganciclovir

Valganciclovir therapy for immune recovery uveitis complicated by macular edema, 636

Vascular endothelial growth factor

Vitreous levels of pigment epithelium-derived factor and vascular endothelial growth factor: implications for ocular angiogenesis, 668

Verteporfin

Acute severe visual acuity decrease after photodynamic therapy with verteporfin: case reports from randomized clinical trials—TAP and VIP Report No. 3, 683

- Immunohistopathologic evaluation of choroidal neovascular membranes following verteporfin-photodynamic therapy, 914
- Large submacular hemorrhages after verteporfin therapy, 558
- Photodynamic therapy of subfoveal neovascular membrane in type 2A idiopathic juxtafoveal retinal telangiectasis, 812
- Vertical prism test**
Monocular vertical prism dissociation test, 135
- Viagra.** See Sildenafil citrate
- Viral infections**
cytomegalovirus retinitis. See Cytomegalovirus retinitis
keratitis. See Keratitis
- Viscoadaptive viscoelastic agent**
Retinal protection using a viscoadaptive viscoelastic agent during removal of a luxated crystalline lens by intravitreal phacoemulsification, 936
- Viscocanalostomy**
Intracorneal hematoma with Descemet membrane detachment after viscocanalostomy, 195
- Vision impairment**
Determinants of participation in activities of daily living in people with impaired vision, 265
- Vision loss**
Bartonella henselae infection associated with neuroretinitis, central retinal artery and vein occlusion, neovascular glaucoma, and severe vision loss, 187
Severe visual loss caused by ocular perforation during chalazion removal, 204
- Visual acuity**
Acute severe visual acuity decrease after photodynamic therapy with verteporfin: case reports from randomized clinical trials—TAP and VIP Report No. 3, 683
Comparison of the Amblyopia Treatment Study HOTV and Electronic-Early Treatment of Diabetic Retinopathy Study visual acuity protocols in children aged 5 to 12 years, 278
Culture-proven endogenous endophthalmitis: clinical features and visual acuity outcomes, 725
Monocular vertical prism dissociation test, 135
Responsiveness of the SF-36 Health Survey to changes in visual acuity among patients with subfoveal choroidal neovascularization, 373
- Visual field defects**
Quantitative assessment of structural damage in eyes with localized visual field abnormalities, 797
Sensitivity and specificity of the 76-Suprathreshold visual field test to detect eyes with visual field defect by Humphrey threshold testing in a population-based setting: the Thessaloniki Eye Study, 420
- Visual field loss**
Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss, 863
- Visual field tests**
Sensitivity and specificity of the 76-Suprathreshold visual field test to detect eyes with visual field defect by Humphrey threshold testing in a population-based setting: the Thessaloniki Eye Study, 420
- Visual fields**
Computerized kinetic perimetry detects tubular visual fields in patients with functional visual loss, 933
- Visual function**
Correlation between posterior capsule opacification and visual function before and after neodymium:YAG laser posterior capsulotomy (letter), 1165
Is adjustment of National Eye Institute Visual Function Questionnaire scores for general health necessary in randomized trials?, 961
Visual function more than 10 years after optic neuritis: experience of the Optic Neuritis Treatment Trial, 77
- Visual loss**
Computerized kinetic perimetry detects tubular visual fields in patients with functional visual loss, 933
- Vitrectomy**
Autoclavable wide-angle contact lens for vitreous surgery, 359
Comment on papers by Ciardella, Schiff, Barile, Vidne, Sparrow, Langton, Chang: persistent indocyanine green fluorescence after vitrectomy for macular hole (letter), 590
Perfluorocarbon perfused vitrectomy: animal studies, 287
Role of patient age and intraocular gas use in cataract progression after vitrectomy for macular holes and epiretinal membranes, 250
Vitrectomy and internal limiting membrane peeling for myopic foveoschisis, 719
Wide-angle viewing lens for vitrectomy, 760
- Vitreoretinal surgery**
See also Surgery
Pressure alopecia following vitreoretinal surgery, 191
Prevalence and risk factors for proliferative vitreoretinopathy in eyes with rhegmatogenous retinal detachment but no previous vitreoretinal surgery, 1105
Vitreoretinal surgery with slit-lamp illumination combined with a wide-angle-viewing contact lens, 955
- Vitreoretinopathy**
Prevalence and risk factors for proliferative vitreoretinopathy in eyes with rhegmatogenous retinal detachment but no previous vitreoretinal surgery, 1105
- Vitreous**
Identification and localization of major soluble vitreous proteins in human ocular tissue, 655
Vitreous levels of pigment epithelium-derived factor and vascular endothelial growth factor: implications for ocular angiogenesis, 668
- Vitreous surgery**
Vitreous surgery in pigmented rabbits using the new, noncontact wide-field viewing system, 212
- Vitreous wick syndrome**
Vitreous wick syndrome—a potential cause of endophthalmitis after intravitreal injection of triamcinolone through the pars plana (letter), 1159
- Vogt-Koyanagi-Harada syndrome**
Intravitreal triamcinolone in the treatment of serous retinal detachment in Vogt-Koyanagi-Harada syndrome, 572
Vogt-Koyanagi-Harada syndrome and keratoconjunctivitis sicca, 769

Voriconazole

In vitro investigation of voriconazole susceptibility for keratitis and endophthalmitis fungal pathogens, 820

W**Wavefront aberrations**

Age-related changes in corneal and ocular higher-order wavefront aberrations, 988

Wavefront aberrometry

Effect of punctal occlusion on wavefront aberrations in dry eye patients after laser in situ keratomileusis, 52

White dot syndromes

White dot syndromes, 538

Wide-angle contact lens

Autoclavable wide-angle contact lens for vitreous surgery, 359

Vitreoretinal surgery with slit-lamp illumination combined with a wide-angle-viewing contact lens, 955

Wide-angle viewing lens for vitrectomy, 760

X**X-linked retinitis pigmentosa**

Randomized, placebo-controlled clinical trial of docosahexaenoic acid supplementation for X-linked retinitis pigmentosa, 704

AUTHOR INDEX

A

- AABERT, T. M., Jr.: See ZALDIVAR, R. A., 595
- ABRAMSON, D. H.: See XU, K., 18
- ABUNTO, T.: See ANGELES, R., 697
- ADAMIAN, M.: See TO, K., 946
- AFFELDT, J. A.: See MEALLET, M. A., 765
- AGRAWAL, J.: See AGRAWAL, S., 1153
- AGRAWAL, S., AGRAWAL, J., and AGRAWAL, T. P.: Orbital cysticercosis-associated scleral indentation presenting with pseudo-retinal detachment, 1153
- AGRAWAL, T. P.: See AGRAWAL, S., 1153
- AHMAD, O. F. and HIROSE, T.: Severe retinopathy in a child with hypoplastic left heart syndrome, 566
- AIKAWA, H.: See NISHIJIMA, K., 770
- AISENBREY, S.: See GRISANTI, S., 914
- AKITA, J.: See NISHIJIMA, K., 770
- AKTAN, S. G.: See NAJJAR, D. M., 170
- AL-ATTAR, L., BERROCAL, A., WARMAN, R., DUBOVY, S., PAREDES, A., CHAN, C.-C., and DAVIS, J.: Diagnosis by polymerase chain reaction of ocular post-transplant lymphoproliferative disorder after pediatric renal transplantation, 569
- ALBEKIONI, Z.: See FINGER, P. T., 944
- ALDAVE, A. J., LIN, D. Y., PRINCIPE, A. H., YELLORE, V. S., and WEISSMAN, B. A.: Anterior basement membrane corneal dystrophy and pseudo-unilateral lattice corneal dystrophy in a patient with recurrent corneal erosions, 1124
- ALDAVE, A. J., YELLORE, V. S., THONAR, E. J., UDAR, N., WARREN, J. F., YOON, M. K., COHEN, E. J., RAPUANO, C. J., LAIBSON, P. R., MARGOLIS, T. P., and SMALL, K.: Novel mutations in the carbohydrate sulfotransferase gene (CHST6) in American patients with macular corneal dystrophy, 465
- ALFONSO, E. C.: See MARANGON, F. B., 453
- ALFONSO, E. C.: See MARANGON, F. B., 820
- AL-HADDAD, C. E., JURDI, F. A., and BASHSHUR, Z. F.: Intravitreal triamcinolone acetate for the management of diabetic papillopathy, 1151
- AL-KHAYER, K., HAGSTROM, S., PAUER, G., ZEGARRA, H., SEARS, J., and TRABOULSI, E. I.: Thirty-year follow-up of a patient with Leber congenital amaurosis and novel RPE65 mutations, 375
- ALWARD, W. L. M.: See GRASSI, M. A., 753
- AMANO, S., AMANO, Y., YAMAGAMI, S., MIYAI, T., MIYATA, K., SAMEJIMA, T., and OSHIKA, T.: Age-related changes in corneal and ocular higher-order wavefront aberrations, 988
- AMANO, S.: See TANAKA, Y., 732
- AMANO, Y.: See AMANO, S., 988
- AMBROSIO, R., Jr.: See OLIVA, M. S., 244
- AMER, R.: See KAISERMAN, I., 236
- ANASTASOPOULOS, E.: See TOPOUZIS, F., 420
- ANDO, F., SASANO, K., OHBA, N., HIROSE, H., and YASUI, O.: Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery, 609
- ANDRADE, R. E., MUCCIOLI, C., FARAH, M. E., NUSSENBLATT, R. B., and BELFORT, R., Jr.: Intravitreal triamcinolone in the treatment of serous retinal detachment in Vogt-Koyanagi-Harada syndrome, 572
- ANDRADE, R.: See SADUN, F., 271
- ANGELES, R., ABUNTO, T., BOWD, C., ZANGWILL, L. M., SCHANZLIN, D. J., and WEINREB, R. N.: Corneal changes after laser in situ keratomileusis: measurement of corneal polarization magnitude and axis, 697
- APPLE, D. J.: See FOOT, L., 979
- APPUKUTTAN, B.: See MEALLET, M. A., 765
- ARICHI, M.: See OGATA, N., 1129
- ARICHI, M.: See OGATA, N., 935
- ARIYASU, R.: See CLARK, R. A., 1026
- ASHIKARI, M. and OGURA, Y.: Reply to WEINBERGER, A. W. A.: Comment on papers by Ashikari, Ozeki, Tomida, Sakurai, Tamai, Ogura: retention of dye after indocyanine-green assisted internal limiting membrane peeling, and by Ciardella, Schiff, Barile, Vidne, Sparrow, Langton, Chang: persistent indocyanine green fluorescence after vitrectomy for macular hole 591
- ASLAM, T., PATTON, N., and DHILLON, B.: Correlation between posterior capsule opacification and visual function before and after neodymium:YAG laser posterior capsulotomy, 1165
- ASLAN, O.: See MEN, G., 963
- ASLANIDES, I. M.: See KYMIONIS, G. D., 806
- ASTYRAKAKIS, N.: See KYMIONIS, G. D., 806
- ATILLA, H.: See MEN, G., 963
- AUNG, T.: See CHUNG, A. N., 294
- AVERBUKH, E.: See SARRAZIN, L., 1042
- AVERY, R. L.: See LEWIS, G. P., 1085
- AVNI, I.: See BENHAMOU, N., 1132
- AVUNDUK, A. M., AVUNDUK, M. C., VARNELL, E. D., and KAUFMAN, H. E.: Reply to CHAN, C. K. M.: The comparison of efficacies of topical corticosteroids and nonsteroidal anti-inflammatory drops on dry eye patients: a clinical and immunocytochemical study, 1158
- AVUNDUK, M. C.: See AVUNDUK, A. M., 1158
- AXER-SIEGEL, R., BOURLA, D., EHRLICH, R., DOTAN, G., BENJAMINI, Y., GAVENDO, S., WEINBERGER, D., and SELA, B.-A.: Association of neovascular age-related macular degeneration and hyperhomocysteinemia, 84
- AZEN, S. P.: See KOSOBUECKI, B. R., 636

B

- BAKRI, S. J.: See MOSHFEGHI, D. M., 1160
- BAKRI, S. J.: See SCOTT, I. U., 1167
- BALDI, A.: See IANNACCONE, A., 785

- BARABINO, S. and ROLANDO, M.: Amniotic membrane transplantation in a case of ligneous conjunctivitis, 752
- BARILE, G.: See CIARDELLA, A., 591
- BAROODY, M., HOLDS, J. B., KOKOSKA, M. S., and BOYD, J.: Conjunctival melanoma metastasis diagnosed by sentinel lymph node biopsy, 1147
- BARSHOP, B. A.: See WANG, G., 401
- BARTLEY, G. B.: See PANG, N. K., 1021
- BARTZ-SCHMIDT, K. U.: See GRISANTI, S., 914
- BASHSHUR, Z. F.: See AL-HADDAD, C. E., 1151
- BASTOS DA ROSA, A.: See SADUN, F., 271
- BATIOĞLU, F.: See MEN, G., 963
- BAUM, J.: Corneal epithelial-stromal "chit-chat", 389
- BEAVERSON, K.: See XU, K., 18
- BECK, A. D., FREEDMAN, S., JIN, J., and KAMMER, J.: Reply to OGUZ, H.: Aqueous shunt devices compared with trabeculectomy with mitomycin-C for children in the first two years of life, 1164
- BECKINGSALE, P. S.: See MACCHERON, L. J., 176
- BEEKHUIS, W. H.: See VAN DOOREN, B. T. H., 397
- BEER, P. M.: See MOSHFEGHI, D. M., 1160
- BEER, P. M.: See SCOTT, I. U., 1167
- BELASCO, J.: See LIU, G. T., 407
- BELFORT, R., Jr.: See ANDRADE, R. E., 572
- BELFORT, R., Jr.: See CHALITA, M. R., 43
- BELFORT, R.: See SADUN, F., 271
- BELMONT, J.: See KUNIMOTO, D. Y., 343
- BELMONT, J.: See MOSHFEGHI, D. M., 1160
- BELMONT, J.: See SCOTT, I. U., 1167
- BEN SIMON, G. J., SYED, H. M., DOUGLAS, R., MCCANN, J. D., and GOLDBERG, R. A.: Extraocular muscle enlargement with tendon involvement in thyroid-associated orbitopathy, 1145
- BENGER, R.: See LIM, C., 101
- BENHAMOU, N., COHEN, S. Y., ERGINAY, A., UZZAN, J., BRASSEUR, G., AVNI, I., and GAUDRIC, A.: Macular burn after transpupillary thermotherapy for occult choroidal neovascularization, 1132
- BENJAMINI, Y.: See AXER-SIEGEL, R., 84
- BENZ, M. S., FLYNN, H. W., Jr., SCOTT, I. U., and MILLER, D.: Reply to VEDANTHAM, V.: Ciprofloxacin in endophthalmitis: an emerging alternative, 1168
- BENZ, M. S., SCOTT, I. U., FLYNN, H. W., Jr., UNONIUS, N., and MILLER, D.: Endophthalmitis isolates and antibiotic sensitivities: a 6-year review of culture-proven cases, 38
- BENZ, M. S.: See SCHIEDLER, V., 725
- BENZ, M.: See MOSHFEGHI, D. M., 1160
- BENZ, M.: See SCOTT, I. U., 1167
- BEREZOVSKY, A.: See SADUN, F., 271
- BERGWERK, K., SCHORR, N., and RABINOWITZ, Y. S.: Visual function in an 11 year old with Fraser cryptophthalmos syndrome, 591
- BERNSTEIN, P.: A comparison of Latanoprost, Bimatoprost, and Travoprost in patients with elevated intraocular pressure: a 12-week, randomized, masked-evaluator, multicenter study, 387
- BERROCAL, A.: See AL-ATTAR, L., 569
- BERRY, C. C.: See ZANGWILL, L. M., 219
- BERSON, E. L.: See TO, K., 946
- BESCH, D.: See JAGLE, H., 842
- BESSHO, K.: See KOSOBUCKI, B. R., 636
- BHANSALI, A.: See GUPTA, A., 675
- BHAT, S.: See THOMAS, R., 562
- BHATT, H. K., SHARMA, M. C., and BLAIR, N. P.: Pressure alopecia following vitreoretinal surgery, 191
- BHATT, H. R. F.: See WILSON, H. L., 615
- BHATT, U. K.: Radial optic neurotomy in retinal vein occlusion, 970
- BHATTI, M. T.: See OKUN, M. S., 951
- BILANIUK, L. L.: See LIU, G. T., 407
- BINDEWALD, A., JORZIK, J. J., LOESCH, A., SCHUTT, F., and HOLZ, F. G.: Visualization of retinal pigment epithelial cells in vivo using digital high-resolution confocal scanning laser ophthalmoscopy, 556
- BIRCH, D. G.: See HOFFMAN, D. R., 704
- BIRD, A. C.: See HOLZ, F. G., 504
- BIRD, A.: See KLEIN, R., 486
- BITE, U.: See PANG, N. K., 1021
- BLAIR, N. P.: See BHATT, H. K., 191
- BLODI, B. A.: See QUILLEN, D. A., 538
- BLUMENKRANZ, M. S.: See TA, C. N., 662
- BODAGHI, B.: See TRAN, T. H. C., 872
- BOHIGIAN, G.: See COOPER, B., 599
- BORIRAKCHANYAVAT, S.: See KEARNEY, J. J., 96
- BORNSTEIN, L. A.: See HU, G., 554
- BOURLA, D.: See AXER-SIEGEL, R., 84
- BOURNE, W. M.: See MCLAREN, J. W., 1011
- BOWD, C.: See ANGELES, R., 697
- BOWLING, B.: See CHEN, S. D. M., 1159
- BOYD, J.: See BAROODY, M., 1147
- BOYER, D. S.: See TABAN, M., 1073
- BRADLEY, E. A.: See PANG, N. K., 1021
- BRANDT, J. D., CASUSO, L. A., and BUDENZ, D. L.: Markedly increased central corneal thickness: an unrecognized finding in congenital aniridia, 348
- BRANDT, J. D.: See ZANGWILL, L. M., 219
- BRASSEUR, G.: See BENHAMOU, N., 1132
- BRESSLER, N. M.: See DO, D. V., 558
- BRESSLER, N. M.: See HUBBARD, L. D., 426
- BRESSLER, N. M.: See MISKALA, P. H., 961
- BRESSLER, S. B.: See DO, D. V., 558
- BRILAKIS, H. S. and HOLLAND, E. J.: Diode-laser-induced cataract and iris atrophy as a complication of eyelid hair removal, 762
- BRODSKY, M. C.: Melanocytoma or congenital optic disk pigmentation?, 208
- BRODSKY, M. C. and FRAY, K. J.: Positive angle kappa: a sign of albinism in patients with congenital nystagmus, 625

- BRODSKY, M. C.: See LIU, G. T., 407
- BROWNING, D. J.: Bull's-eye maculopathy associated with quinacrine therapy for malaria, 577
- BROWNING, D. J.: Interobserver variability in optical coherence tomography for macular edema, 1116
- BROWNING, D. J.: Positioning the obese or large-breasted patient for macular laser photocoagulation, 178
- BROWNING, D. J. and FRASER, C. M.: Optical coherence tomography to detect macular edema in the presence of asteroid hyalosis, 959
- BRUCKNER, D. A.: See HU, G., 554
- BRUNZINI, R.: See FERREIRA, S. M., 62
- BRUSH, M. B. and CHEN, P. P.: Learning effect among perimetric novices with screening C-20-1 frequency doubling technology perimetry, 551
- BUCCI, F. A., Jr.: An in vivo study comparing the ocular absorption of levofloxacin and ciprofloxacin prior to phacoemulsification, 308
- BUDDE, W. M. and JONAS, J. B.: Enlargement of parapapillary atrophy in follow-up of chronic open-angle glaucoma, 646
- BUDENZ, D. L.: See BRANDT, J. D., 348
- BURKE, J. A.: See KULKARNI, A. D., 212
- BURKE, M. P.: See PACKER, S., 600
- BURSON, G. T.: See LIU, G. T., 407
- BUSBEE, B.: See KUNIMOTO, D. Y., 343
- BUTLER, T. K. H., SUTTON, G., MOSHEGOV, C., and MCKAY, D. L.: Uveal effusion following laser in situ keratomileusis (LASIK) for hypermetropia, 763
- C**
- CALLANAN, D. G.: See QUILLEN, D. A., 538
- CALUCCI, D.: See COSTA, R. A., 383
- CALUCCI, D.: See JORGE, R., 1139
- CAMPOCHIARO, P. A.: See DUH, E. J., 668
- CANAKIS, C., LIVIR-RALLATOS, C., ZAFIRAKIS, P., and LIVIR-RALLATOS, G.: Acute endophthalmitis following intravitreal triamcinolone acetate injection, 1158
- CANBEK, S.: See GRISANTI, S., 914
- CAPRIOLI, J.: See JAFFE, G. J., 156
- CAPRIOLI, J.: See NOURI-MAHDAVI, K., 228
- CARDILLO, J. A.: See COSTA, R. A., 383
- CARDILLO, J. A.: See JORGE, R., 1139
- CARELLI, V.: See SADUN, F., 271
- CARRILLO, M. M. and NICOLELA, M. T.: Cystoid macular edema in a low-risk patient after switching from latanoprost to bimatoprost, 966
- CASPERS-VELU, L.: See TRAN, T. H. C., 872
- CASSWELL, A. G.: See ONG, G. L., 445
- CASTELLARIN, A., LIPSKEY, S., and STERNBERG, P., Jr.: Iatrogenic open globe eye injury following sinus surgery, 175
- CASUSO, L. A.: See BRANDT, J. D., 348
- CEKIC, O.: See FANG, X., 1034
- CESANA, B. M.: Comparison of measurement methods requires appropriate statistical methodology, 787
- CHALAM, K. V.: See SHAH, V. A., 359
- CHALITA, M. R., HOFLING-LIMA, A. L., PARANHOS, A., Jr., SCHOR, P., and BELFORT, R., Jr.: Shifting trends in in vitro antibiotic susceptibilities for common ocular isolates during a period of 15 years, 43
- CHAN, C. K. M. and LAM, D. S. C.: The comparison of efficacies of topical corticosteroids and nonsteroidal anti-inflammatory drops on dry eye patients: a clinical and immunocytochemical study, 1157
- CHAN, C. K. M.: See YUEN, H. K. L., 1166
- CHAN, C.-C.: See AL-ATTAR, L., 569
- CHAN, W.-M., KWOK, A. K. H., LIU, D. T. L., CHOI, P. C. L., LAM, S.-W., and LAM, D. S. C.: Hemorrhagic complication in an unsuspected macular choroidal melanoma, 574
- CHAN, W.-M.: See LAI, T. Y. Y., 826
- CHAN, W.-M.: See LIU, D. T. L., 383
- CHAN, W.-M.: See YUEN, K. S. C., 773
- CHANG, S.: See CIARDELLA, A., 591
- CHANG, S.: See CIARDELLA, A. P., 956
- CHANG, T. S.: See QUILLEN, D. A., 538
- CHAUVEL, P.: See KODJIKIAN, L., 1002
- CHEE, P. H. Y.: See JAVELLANA, J. A. G., 780
- CHEN, C. S., WELLS, J., and CRAIG, J. E.: Topical prostaglandin $F_{2\alpha}$ analog induced poliosis, 965
- CHEN, C.-D.: See WU, C. W., 655
- CHEN, E., MORRISON, D. G., and DONAHUE, S. P.: Acute myeloid leukemia presenting as bilateral proptosis from diffuse extraocular muscle infiltration, 948
- CHEN, P. P.: See BRUSH, M. B., 551
- CHEN, S. D. M., MOHAMMED, Q., BOWLING, B., and PATEL, C. K.: Vitreous wick syndrome—a potential cause of endophthalmitis after intravitreal injection of triamcinolone through the pars plana, 1159
- CHEN, S. D. M.: See PATEL, C. K., 1127
- CHEN, W.-L., WU, C.-Y., HU, F.-R., and WANG, I.-J.: Therapeutic penetrating keratoplasty for microbial keratitis in Taiwan from 1987 to 2001, 736
- CHEN, W.-L.: See FONG, C.-F., 329
- CHEN, X.: See SCHICKNER, D. C., 942
- CHENG, A. C. K. and LAM, D. S. C.: Correcting the corneal power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis, 970
- CHENG, L.: See KOSOBUCKI, B. R., 636
- CHEUNG, M. C., NUNE, G. C., WANG, M., MCTAGGART, K. E., MACDONALD, I. M., and DUNCAN, J. L.: Detection of localized retinal dysfunction in a choroideremia carrier, 189
- CHEW, P. T. K.: See CHUNG, A. N., 294
- CHIA, K.-S.: See TONG, L., 474
- CHIK, K. W.: See THAM, C. C. Y., 198
- CHILDS, A. L. and SUBMACULAR SURGERY TRIALS PATIENT-CENTERED OUTCOMES SUBCOMMITTEE FOR THE SUBMACULAR SURGERY TRIALS P: Responsiveness of the SF-36 health survey to changes in visual acuity among patients with subfoveal choroidal neovascularization, 373
- CHODOSH, J.: See NAZIR, S. A., 138

- CHOI, P. C. L.: See CHAN, W.-M., 574
- CHOLST, I.: See XU, K., 18
- CHONG, K. K. L.: See YUEN, K. S. C., 773
- CHOPLIN, N.: See NOECKER, R. S., 210
- CHUA, B. E., MITCHELL, P., WANG, J. J., and ROCHT-CHINA, E.: Corneal arcus and hyperlipidemia: findings from an older population, 363
- CHUCK, R. S.: See LANE, S. S., 993
- CHUNG, A. N., AUNG, T., WANG, J.-C., and CHEW, P. T. K.: Surgical outcomes of combined phacoemulsification and glaucoma drainage implant surgery for Asian patients with refractory glaucoma with cataract, 294
- CHUNG, C. F. and LAM, D. S. C.: Case-control study of endophthalmitis after cataract surgery comparing scleral tunnel and clear corneal wounds, 598
- CIARDELLA, A. P., LEE, G. C., LANGTON, K., SPARROW, J., and CHANG, S.: Autofluorescence as a novel approach to diagnosing macular holes, 956
- CIARDELLA, A., SCHIFF, W., BARILE, G., LANGTON, K., VIDNE, O., SPARROW, J., and CHANG, S.: Reply to WEINBERGER, A. W. A.: Comment on papers by Ashikari, Ozeki, Tomida, Sakurai, Tamai, Ogura: retention of dye after indocyanine-green assisted internal limiting membrane peeling, and by Ciardella, Schiff, Barile, Vidne, Sparrow, Langton, Chang: persistent indocyanine green fluorescence after vitrectomy for macular hole, 591
- CIOFFI, G. A.: See ZANGWILL, L. M., 219
- CIVEN, R.: See HU, G., 554
- CLARK, R. A., ARIYASU, R., and DEMER, J. L.: Medial rectus pulley posterior fixation is as effective as scleral posterior fixation for acquired esotropia with a high AC/A ratio, 1026
- CLARKSON, J. G.: See FLYNN, J. T., 480
- COATS, D. K.: See HUSSEIN, M. A. W., 354
- COATS, D. K.: See JACKSON, D. W., 1101
- COHEN, E. J.: See ALDAVE, A. J., 465
- COHEN, E. J.: See NAJJAR, D. M., 1056
- COHEN, E. J.: See NAJJAR, D. M., 170
- COHEN, E. J.: See NAJJAR, D. M., 185
- COHEN, E. J.: See REZENDE, R. A., 415
- COHEN, E.: See KUNIMOTO, D. Y., 343
- COHEN, S. Y.: See BENHAMOU, N., 1132
- COLEMAN, A. L.: See TOPOUZIS, F., 420
- COLEMAN, A. L.: See ZANGWILL, L. M., 219
- CONNOR, T. B.: See IYER, M. N., 120
- COOPER, B., HOLEKAMP, N. M., and BOHIGIAN, G.: Reply to CHUNG, C. F.: Case-control study of endophthalmitis after cataract surgery comparing scleral tunnel and clear corneal wounds, 599
- COOPER, M.: See ONG, G. L., 445
- CORRADI, R.: See PEZZI, P. P., 769
- CORTEZ, R. T.: See TSENG, W., 1105
- COSCAS, G.: See PAWLAK, D., 880
- COSGROVE, D.: See IANNACCONE, A., 785
- COSTA, R. A., CALUCCI, D., and CARDILLO, J. A.: Reply to LIU, D. T. L.: Selective occlusion of subfoveal choroidal neovascularization in pathologic myopia using a new technique of ingrowth site treatment, 383
- COSTA, R. A.: See JORGE, R., 1139
- CRAIG, J. E., ONG, T. J., LOUIS, D. L., and WELLS, J. M.: Mechanism of topiramate-induced acute-onset myopia and angle closure glaucoma, 193
- CRAIG, J. E.: See CHEN, C. S., 965
- CRUYSBERG, J. R. M.: See SIEGERSMA, J. E., 202
- CRUZ-VILLEGAS, V.: See SCOTT, I. U., 583
- CURTIN, V. T.: See FLYNN, J. T., 480
- CYTOMEGALOVIRUS RETINITIS AND VIRAL RESISTANCE STUDY GROUP: See HUBBARD, L. D., 426

D

- DA DALT, S.: See PEZZI, P. P., 769
- DAHLKE, C.: See WEINBERGER, A. W. A., 589
- DAHLKE, C.: See WEINBERGER, A. W. A., 590
- DAVIS, J. B.: See QUILLEN, D. A., 538
- DAVIS, J. L.: See LIEB, D. F., 940
- DAVIS, J. L.: See SCHIEDLER, V., 725
- DAVIS, J.: See AL-ATTAR, L., 569
- DE JONG, P. T. V. M.: See VAN LEEUWEN, R., 750
- DE JUAN, E., Jr.: See GUVEN, D., 901
- DE JUAN, E.: See DUH, E. J., 668
- DE NEGRI, A. M.: See SADUN, F., 271
- DEGENRING, R. F. and JONAS, J. B.: Serum levels of triamcinolone acetonide after intravitreal injection, 1142
- DEL PRIORE, L. V.: See SCHICKNER, D. C., 942
- DEL PRIORE, L. V.: See WANG, L., 1135
- DEMER, J. L.: See CLARK, R. A., 1026
- DEMIRCI, H.: See SHIELDS, J. A., 209
- DEMMING, S. M.: See LIEB, D. F., 940
- DEUTMAN, A. F.: See SIEGERSMA, J. E., 202
- DEV, S.: See IYER, M. N., 120
- DHILLON, B.: See ASLAM, T., 1165
- DIMITRAKOS, S.: See TOPOUZIS, F., 420
- DIRKES, K. A.: See ZANGWILL, L. M., 219
- DIRKS, M. S.: See NOECKER, R. S., 210
- DISLOCATED IN-THE-BAG INTRAOCULAR LENS STUDY GROUP: See GROSS, J. G., 630
- DO, D. V., BRESSLER, N. M., and BRESSLER, S. B.: Large submacular hemorrhages after verteporfin therapy, 558
- DOGRA, M. R.: See KAUSHIK, S., 758
- DONAHUE, S. P.: See CHEN, E., 948
- DONG, L. M.: See MEJICO, L. J., 908
- DOTAN, G.: See AXER-SIEGEL, R., 84
- DOUGLAS, R.: See BEN SIMON, G. J., 1145
- DRAY, J.-P.: See NEUDORFER, M., 1065
- DROUILHET, J. H.: See JAVELLANA, J. A. G., 780
- DUBOVY, S.: See AL-ATTAR, L., 569
- DUDNEY, B. W. and MALECHA, M. A.: Limbal stem cell deficiency following topical mitomycin C treatment of conjunctival-corneal intraepithelial neoplasia, 950
- DUH, E. J., YANG, H. S., HALLER, J. A., DE JUAN, E.,

HUMAYUN, M. S., GEHLBACH, P., MELIA, M., PIERAMICI, D., HARLAN, J. B., CAMPOCHIARO, P. A., and ZACK, D. J.: Vitreous levels of pigment epithelium-derived factor and vascular endothelial growth factor: implications for ocular angiogenesis, 668

DUHAIME, A.-C.: See LIU, G. T., 407
DUNCAN, J. L.: See CHEUNG, M. C., 189
DUNCAN, J. L.: See WILSON, H. L., 615
DUNN, J. P.: See HUBBARD, L. D., 426

E

EASTWOOD, D.: See IYER, M. N., 120
EGBERT, P. R.: See TA, C. N., 662
EGGENBERGER, E. R.: See GOLNIK, K. C., 135
EHLIES, F. J.: See SCOTT, I. U., 24
EHRlich, R.: See AXER-SIEGEL, R., 84
EMI, K.: See OYAGI, T., 183
EMOND, T. L.: See MANSUETTA, C. C., 1096
EMORI, A.: See YOSHIDA, S., 586
EQUI, R. A.: See QUILLEN, D. A., 538
ERGINAY, A.: See BENHAMOU, N., 1132
ERIE, J. C.: See MCLAREN, J. W., 1011
ERNEST, J. T.: See REZAI, K. A., 931
ESAKI, K.: See MATSUNAGA, K., 552
ESPINOZA, G., ROSENBLATT, B., and HARBOUR, J. W.: Optical coherence tomography in the evaluation of retinal changes associated with suspicious choroidal melanocytic tumors, 90
EVELSON, P. A.: See FERREIRA, S. M., 62

F

FAN, D. S. P.: See YUEN, K. S. C., 773
FANG, X., HAYASHI, A., MORIMOTO, T., USUI, S., CEKIC, O., FUJIOKA, S., HAYASHI, N., FUJIKADO, T., OHJI, M., and TANO, Y.: Retinal changes after macular translocation with 360-degree retinotomy in monkey eyes, 1034
FARAH, M. E.: See ANDRADE, R. E., 572
FARMERY, A. D.: See PATEL, C. K., 1127
FARROKH-SIAR, L.: See REZAI, K. A., 931
FEIST, R. M.: See MANSUETTA, C. C., 1096
FEKRAT, S.: See PARK, C. H., 594
FEKRAT, S.: See PARK, C. H., 596
FEKRAT, S.: See WEIZER, J., 971
FEKRAT, S.: See WEIZER, J. S., 1161
FERREIRA, S. M., LERNER, S. F., BRUNZINI, R., EVELSON, P. A., and LLESUY, S. F.: Oxidative stress markers in aqueous humor of glaucoma patients, 62
FEUER, W. J.: See SCOTT, I. U., 24
FIJNHEER, R.: See PROBST, K., 850
FINE, I. H.: See LANE, S. S., 993
FINGER, P. T., MESKIN, S. W., WISNICKI, H. J., ALBEKIONI, Z., and SCHNEIDER, S.: High-frequency ultrasound of anterior segment retinoblastoma, 944
FINGER, P. T. and SZECHTER, A.: Radiation-blocking glasses

allow vision during ophthalmic plaque radiation therapy, 1149

FISH, G. E.: See HOFFMAN, D. R., 704
FISHER, S. K.: See LEWIS, G. P., 1085
FISHER, Y. L.: See YANNUZZI, L. A., 511
FLOWER, R. W.: See YANNUZZI, L. A., 511
FLYNN, H. W., Jr.: See BENZ, M. S., 1168
FLYNN, H. W., Jr.: See BENZ, M. S., 38
FLYNN, H. W., Jr.: See FLYNN, J. T., 480
FLYNN, H. W., Jr.: See LIEB, D. F., 940
FLYNN, H. W., Jr.: See SCOTT, I. U., 583
FLYNN, H. W., Jr.: See SMIDDY, W. E., 525
FLYNN, J. T., CLARKSON, J. G., CURTIN, V. T., FLYNN, H. W., Jr., HURTES, R., and SMITH, J. L.: J. Donald M. Cass, MD: Festschrift Editorial, 480
FOLBERG, R.: See SCHICKNER, D. C., 942
FOLK, J. C.: See RUSSELL, S. R., 924
FONG, C.-F., TSENG, C.-H., HU, F.-R., WANG, I.-J., CHEN, W.-L., and HOU, Y.-C.: Clinical characteristics of microbial keratitis in a university hospital in Taiwan, 329
FOOT, L., WERNER, L., GILLS, J. P., SHOEMAKER, D. W., PHILLIPS, P. S., MAMALIS, N., OLSON, R. J., and APPLE, D. J.: Surface calcification of silicone plate intraocular lenses in patients with asteroid hyalosis, 979
FRASER, C. M.: See BROWNING, D. J., 959
FRAUNFELDER, F. T.: See FRAUNFELDER, F. W., 355
FRAUNFELDER, F. W. and FRAUNFELDER, F. T.: Oculogyric crisis in patients taking cetirizine, 355
FRAY, K. J.: See BRODSKY, M. C., 625
FREEDMAN, K. A. and POLEPALLE, S.: Transient homonymous hemianopia and positive visual phenomena in nonketotic hyperglycemic patients, 1122
FREEDMAN, S.: See BECK, A. D., 1164
FREEMAN, W. R.: See KOSOBUCKI, B. R., 636
FROHMAN, L.: See SCHICKNER, D. C., 942
FUJIKADO, T., KURODA, T., MAEDA, N., KIM, A., TANO, Y., OSHIKA, T., HIROHARA, Y., and MIHASHI, T.: Wavefront analysis of an eye with monocular triptopia and nuclear cataract, 361
FUJIKADO, T.: See FANG, X., 1034
FUJIKADO, T.: See IKUNO, Y., 719
FUJIKI, K.: See TIAN, X., 567
FUJIMOTO, H., MIZOGUCHI, T., KURODA, S., and NAGATA, M.: Intracorneal hematoma with Descemet membrane detachment after viscocanalostomy, 195
FUJIOKA, S.: See FANG, X., 1034
FUJISAWA, K.: See YOSHIDA, S., 586
FUJIWARA, O.: See MITAMURA, Y., 368
FUNG, A. E. and OXFORD, K. W.: Microwave-superheated Vics Vapo Rub: an ocular public health danger, 379
FURUSE, T.: See OHTSUKI, H., 125

G

GALLARDO, M. J. and JOHNSON, D. A.: Cutaneous hypopigmentation following a posterior sub-tenon triamcinolone injection, 779

- GANDORFER, A.: See HARITOGLOU, C., 345
- GARCA-AGUIRRE, G.: See QUIROZ-MERCADO, H., 287
- GARCIA-FEIJOO, J.: See MENDEZ-HERNANDEZ, C., 579
- GARCIA-SANCHEZ, J.: See MENDEZ-HERNANDEZ, C., 579
- GARG, S. J., MARTIDIS, A., NELSON, M. L., and SIVALINGAM, A.: Optical coherence tomography of chronic solar retinopathy, 351
- GARWEG, J. G.: See KODJIKIAN, L., 1002
- GASS, C. A.: See HARITOGLOU, C., 345
- GASS, C. A.: See HARITOGLOU, C., 386
- GAUDRIC, A.: See BENHAMOU, N., 1132
- GAUDRIC, A.: See TRAN, T. H. C., 872
- GAVENDO, S.: See AXER-SIEGEL, R., 84
- GEHLBACH, P.: See DUH, E. J., 668
- GELISKEN, F.: See GRISANTI, S., 914
- GEORGE, R.: See THOMAS, R., 562
- GERARD, J. P.: See ROUBEROL, F., 893
- GHABRIAL, R.: See LIM, C., 101
- GIACONI, J. A.: See MARANGON, F. B., 820
- GIBSON, A., MUSA, F., PEARSON, A., and WIGGINS, J.: Metastatic mesothelioma presenting with proptosis, 968
- GILLS, J. P.: See FOOT, L., 979
- GLACET-BERNARD, A.: See PAWLAK, D., 880
- GOLDBERG, D. E.: See KOSOBUCKI, B. R., 636
- GOLDBERG, R. A.: See BEN SIMON, G. J., 1145
- GOLDEN, J. C.: See LIU, G. T., 407
- GOLDENBERG-COHEN, N. and MILLER, N. R.: Noninvasive neuroimaging of basilar artery dolichoectasia in a patient with an isolated abducens nerve paresis, 365
- GOLDSTEIN, D. A. and TESSLER, H. H.: Re: mitomycin-induced punctal stenosis, 593
- GOLNIK, K. C., LEE, A. G., and EGGENBERGER, E. R.: The monocular vertical prism dissociation test, 135
- GOMI, F.: See IKUNO, Y., 719
- GOMI, F.: See NAKATA, K., 760
- GOPWANI, R., YUEN, H. K. L., and LAM, D. S. C.: Anatomical and visual outcome of macular hole surgery with infracyanine green-assisted peeling of the internal limiting membrane, endodrainage, and silicone oil tamponade, 1162
- GORDON, J. F.: See LANE, S. S., 993
- GORDON, M. O.: See ZANGWILL, L. M., 219
- GOTO, T., ZHENG, X., KLYCE, S. D., KATAOKA, H., UNO, T., YAMAGUCHI, M., KARON, M., HIRANO, S., OKAMOTO, S., and OHASHI, Y.: Evaluation of the tear film stability after laser in situ keratomileusis using the tear film stability analysis system, 116
- GOTOH, Y.: See MACHIDA, S., 938
- GOTTLIEB, J. L.: See QUILLEN, D. A., 538
- GRANGE, J. D.: See KODJIKIAN, L., 1002
- GRANGE, J. D.: See ROUBEROL, F., 893
- GRASSI, M. A., ALWARD, W. L. M., VERDICK, R. L., LANGLOW, E. P., and KWON, Y. H.: Atypical pigment dispersion syndrome in a child, 753
- GRAY, A. V., MICHELS, K. S., LAUER, A. K., and SAMPLES, J. R.: *Bartonella henselae* infection associated with neuroretinitis, central retinal artery and vein occlusion, neovascular glaucoma, and severe vision loss, 187
- GREEN, W. R.: See GROSSNIKLAUS, H. E., 496
- GRISANTI, S., TATAR, O., CANBEK, S., LAFAUT, B. A., GELISKEN, F., INHOFFEN, W., SZURMAN, P., AISENBREY, S., OFICJALSKA-MLYNCZAK, J., and BARTZ-SCHMIDT, K. U.: Immunohistopathologic evaluation of choroidal neovascular membranes following verteporfin-photodynamic therapy, 914
- GROENEVELD, E. R.: See MACCHERON, L. J., 176
- GROSS, J. G., KOKAME, G. T., WEINBERG, D. V., and DISLOCATED IN-THE-BAG INTRAOCULAR LENS STUDY GROUP: In-the-bag intraocular lens dislocation, 630
- GROSSNIKLAUS, H. E. and GREEN, W. R.: Choroidal neovascularization, 496
- GROSSNIKLAUS, H. E.: See ZALDIVAR, R. A., 595
- GUERRERO-NARANJO, J.: See QUIROZ-MERCADO, H., 287
- GUPTA, A., GUPTA, V., THAPAR, S., and BHANSALI, A.: Lipid-lowering drug atorvastatin as an adjunct in the management of diabetic macular edema, 675
- GUPTA, A.: See KAUSHIK, S., 758
- GUPTA, R. R.: See RUSSELL, S. R., 924
- GUPTA, V.: See GUPTA, A., 675
- GUPTA, V.: See KAUSHIK, S., 758
- GUVEN, D., PANZAN, C., HUMAYUN, M., and DE JUAN, E., Jr.: Use of rotational sutures for limited retinal translocation: a new technique for superior limited macular translocation, 901

H

- HAFNER, A.: See SZENTMARY, N., 301
- HAGEMAN, G. S.: See RUSSELL, S. R., 924
- HAGSTROM, S.: See AL-KHAYER, K., 375
- HALLER, J. A.: See DUH, E. J., 668
- HALPERT, M.: See SARRAZIN, L., 1042
- HAM, D.-I.: See KANG, S. W., 313
- HAMILL, M. B.: See LANE, S. S., 993
- HAN, D. P.: See IYER, M. N., 120
- HANEDA, M.: See SHIRATO, S., 173
- HANEMOTO, T., IDETA, H., and KAWASAKI, T.: Retinal protection using a viscoadaptive viscoelastic agent during removal of a luxated crystalline lens by intravitreal phacoemulsification, 936
- HANSCOM, T. A.: See REYNARD, M., 196
- HARBOUR, J. W.: Photodynamic therapy for choroidal metastasis from carcinoid tumor, 1143
- HARBOUR, J. W.: See ESPINOZA, G., 90
- HARINO, S.: See IKUNO, Y., 719
- HARITOGLOU, C., GANDORFER, A., GASS, C. A., and KAMPIK, A.: Histology of the vitreoretinal interface after staining of the internal limiting membrane using glucose 5% diluted indocyanine and infracyanine green, 345
- HARITOGLOU, C., GASS, C. A., and KAMPIK, A.: Reply to MEYER, C. H.: Reduced concentration and incubation

- of intravitreal indocyanine green can improve the functional outcome in macular hole surgery, 386
- HARLAN, J. B.: See DUH, E. J., 668
- HART, J. and SHAFRANOV, G.: Hypertrichosis of vellus hairs of the malar region after unilateral treatment with bimatoprost, 756
- HASEBE, S.: See OHTSUKI, H., 125
- HASSELL, J. B.: See LAMOUREUX, E. L., 265
- HATANAKA, K.: See YANAGAWA, Y., 775
- HATTENBACH, L.-O.: See KUHLI, C., 459
- HAYASHI, A.: See FANG, X., 1034
- HAYASHI, F.: See HAYASHI, K., 1165
- HAYASHI, H.: See HAYASHI, K., 1165
- HAYASHI, K., HAYASHI, H., NAKAO, F., and HAYASHI, F.: Reply to ASLAM, T.: Correlation between posterior capsule opacification and visual function before and after neodymium:YAG laser posterior capsulotomy, 1165
- HAYASHI, N.: See FANG, X., 1034
- HAYASHI, O.: See NISHIDA, Y., 777
- HEMO, I.: See SARRAZIN, L., 1042
- HENDERER, J. D.: See LEE, J. J., 784
- HERMEL, M.: See WEINBERGER, A. W. A., 589
- HERMEL, M.: See WEINBERGER, A. W. A., 590
- HERMUSH, V.: See NEUDORFER, M., 1065
- HERNAEZ-ORTEGA, M. C.: See SOTO-PEDRE, E., 596
- HERTLE, R. W.: See LIU, M., 201
- HERTZMARK, E.: See SCHUMAN, J. S., 788
- HILFORD, D. J.: See MACCHERON, L. J., 176
- HIRANO, S.: See GOTO, T., 116
- HIROHARA, Y.: See FUJIKADO, T., 361
- HIROSE, H.: See ANDO, F., 609
- HIROSE, T.: See AHMAD, O. F., 566
- HO, A. C.: See LIU, M., 201
- HOFFMAN, D. R., LOCKE, K. G., WHEATON, D. H., FISH, G. E., SPENCER, R., and BIRCH, D. G.: A randomized, placebo-controlled clinical trial of docosahexaenoic acid supplementation for X-linked retinitis pigmentosa, 704
- HOFFMAN, D.: See NOURI-MAHDAVI, K., 228
- HOFFMAN, R. S.: See LANE, S. S., 993
- HOFLING-LIMA, A. L.: See CHALITA, M. R., 43
- HOFMAN, A.: See VAN LEEUWEN, R., 750
- HOLDS, J. B.: See BAROODY, M., 1147
- HOLEKAMP, N. M.: See COOPER, B., 599
- HOLLAND, E. J.: See BRILAKIS, H. S., 762
- HOLLAND, G. N.: Ocular toxoplasmosis: a global reassessment. Part II: disease manifestations and management, 1
- HOLLAND, G. N.: See HU, G., 554
- HOLMES, J. M.: See RICE, M. L., 278
- HOLZ, F. G., PAULEIKHOFF, D., KLEIN, R., and BIRD, A. C.: Pathogenesis of lesions in late age-related macular disease, 504
- HOLZ, F. G.: See BINDEWALD, A., 556
- HOMMURA, S.: See OKAMOTO, F., 858
- HONAVAR, S. G.: See MURTHY, R., 594
- HONBO, M.: See TANAKA, Y., 732
- HONDA, Y.: See NISHIJIMA, K., 770
- HOU, Y.-C.: See FONG, C.-F., 329
- HU, F.-R.: See CHEN, W.-L., 736
- HU, F.-R.: See FONG, C.-F., 329
- HU, G., WANG, M. J., MILLER, M. J., HOLLAND, G. N., BRUCKNER, D. A., CIVEN, R., BORNSTEIN, L. A., MASCOLA, L., LOVETT, M. A., MONDINO, B. J., and PEGUES, D. A.: Ocular vaccinia following exposure to a smallpox vaccine, 554
- HUANG, A. J. W.: See SAWADA, Y., 323
- HUANG, B., MIRZA, M. A., QAZI, M. A., and PEPOSE, J. S.: The effect of punctal occlusion on wavefront aberrations in dry eye patients after laser in situ keratomileusis, 52
- HUBBARD, L. D., RICKS, M. O., MARTIN, B. K., BRESSLER, N. M., KEMPEN, J. H., DUNN, J. P., JABS, D. A., and CYTOMEGALOVIRUS RETINITIS AND VIRAL RESISTANCE STUDY GROUP: Comparability of two fundus photograph reading centers in grading cytomegalovirus retinitis progression, 426
- HUMAYUN, M. S.: See DUH, E. J., 668
- HUMAYUN, M.: See GUVEN, D., 901
- HURTES, R.: See FLYNN, J. T., 480
- HUSSEIN, M. A. W., COATS, D. K., and PAYSSE, E. A.: Use of the RetCam 120 for fundus evaluation in uncooperative children, 354
- HUSSEIN, M. A. W.: See JACKSON, D. W., 1101
- HYKIN, P.: See SNYERS, B., 812

I

- IANNACCONE, A., WANG, X., JABLONSKI, M. M., KUO, S. F., BALDI, A., COSGROVE, D., MORTON, C. C., and SWAROOP, A.: Increasing evidence for syndromic phenotypes associated with RPGR mutations, 785
- IDE, T., NISHIDA, K., MAEDA, N., TSUJIKAWA, M., YAMAMOTO, S., WATANABE, H., and TANO, Y.: A spectrum of clinical manifestations of gelatinous drop-like corneal dystrophy in Japan, 1081
- IDETA, H.: See HANEMOTO, T., 936
- IKUNO, Y., SAYANAGI, K., OHJI, M., KAMEI, M., GOMI, F., HARINO, S., FUJIKADO, T., and TANO, Y.: Vitrectomy and internal limiting membrane peeling for myopic foveoschisis, 719
- IKUNO, Y.: See NAKATA, K., 760
- IMAIZUMI, M.: See OGATA, N., 1129
- IMAIZUMI, M.: See OGATA, N., 935
- INHOFFEN, W.: See GRISANTI, S., 914
- ISASHIKI, Y.: See SONODA, S., 181
- ISHIBASHI, T.: See KAWAMURA, M., 1137
- ISHIBASHI, T.: See YOSHIDA, S., 586
- ISHIKAWA, F.: See OHGURO, H., 1117
- ITABASHI, T.: See KAWAMURA, M., 1137
- ITO, K.: See MATSUNAGA, K., 552
- ITO, T.: See OHGURO, H., 1117
- ITOH, T.: See YANAGAWA, Y., 775
- IWAMI, T.: See NISHIDA, Y., 777
- IYER, M. N., HAN, D. P., YUN, H. J., EASTWOOD, D., KIM,

J. E., CONNOR, T. B., WIROSTKO, W. J., and DEV, S.: Subconjunctival antibiotics for acute postcataract extraction endophthalmitis—is it necessary?, 120

J

- JABLONSKI, M. M.: See IANNACCONI, A., 785
 JABS, D. A.: See HUBBARD, L. D., 426
 JACKSON, A. L.: See STEWART, W. C., 350
 JACKSON, A. L.: See STEWART, W. C., 639
 JACKSON, D. W., PAYSSE, E. A., WILHELMUS, K. R., HUSSEIN, M. A. W., ROSBY, G., and COATS, D. K.: The effect of off-the-visual-axis retinoscopy on objective refractive measurement, 1101
 JACKSON, T. L., ONG, G. L., and RIPLEY, L. G.: Orientational contrast sensitivity and chromatic contrast thresholds in multiple sclerosis, 283
 JAFFE, G. J. and CAPRIOLI, J.: Optical coherence tomography to detect and manage retinal disease and glaucoma, 156
 JAFFE, G. J.: See PARK, C. H., 594
 JAFFE, G. J.: See PARK, C. H., 596
 JAFFE, G. J.: See TSENG, W., 1105
 JAGLE, C.: See JAGLE, H., 842
 JAGLE, H., JAGLE, C., SEREY, L., YU, A., RILK, A., SADOWSKI, B., BESCH, D., ZRENNER, E., and SHARPE, L. T.: Visual short-term effects of Viagra: double-blind study in healthy young subjects, 842
 JANSS, A.: See LIU, G. T., 407
 JAVELLANA, J. A. G., DROUILHET, J. H., KOKAME, G. T., CHEE, P. H. Y., and WONG, B. M. W.: Retinal capillary angioma in familial exudative vitreoretinopathy treated with photodynamic therapy, 780
 JAYCOCK, P. D., POON, W., WIGLEY, F., WILLIAMSON, J., and WILLIAMSON, T. H.: Three cases of intraocular foreign bodies as a result of walking or running along roadways, 585
 JEAN-LOUIS, B.: See KODJIKIAN, L., 1002
 JEAN-LOUIS, B.: See ROUBEROL, F., 893
 JENKINS, J. N.: See STEWART, W. C., 350
 JENKINS, J. N.: See STEWART, W. C., 639
 JIN, J.: See BECK, A. D., 1164
 JOHNSON, D. A.: See GALLARDO, M. J., 779
 JOHNSON, P. K.: See WU, C. W., 655
 JONAS, J. B.: Intraocular availability of triamcinolone acetonide after intravitreal injection, 560
 JONAS, J. B.: Intravitreal triamcinolone acetonide for treatment of sympathetic ophthalmia, 367
 JONAS, J. B.: See BUDDE, W. M., 646
 JONAS, J. B.: See DEGENRING, R. F., 1142
 JORGE, R., COSTA, R. A., QUIRINO, L. S., PAQUES, M. W., CALUCCI, D., CARDILLO, J. A., and SCOTT, I. U.: Optical coherence tomography findings in patients with late solar retinopathy, 1139
 JORZIK, J. J.: See BINDEWALD, A., 556
 JR., H. W. F.: See SCHIEDLER, V., 725
 JURDI, F. A.: See AL-HADDAD, C. E., 1151

K

- KAISER, P. K.: See MOSHFEGHI, D. M., 1160
 KAISER, R. S.: See MOSHFEGHI, D. M., 1160
 KAISER, R. S.: See SCOTT, I. U., 1167
 KAISERMAN, I., AMER, R., and PE'ER, J.: Liver function tests in metastatic uveal melanoma, 236
 KAKINOKI, M.: See NISHIDA, Y., 777
 KAMEI, M.: See IKUNO, Y., 719
 KAMEI, M.: See NAKATA, K., 760
 KAMMER, J.: See BECK, A. D., 1164
 KAMPIK, A.: See HARITOGLOU, C., 345
 KAMPIK, A.: See HARITOGLOU, C., 386
 KANAI, A.: See TIAN, X., 567
 KANG, S. W., PARK, C. Y., and HAM, D.-I.: The correlation between fluorescein angiographic and optical coherence tomographic features in clinically significant diabetic macular edema, 313
 KARACORLU, M.: See OZDEMIR, H., 1157
 KARACORLU, M.: See OZDEMIR, H., 179
 KARACORLU, S.: See OZDEMIR, H., 1157
 KARACORLU, S.: See OZDEMIR, H., 179
 KARAGIANNIS, A.: See SELVA, D., 593
 KARON, M.: See GOTO, T., 116
 KASPAR, H. M.: See TA, C. N., 662
 KASS, M. A.: See ZANGWILL, L. M., 219
 KATAOKA, H.: See GOTO, T., 116
 KATO, S.: See SUGITA, M., 377
 KATO, S.: See TANAKA, Y., 732
 KATSUTA, H.: See NISHIJIMA, K., 770
 KAUFMAN, H. E.: See AVUNDUK, A. M., 1158
 KAUSHIK, S., GUPTA, V., GUPTA, A., DOGRA, M. R., and SINGH, R.: Intractable glaucoma following intravitreal triamcinolone in central retinal vein occlusion, 758
 KAWAMURA, M., WADA, Y., NODA, Y., ITABASHI, T., OGAWA, S.-I., SATO, H., TANAKA, K., ISHIBASHI, T., and TAMAI, M.: Novel 2336-2337delCT mutation in RP1 gene in a Japanese family with autosomal dominant retinitis pigmentosa, 1137
 KAWASAKI, T.: See HANEMOTO, T., 936
 KEARNEY, J. J., LAHEY, J. M., BORIRAKCHANYAVAT, S., SCHWARTZ, D. M., WILSON, D., TANAKA, S. C., and ROBINS, D.: Complications of hydrogel explants used in scleral buckling surgery, 96
 KEEFFE, J. E.: See LAMOUREUX, E. L., 265
 KEMPEN, J. H.: See HUBBARD, L. D., 426
 KESSLER, A.: See NEUDORFER, M., 1065
 KIM, A.: See FUJIKADO, T., 361
 KIM, J. E.: See IYER, M. N., 120
 KIM, S. J. and PARK, K. H.: Four cases of normal-tension glaucoma with disk hemorrhage combined with branch retinal vein occlusion in the contralateral eye, 357
 KIMURA, H., KURODA, S., and NAGATA, M.: Triamcinolone acetonide-assisted peeling of the internal limiting membrane, 172
 KINOSHITA, T.: See MITAMURA, Y., 1155

- KIRCHHOF, B.: See WEINBERGER, A. W. A., 589
 KIRCHHOF, B.: See WEINBERGER, A. W. A., 590
 KIRYU, J.: See NISHIJIMA, K., 770
 KITANO, S.: See TANAKA, Y., 732
 KIYOZUMI, T.: See YANAGAWA, Y., 775
 KLAVER, C. C. W.: See VAN LEEUWEN, R., 750
 KLEIN, B. E. K.: See KLEIN, R., 435
 KLEIN, B. E. K.: See KLEIN, R., 747
 KLEIN, R. and KLEIN, B. E. K.: Do statins prevent age-related macular degeneration?, 747
 KLEIN, R., KLEIN, B. E. K., TOMANY, S. C., and WONG, T. Y.: The relation of retinal microvascular characteristics to age-related eye disease: the Beaver Dam Eye Study, 435
 KLEIN, R., PETO, T., BIRD, A., and VANNEWKIRK, M. R.: The epidemiology of age-related macular degeneration, 486
 KLEIN, R.: See HOLZ, F. G., 504
 KLEIN, R.: See WONG, T. Y., 1050
 KLONT, R. R.: See SIEGERSMA, J. E., 202
 KLYCE, S. D.: See GOTO, T., 116
 KOCABIYIK, N.: See YALCIN, B., 121
 KOCH, D. D.: See LANE, S. S., 993
 KOCH, F.: See KUHLI, C., 459
 KODJIKIAN, L., ROY, P., ROUBEROL, F., GARWEG, J. G., CHAUVEL, P., MANON, L., JEAN-LOUIS, B., LIT-
 TLE, R. E., SASCO, A. J., and GRANGE, J. D.: Survival after proton-beam irradiation of uveal melanomas, 1002
 KODJIKIAN, L.: See ROUBEROL, F., 893
 KOENEKOOP, R. K.: Reply to IANNACCONE, A: Increasing evidence for syndromic phenotypes associated with RPGR mutations, 786
 KOH, H. J.: See KOSOBUECKI, B. R., 636
 KOKAME, G. T.: See GROSS, J. G., 630
 KOKAME, G. T.: See JAVELLANA, J. A. G., 780
 KOKOSKA, M. S.: See BAROODY, M., 1147
 KOSKOSAS, A.: See TOPOUZIS, F., 420
 KOSOBUECKI, B. R., GOLDBERG, D. E., BESSHO, K., KOH, H. J., RODANANT, N., LABREE, L., CHENG, L., SCHRIER, R. D., AZEN, S. P., and FREEMAN, W. R.: Valganciclovir therapy for immune recovery uveitis complicated by macular edema, 636
 KOURT, G.: See LIM, C., 101
 KRAJAEJUN, T., PRACHARTAM, R., WONGWAI-SAYAWAN, S., ROCHANAWUTINON, M., KUNAKORN, M., and KUNAVISARUT, S.: Ocular phthiosis: is it under-diagnosed?, 370
 KREIGER, A. E.: See SHIRAMIZU, K. M., 204
 KROLL, P.: See MEYER, C. H., 207
 KROLL, P.: See MEYER, C. H., 386
 KUCHTEY, R., PERRY, J. D., and LERNER, L.: Buccal fat pad hemorrhage after retrobulbar injection, 1131
 KUHLI, C., SCHARRER, I., KOCH, F., OHRLOFF, C., and HATTENBACH, L.-O.: Factor XII deficiency: a thrombophilic risk factor for retinal vein occlusion, 459
 KULKARNI, A. D., KUPPERMANN, B. D., TZEKOV, R. T., LIN, T., and BURKE, J. A.: Vitreous surgery in pigmented rabbits using the new, noncontact wide-field viewing system, 212
 KUMANO, Y.: See YOSHIDA, S., 586
 KUNAKORN, M.: See KRAJAEJUN, T., 370
 KUNAVISARUT, S.: See KRAJAEJUN, T., 370
 KUNIMOTO, D. Y., TASMAN, W., RAPUANO, C., RECHIA, F., BUSBEE, B., PEARLMAN, R., BELMONT, J., COHEN, E., VANDER, J., LAIBSON, P., and RABER, I.: Endophthalmitis after penetrating keratoplasty: microbiologic spectrum and susceptibility of isolates, 343
 KUO, S. F.: See IANNACCONE, A., 785
 KUPPERMANN, B. D.: See KULKARNI, A. D., 212
 KUPPERMANN, B. D.: See LANE, S. S., 993
 KURODA, S.: See FUJIMOTO, H., 195
 KURODA, S.: See KIMURA, H., 172
 KURODA, T.: See FUJIKADO, T., 361
 KUSAKA, S.: See NAKATA, K., 760
 KUTOGLU, T.: See YALCIN, B., 121
 KWOK, A. K. H.: See CHAN, W.-M., 574
 KWOK, A. K. H.: See LAI, T. Y. Y., 589
 KWON, Y. H.: See GRASSI, M. A., 753
 KWONG, Y. Y. Y., LAI, W. W., and LAM, D. S. C.: Intravitreal triamcinolone acetonide in eyes with cystoid macular edema associated with central retinal vein occlusion, 593
 KYMIONIS, G. D., PANAGOPOULOU, S. I., ASLANIDES, I. M., PLAINIS, S., ASTYRAKAKIS, N., and PALLIKARIS, I. G.: Topographically supported customized ablation for the management of decentered laser in situ keratomileusis, 806

L

- LABREE, L.: See KOSOBUECKI, B. R., 636
 LAFAUT, B. A.: See GRISANTI, S., 914
 LAHEY, J. M.: See KEARNEY, J. J., 96
 LAI, J. S. M.: See LI, P. S. H., 1169
 LAI, T. Y. Y., CHAN, W.-M., and LAM, D. S. C.: Transient reduction in retinal function revealed by multifocal electroretinogram after photodynamic therapy, 826
 LAI, T. Y. Y. and KWOK, A. K. H.: Reply to WEINBERGER, A. W. A.: Internal limiting membrane staining with various concentrations of indocyanine green dye, 589
 LAI, W. W.: See KWONG, Y. Y. Y., 593
 LAIBSON, P. R.: See ALDAVE, A. J., 465
 LAIBSON, P. R.: See NAJJAR, D. M., 1056
 LAIBSON, P. R.: See NAJJAR, D. M., 170
 LAIBSON, P. R.: See REZENDE, R. A., 415
 LAIBSON, P.: See KUNIMOTO, D. Y., 343
 LAM, D. S. C.: See CHAN, C. K. M., 1157
 LAM, D. S. C.: See CHAN, W.-M., 574
 LAM, D. S. C.: See CHENG, A. C. K., 970
 LAM, D. S. C.: See CHUNG, C. F., 598
 LAM, D. S. C.: See GOPWANI, R., 1162
 LAM, D. S. C.: See KWONG, Y. Y. Y., 593
 LAM, D. S. C.: See LAI, T. Y. Y., 826

- LAM, D. S. C.: See LI, P. S. H., 1169
- LAM, D. S. C.: See LIU, D. T. L., 383
- LAM, D. S. C.: See THAM, C. C. Y., 198
- LAM, D. S. C.: See YUEN, K. S. C., 773
- LAM, D.: See SHEN, S., 597
- LAM, D.: See YUEN, H. K. L., 1166
- LAM, S.-W.: See CHAN, W.-M., 574
- LAMOUREUX, E. L., HASSELL, J. B., and KEEFFE, J. E.: The determinants of participation in activities of daily living in people with impaired vision, 265
- LANDERS, M., PEYMAN, G., WESSELS, I., WHALEN, P., and MORALES, V.: Reply to KULKARNI, A. D.: Vitreous surgery in pigmented rabbits using the new, noncontact wide-field viewing system, 213
- LANE, S. S., KUPPERMANN, B. D., FINE, I. H., HAMILL, M. B., GORDON, J. F., CHUCK, R. S., HOFFMAN, R. S., PACKER, M., and KOCH, D. D.: A prospective multicenter clinical trial to evaluate the safety and effectiveness of the implantable miniature telescope, 993
- LANGENBUCHER, A.: See SZENTMARY, N., 301
- LANGER, P.: See SCHICKNER, D. C., 942
- LANGLOW, E. P.: See GRASSI, M. A., 753
- LANGTON, K.: See CIARDELLA, A., 591
- LANGTON, K.: See CIARDELLA, A. P., 956
- LAUER, A. K.: See GRAY, A. V., 187
- LAW, S. K.: See NOURI-MAHDAVI, K., 228
- LEE, A. G.: Using the American Journal of Ophthalmology's website for assessing residency subcompetencies in practice-based learning, 206
- LEE, A. G.: See GOLNIK, K. C., 135
- LEE, A. G.: See MILLER, N. R., 70
- LEE, A. J., ROCHTCHINA, E., and MITCHELL, P.: Intraocular pressure asymmetry and undiagnosed open-angle glaucoma in an older population, 380
- LEE, G. C.: See CIARDELLA, A. P., 956
- LEE, H. C.: See LIU, M., 201
- LEE, J. J., MOSTER, M. R., HENDERER, J. D., and MEMBRENO, J. H.: Reply to SODHI, P. K.: Pupil dilatation with intracameral 1% lidocaine during glaucoma filtering surgery, 784
- LEHOANG, P.: See TRAN, T. H. C., 872
- LEIBOVITCH, I.: See NEUDORFER, M., 1065
- LERNER, L.: See KUCHTEY, R., 1131
- LERNER, S. F.: See FERREIRA, S. M., 62
- LESKE, D. A.: See RICE, M. L., 278
- LEWIS, G. P., TALAGA, K. C., LINBERG, K. A., AVERY, R. L., and FISHER, S. K.: The efficacy of delayed oxygen therapy in the treatment of experimental retinal detachment, 1085
- LEWIS, H.: See STERNBERG, P., Jr., 483
- LEYS, A.: See SNYERS, B., 812
- LI, P. S. H., LAI, J. S. M., and LAM, D. S. C.: Anterior chamber depth in plateau iris syndrome and pupillary block as measured by ultrasound biomicroscopy, 1169
- LI, Q.: See TIAN, X., 567
- LI, R. T. H.: See THAM, C. C. Y., 198
- LIEB, D. F., SCOTT, I. U., FLYNN, H. W., Jr., DAVIS, J. L., and DEMMING, S. M.: Acute acquired toxoplasma retinitis may present similarly to unilateral acute idiopathic maculopathy, 940
- LIEBMANN, J. M.: See ZANGWILL, L. M., 219
- LIESNARD, C.: See TRAN, T. H. C., 872
- LIM, C., MARTIN, P., BENDER, R., KOURT, G., and GHABRIAL, R.: Lacrimal canaliculus bypass surgery with the Lester Jones tube, 101
- LIN, D. Y.: See ALDAVE, A. J., 1124
- LIN, J. T.: Correcting the cornea power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis, 786
- LIN, T.: See KULKARNI, A. D., 212
- LINBERG, K. A.: See LEWIS, G. P., 1085
- LIPSKEY, S.: See CASTELLARIN, A., 175
- LITTLE, R. E.: See KODJIKIAN, L., 1002
- LIU, D. T. L., LAM, D. S. C., and CHAN, W.-M.: Selective occlusion of subfoveal choroidal neovascularization in pathologic myopia using a new technique of ingrowth site treatment, 383
- LIU, D. T. L.: See CHAN, W.-M., 574
- LIU, G. T., BRODSKY, M. C., PHILLIPS, P. C., BELASCO, J., JANSS, A., GOLDEN, J. C., BILANIUK, L. L., BURSON, G. T., DUHAIME, A.-C., and SUTTON, L. N.: Optic radiation involvement in optic pathway gliomas in neurofibromatosis, 407
- LIU, M., LEE, H. C., HERTLE, R. W., and HO, A. C.: Retinal detachment from inadvertent intraocular injection of botulinum toxin A, 201
- LIU, Z.: See TIAN, X., 567
- LIVIR-RALLATOS, C.: See CANAKIS, C., 1158
- LIVIR-RALLATOS, G.: See CANAKIS, C., 1158
- LLESUY, S. F.: See FERREIRA, S. M., 62
- LOCKE, K. G.: See HOFFMAN, D. R., 704
- LOESCH, A.: See BINDEWALD, A., 556
- LOUIS, D. L.: See CRAIG, J. E., 193
- LOVETT, M. A.: See HU, G., 554

M

- MACCHERON, L. J., GROENEVELD, E. R., OHLRICH, S. J., HILFORD, D. J., and BECKINGSALE, P. S.: Orbital cellulitis, panophthalmitis, and ecthyma gangrenosum in an immunocompromised host with *Pseudomonas* septicemia, 176
- MACDONALD, I. M.: See CHEUNG, M. C., 189
- MACHIDA, S., GOTOH, Y., TANAKA, M., and TAZAWA, Y.: Predominant loss of the photopic negative response in central retinal artery occlusion, 938
- MAEDA, N.: See FUJIKADO, T., 361
- MAEDA, N.: See IDE, T., 1081
- MAGDALENIC, R.: See QUIROZ-MERCADO, H., 287
- MALECHA, M. A.: See DUDNEY, B. W., 950
- MAMALIS, N.: See FOOT, L., 979
- MAMIYA, K.: See OHGURO, H., 1117
- MANDAI, M.: See NISHIJIMA, K., 770
- MANDELL, M. A.: See PAVLIN, C. J., 1169

- MANON, L.: See KODJIKIAN, L., 1002
- MANSUETTA, C. C., MASON, J. O., III, SWANNER, J., FEIST, R. M., WHITE, M. F., Jr., THOMLEY, M. L., MCGWIN, G., Jr., and EMOND, T. L.: An association between central serous chorioretinopathy and gastroesophageal reflux disease, 1096
- MARANGON, F. B., MILLER, D., GIACONI, J. A., and ALFONSO, E. C.: In vitro investigation of voriconazole susceptibility for keratitis and endophthalmitis fungal pathogens, 820
- MARANGON, F. B., MILLER, D., MUALLEM, M. S., ROMANO, A. C., and ALFONSO, E. C.: Ciprofloxacin and levofloxacin resistance among methicillin-sensitive *Staphylococcus aureus* isolates from keratitis and conjunctivitis, 453
- MARGOLIS, T. P.: See ALDAVE, A. J., 465
- MARTIDIS, A.: See GARG, S. J., 351
- MARTIN, B. K.: See HUBBARD, L. D., 426
- MARTIN, P.: See LIM, C., 101
- MARUYAMA, K.: See SHIRATO, S., 173
- MASCOLA, L.: See HU, G., 554
- MASON, J. O., III: See MANSUETTA, C. C., 1096
- MATSUMURA, M.: See OGATA, N., 1129
- MATSUMURA, M.: See OGATA, N., 935
- MATSUNAGA, K., ITO, K., ESAKI, K., SUGIMOTO, K., SANO, T., MIURA, K., SASOH, M., and UJI, Y.: Evaluation of eyes with relative pupillary block by indentation ultrasound biomicroscopy gonioscopy, 552
- MATSUOKA, M.: See OGATA, N., 1129
- MATSUOKA, M.: See OGATA, N., 935
- MATURI, R. K.: See MOSHFEGHI, D. M., 1160
- MATURI, R. K.: See SCOTT, I. U., 1167
- MAVROUDIS, L.: See TOPOUZIS, F., 420
- MCCABE, F. J.: See TASMAN, W., 1157
- MCCANN, J. D.: See BEN SIMON, G. J., 1145
- MCCANNEL, C. A.: See SHIRAMIZU, K. M., 204
- MCCULLOCH, C. E.: See WILSON, H. L., 615
- MCFARLAND, T. J.: See MEALLET, M. A., 765
- MCGWIN, G., Jr.: See MANSUETTA, C. C., 1096
- MCKAY, D. L.: See BUTLER, T. K. H., 763
- MCLAREN, J. W., NAU, C. B., ERIE, J. C., and BOURNE, W. M.: Corneal thickness measurement by confocal microscopy, ultrasound, and scanning slit methods, 1011
- MCTAGGART, K. E.: See CHEUNG, M. C., 189
- MEALLET, M. A., AFFELDT, J. A., MCFARLAND, T. J., APPUKUTTAN, B., READ, R., STOUT, J. T., and RAO, N. A.: An unusual clinical phenotype of avellino corneal dystrophy associated with an Arg124His Big-H3 mutation in an African-American woman, 765
- MEDEIROS, F. A., SAMPLE, P. A., and WEINREB, R. N.: Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss, 863
- MEDEIROS, F. A.: See WANG, G., 401
- MEINERT, C. L.: See MISKALA, P. H., 961
- MEJICO, L. J., MILLER, N. R., and DONG, L. M.: Clinical features associated with lesions other than pituitary adenoma in patients with an optic chiasmal syndrome, 908
- MEKADA, A.: See NISHIDA, Y., 777
- MELIA, M.: See DUH, E. J., 668
- MELLES, G. R. J.: See VAN DOOREN, B. T. H., 397
- MEMBRENO, J. H.: See LEE, J. J., 784
- MEN, G., BATOGLU, F., OZKAN, S. S., ATILLA, H., OZDAMAR, Y., and ASLAN, O.: Best's vitelliform macular dystrophy with pseudohypopyon: an optical coherence tomography study, 963
- MENDEZ-HERNANDEZ, C., GARCIA-FEIJOO, J., and GARCIA-SANCHEZ, J.: *Listeria monocytogenes*-induced endogenous endophthalmitis: bioultrasonic findings, 579
- MESKIN, S. W.: See FINGER, P. T., 944
- METOKI, T.: See OHGURO, H., 1117
- MEYER, C. H., RODRIGUES, E. B., and KROLL, P.: Reduced concentration and incubation of intravitreal indocyanine green can improve the functional outcome in macular hole surgery, 386
- MEYER, C. H., RODRIGUES, E. B., and KROLL, P.: Trypan blue has a high affinity to cellular structures such as epiretinal membrane, 207
- MICHELS, K. S.: See GRAY, A. V., 187
- MIELER, W. F.: See MOSHFEGHI, D. M., 1160
- MIELER, W. F.: See SCOTT, I. U., 1167
- MIHASHI, T.: See FUJIKADO, T., 361
- MILLER, D.: See BENZ, M. S., 1168
- MILLER, D.: See BENZ, M. S., 38
- MILLER, D.: See MARANGON, F. B., 453
- MILLER, D.: See MARANGON, F. B., 820
- MILLER, D.: See SCHIEDLER, V., 725
- MILLER, D.: See SCOTT, I. U., 583
- MILLER, M. J.: See HU, G., 554
- MILLER, N. R. and LEE, A. G.: Adult-onset acquired oculomotor nerve paresis with cyclic spasms: relationship to ocular neuromyotonia, 70
- MILLER, N. R.: See GOLDENBERG-COHEN, N., 365
- MILLER, N. R.: See MEJICO, L. J., 908
- MIRZA, M. A.: See HUANG, B., 52
- MISKALA, P. H., BRESSLER, N. M., and MEINERT, C. L.: Is adjustment of National Eye Institute Visual Function Questionnaire scores for general health necessary in randomized trials?, 961
- MITAMURA, Y., FUJIWARA, O., MIYANISHI, K., SATO, H., SAGA, K., and OHTSUKA, K.: Nodular scleritis and panuveitis with erythema elevatum diutinum, 368
- MITAMURA, Y., SUZUKI, T., KINOSHITA, T., MIYANO, N., TASHIMO, A., and OHTSUKA, K.: Optical coherence tomographic findings of dissociated optic nerve fiber layer appearance, 1155
- MITCHELL, P.: See CHUA, B. E., 363
- MITCHELL, P.: See LEE, A. J., 380
- MITCHELL, P.: See WONG, T. Y., 1050
- MIURA, K.: See MATSUNAGA, K., 552
- MIYAI, T.: See AMANO, S., 988
- MIYAKE, T.: See NISHIDA, Y., 777

- MIYANISHI, K.: See MITAMURA, Y., 368
 MIYANO, N.: See MITAMURA, Y., 1155
 MIYATA, K.: See AMANO, S., 988
 MIYATA, K.: See TANAKA, Y., 732
 MIZOGUCHI, T.: See FUJIMOTO, H., 195
 MOHAMMED, Q.: See CHEN, S. D. M., 1159
 MONDINO, B. J.: See HU, G., 554
 MONESTAM, E. and WACHMEISTER, L.: Impact of cataract surgery on the visual ability of the very old, 145
 MORAES, M.: See SADUN, F., 271
 MORALES, V.: See LANDERS, M., 213
 MORIMOTO, T.: See FANG, X., 1034
 MORIZANE, Y.: See OHTSUKI, H., 125
 MOROI, S. E.: See OYAKHIRE, J. O., 953
 MORRISON, D. G.: See CHEN, E., 948
 MORTON, C. C.: See IANNACONE, A., 785
 MOSHEGOV, C.: See BUTLER, T. K. H., 763
 MOSHFEGHI, D. M., KAISER, P. K., SEARS, J. E., SCOTT, I. U., BENZ, M., MURRAY, T. G., SINESTERRA, J. P., QUIROZ, H., KAISER, R. S., BELMONT, J., BAKRI, S. J., BEER, P. M., MATURI, R. K., and MIELER, W. F.: Reply to CHEN, S. D. M.: Vitreous wick syndrome—a potential cause of endophthalmitis after intravitreal injection of triamcinolone through the pars plana, 1160
 MOSTER, M. R.: See LEE, J. J., 784
 MUALLEM, M. S.: See MARANGON, F. B., 453
 MUCCIOLI, C.: See ANDRADE, R. E., 572
 MULDER, P. G. H.: See VAN DOOREN, B. T. H., 397
 MULIYIL, J.: See THOMAS, R., 562
 MULLINS, R. F.: See RUSSELL, S. R., 924
 MURAKAMI, A.: See TIAN, X., 567
 MURILLO-LOPEZ, S.: See QUIROZ-MERCADO, H., 287
 MURPHY, S.: See NAZIR, S. A., 138
 MURRAY, T. G.: See MOSHFEGHI, D. M., 1160
 MURRAY, T. G.: See SCOTT, I. U., 1167
 MURTHY, R., HONAVAR, S. G., NAIK, M., REDDY, V. A. P., and VEMUGANTI, G. K.: Clinicopathologic findings in choroidal melanomas after failed transpupillary thermotherapy, 594
 MUSA, F.: See GIBSON, A., 968
- N**
- NAGAR, H.: See NEUDORFER, M., 1065
 NAGATA, M.: See FUJIMOTO, H., 195
 NAGATA, M.: See KIMURA, H., 172
 NAIK, M.: See MURTHY, R., 594
 NAJJAR, D. M., AKTAN, S. G., RAPUANO, C. J., LAIBSON, P. R., and COHEN, E. J.: Contact lens-related corneal ulcers in compliant patients, 170
 NAJJAR, D. M., COHEN, E. J., RAPUANO, C. J., and LAIBSON, P. R.: EDTA chelation for calcific band keratopathy: results and long-term follow-up, 1056
 NAJJAR, D. M., RAPUANO, C. J., and COHEN, E. J.: Descemet membrane detachment with hemorrhage after alkali burn to the cornea, 185
 NAKAMURA, T.: See YOSHIDA, S., 586
 NAKANO, S.: See OKAMOTO, F., 858
 NAKAO, F.: See HAYASHI, K., 1165
 NAKAO, S.: See YOSHIDA, S., 586
 NAKATA, K., OHJI, M., IKUNO, Y., KUSAKA, S., GOMI, F., KAMEI, M., ROSS, D. F., III, and TANO, Y.: Wide-angle viewing lens for vitrectomy, 760
 NAKAZAWA, M.: See OHGURO, H., 1117
 NAU, C. B.: See MCLAREN, J. W., 1011
 NAZIR, S. A., MURPHY, S., SIATKOWSKI, R. M., CHODOSH, J., and SIATKOWSKI, R. L.: Ocular rosacea in childhood, 138
 NEJIMA, R.: See TANAKA, Y., 732
 NELSON, M. L.: See GARG, S. J., 351
 NEPAL, B. P. and SHRESTHA, U. D.: Ocular findings in leprosy patients in Nepal in the era of multidrug therapy, 888
 NEUDORFER, M., LEBOVITCH, I., STOLOVITCH, C., DRAY, J.-P., HERMUSH, V., NAGAR, H., and KESSLER, A.: Intraorbital and periorbital tumors in children—value of ultrasound and color Doppler imaging in the differential diagnosis, 1065
 NEWSOM, R. S.: See ONG, G. L., 445
 NG, J. D.: See WESTFALL, A. C., 563
 NG, J. S. K.: See THAM, C. C. Y., 198
 NICOLELA, M. T.: See CARRILLO, M. M., 966
 NIEUWENDAAL, C. P.: See VAN DOOREN, B. T. H., 397
 NISHIDA, K.: See IDE, T., 1081
 NISHIDA, Y., HAYASHI, O., MIYAKE, T., KAKINOKI, M., YOSHIDA, K., IWAMI, T., MEKADA, A., YAKUSHIGAWA, H., and SUZUKI, M.: Quantitative evaluation of ocular motility in blow-out fractures for selection of nonsurgically managed cases, 777
 NISHIJIMA, K., TAKAHASHI, M., AKITA, J., KATSUTA, H., TANEMURA, M., AIKAWA, H., MANDAI, M., TAKAGI, H., KIRYU, J., and HONDA, Y.: Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy, 770
 NODA, Y.: See KAWAMURA, M., 1137
 NOECKER, R. S., DIRKS, M. S., and CHOPLIN, N.: Comparison of latanoprost, bimatoprost, and travoprost in patients with elevated intraocular pressure: a 12-week, randomized, masked-evaluator multicenter study, 210
 NOURI-MAHDAVI, K., HOFFMAN, D., TANNENBAUM, D. P., LAW, S. K., and CAPRIOLI, J.: Identifying early glaucoma with optical coherence tomography, 228
 NUNE, G. C.: See CHEUNG, M. C., 189
 NUSSENBLATT, R. B.: See ANDRADE, R. E., 572
- O**
- OBER, M. D.: See YANNUZZI, L. A., 511
 OFICJALSKA-MLYNCZAK, J.: See GRISANTI, S., 914
 OGATA, N., MATSUOKA, M., IMAIZUMI, M., ARICHI, M., and MATSUMURA, M.: Decrease of pigment epithelium-derived factor in aqueous humor with increasing age, 935
 OGATA, N., MATSUOKA, M., IMAIZUMI, M., ARICHI, M., and MATSUMURA, M.: Decreased levels of pigment

- epithelium-derived factor in eyes with neuroretinal dystrophic diseases, 1129
- OGAWA, S.-I.: See KAWAMURA, M., 1137
- OGURA, Y.: See ASHIKARI, M., 591
- OGUZ, H.: Aqueous shunt devices compared with trabeculectomy with mitomycin-C for children in the first two years of life, 1163
- OHASHI, Y.: See GOTO, T., 116
- OHBA, N.: See ANDO, F., 609
- OHGURO, H., YOKOI, Y., OHGURO, I., MAMIYA, K., ISHIKAWA, F., YAMAZAKI, H., METOKI, T., TAKANO, Y., ITO, T., and NAKAZAWA, M.: Clinical and immunologic aspects of cancer-associated retinopathy, 1117
- OHGURO, I.: See OHGURO, H., 1117
- OHJI, M. and TANO, Y.: Vitreoretinal surgery with slit-lamp illumination combined with a wide-angle-viewing contact lens, 955
- OHJI, M.: See FANG, X., 1034
- OHJI, M.: See IKUNO, Y., 719
- OHJI, M.: See NAKATA, K., 760
- OHLRICH, S. J.: See MACCHERON, L. J., 176
- OHRLOFF, C.: See KUHLL, C., 459
- OHTS CSLO ANCILLARY STUDY GROUP.: See ZANGWILL, L. M., 219
- OHTSUKA, K.: See MITAMURA, Y., 1155
- OHTSUKA, K.: See MITAMURA, Y., 368
- OHTSUKI, H., SHIRAGA, F., MORIZANE, Y., FURUSE, T., TAKASU, I., and HASEBE, S.: Transposition of the anterior superior oblique insertion as a treatment for excyclotorsion induced from limited macular translocation, 125
- OHTSUKI, H.: See YAMAJI, H., 834
- OKADA, Y.: See YANAGAWA, Y., 775
- OKAMOTO, C.: See OKAMOTO, F., 858
- OKAMOTO, F., NAKANO, S., OKAMOTO, C., HOMMURA, S., and OSHIKA, T.: Ultrasound biomicroscopic findings in aniridia, 858
- OKAMOTO, S.: See GOTO, T., 116
- OKUN, M. S. and BHATTI, M. T.: SANDO: another presentation of mitochondrial disease, 951
- OLIVA, M. S., AMBROSIO, R., Jr., and WILSON, S. E.: Influence of intraoperative epithelial defects on outcomes in LASIK for myopia, 244
- OLSEN, T. W.: See WU, C. W., 655
- OLSON, R. J.: See FOOT, L., 979
- ONG, G. L., RIPLEY, L. G., NEWSOM, R. S., COOPER, M., and CASSWELL, A. G.: Screening for sight-threatening diabetic retinopathy: comparison of fundus photography with automated color contrast threshold test, 445
- ONG, G. L.: See JACKSON, T. L., 283
- ONG, T. J.: See CRAIG, J. E., 193
- OPTIC NEURITIS STUDY GROUP: Visual function more than 10 years after optic neuritis: experience of the Optic Neuritis Treatment Trial, 77
- ORSONI, J. G., ZAVOTA, L., VINCENTI, V., PELLISTRI, I., and RAMA, P.: Cogan Syndrome in children: early diagnosis and treatment is critical to prognosis, 757
- OSHIKA, T.: See AMANO, S., 988
- OSHIKA, T.: See FUJIKADO, T., 361
- OSHIKA, T.: See OKAMOTO, F., 858
- OSHIKA, T.: See SUGITA, M., 377
- OSHIKA, T.: See TANAKA, Y., 732
- OXFORD, K. W.: See FUNG, A. E., 379
- OYAGI, T. and EMI, K.: In vivo observation of internal limiting membrane in an eye with macular hole, 183
- OYAKHIRE, J. O. and MOROI, S. E.: Clinical and anatomical reversal of long-term hypotony maculopathy, 953
- OZAN, H.: See YALCIN, B., 121
- OZDAMAR, Y.: See MEN, G., 963
- OZDEMIR, H., KARACORLU, S., and KARACORLU, M.: Optical coherence tomography findings in familial foveal retinoschisis, 179
- OZDEMIR, H., KARACORLU, S., and KARACORLU, M.: Reply to TASMAN, W.: Optical coherence tomography findings in familial foveal retinoschisis, 1157
- OZKAN, S. S.: See MEN, G., 963

P

- PACKER, M.: See LANE, S. S., 993
- PACKER, S. and BURKE, M. P.: Professionalism: questions, old and new, 600
- PALLIKARIS, I. G.: See KYMIONIS, G. D., 806
- PALMBERG, P. F.: See PARRISH, R. K., 388
- PALMBERG, P.: See PARRISH, R. K., 211
- PANAGOPOULOU, S. I.: See KYMIONIS, G. D., 806
- PANG, N. K., BARTLEY, G. B., BITE, U., and BRADLEY, E. A.: Hard palate mucosal grafts in oculoplastic surgery: donor site lessons, 1021
- PANGIA, K. A.: See TASMAN, W., 1157
- PANZAN, C.: See GUVEN, D., 901
- PAPP, M.: See PAWLAK, D., 880
- PAPPAS, T.: See TOPOUZIS, F., 420
- PAQUES, M. W.: See JORGE, R., 1139
- PARANHOS, A., Jr.: See CHALITA, M. R., 43
- PAREDES, A.: See AL-ATTAR, L., 569
- PARIKH, R.: See THOMAS, R., 562
- PARK, C. H., JAFFE, G. J., and FEKRAT, S.: Reply to KWONG, Y. Y. Y.: Intravitreal triamcinolone acetate in eyes with cystoid macular edema associated with central retinal vein occlusion, 594
- PARK, C. H., JAFFE, G. J., and FEKRAT, S.: Reply to SOTO-PEDRE, E.: Intravitreal triamcinolone acetate in eyes with cystoid macular edema associated with central retinal vein occlusion, 596
- PARK, C. Y.: See KANG, S. W., 313
- PARK, K. H.: See KIM, S. J., 357
- PARK, W. L. and SUNNESS, J. S.: Red contact lenses for alleviation of photophobia in patients with cone disorders, 774
- PAROLI, M. P.: See PEZZI, P. P., 769
- PARRISH, R. K., PALMBERG, P. F., and SHEU, W.-P.: Reply

- to BERNSTEIN, P.: A comparison of Latanoprost, Bimatoprost, and Travoprost in patients with elevated intraocular pressure: a 12-week, randomized, masked-evaluator, multicenter study, 388
- PARRISH, R. K., PALMBERG, P., and SHEU, W.-P.: Reply to NOECKER, R. S.: Comparison of latanoprost, bimatoprost, and travoprost in patients with elevated intraocular pressure: a 12-week, randomized, masked-evaluator multicenter study, 211
- PASSOS, A.: See SADUN, F., 271
- PATEL, C. K., CHEN, S. D. M., and FARMERY, A. D.: Optical coherence tomography under general anesthesia in a child with nystagmus, 1127
- PATEL, C. K.: See CHEN, S. D. M., 1159
- PATTON, N.: See ASLAM, T., 1165
- PAUER, G.: See AL-KHAYER, K., 375
- PAULEIKHOFF, D.: See HOLZ, F. G., 504
- PAVLIN, C. J., MANDELL, M. A., WEISBROD, D. J., and SIMPSON, E. R.: Reply to LI, P. S. H.: Anterior chamber depth in plateau iris syndrome and pupillary block as measured by ultrasound biomicroscopy, 1169
- PAWLAK, D., GLACET-BERNARD, A., PAPP, M., ROQUET, W., COSCAS, G., and SOUBRANE, G.: Limited macular translocation compared with photodynamic therapy in the management of subfoveal choroidal neovascularization in age-related macular degeneration, 880
- PAYSSE, E. A.: See HUSSEIN, M. A. W., 354
- PAYSSE, E. A.: See JACKSON, D. W., 1101
- PEARLMAN, R.: See KUNIMOTO, D. Y., 343
- PEARSON, A.: See GIBSON, A., 968
- PEDIATRIC EYE DISEASE INVESTIGATOR GROUP: A prospective pilot study of treatment of amblyopia in children 10 to <18 years old, 581
- PE'ER, J.: See KAISERMAN, I., 236
- PEGUES, D. A.: See HU, G., 554
- PELLISTRI, I.: See ORSONI, J. G., 757
- PEPOSE, J. S.: See HUANG, B., 52
- PERRIER, M. and SEBAG, M.: Reply to MEYER, C. H.: Trypan blue has a high affinity to cellular structures such as epiretinal membrane, 208
- PERRY, J. D.: See KUCHTEY, R., 1131
- PETO, T.: See KLEIN, R., 486
- PEYMAN, G.: See LANDERS, M., 213
- PEZZI, P. P., PAROLI, M. P., PRIORI, R., DA DALI, S., and CORRADI, R.: Vogt-Koyanagi-Harada syndrome and keratoconjunctivitis sicca, 769
- PFLUGFELDER, S. C.: Antiinflammatory therapy for dry eye, 337
- PFLUGFELDER, S. C.: See SADE DE PAIVA, C., 109
- PHILLIPS, P. C.: See LIU, G. T., 407
- PHILLIPS, P. S.: See FOOT, L., 979
- PIERAMICI, D.: See DUH, E. J., 668
- PILTZ-SEYMOUR, J. R.: See ZANGWILL, L. M., 219
- PINELES, S. L. and VOLPE, N. J.: Computerized kinetic perimetry detects tubular visual fields in patients with functional visual loss, 933
- PLAINIS, S.: See KYMIONIS, G. D., 806
- POLEPALLE, S.: See FREEDMAN, K. A., 1122
- POON, W.: See JAYCOCK, P. D., 585
- POSTELMANS, L.: See SNYERS, B., 812
- PRACHARKTAM, R.: See KRAJAEJUN, T., 370
- PRINCIPE, A. H.: See ALDAVE, A. J., 1124
- PRIORI, R.: See PEZZI, P. P., 769
- PROBST, K., FIJNHEER, R., and ROTHOVA, A.: Endothelial cell activation and hypercoagulability in ocular Behçet's disease, 850

Q

- QAZI, M. A.: See HUANG, B., 52
- QUILLEN, D. A., DAVIS, J. B., GOTTLIEB, J. L., BLODI, B. A., CALLANAN, D. G., CHANG, T. S., and EQUI, R. A.: The white dot syndrome, 538
- QUIRINO, L. S.: See JORGE, R., 1139
- QUIROS, P.: See SADUN, F., 271
- QUIROZ, H.: See MOSHFEGHI, D. M., 1160
- QUIROZ, H.: See SCOTT, I. U., 1167
- QUIROZ-MERCADO, H., SUAREZ-TATÁ, L., MAGDALENIC, R., MURILLO-LÓPEZ, S., GARCÍA-AGUIRRE, G., GUERRERO-NARANJO, J., and RODRÍGUEZ-REYES, A. A.: Perfluorocarbon perfused vitrectomy: animal studies, 287

R

- RABER, I. M.: See REZENDE, R. A., 415
- RABER, I.: See KUNIMOTO, D. Y., 343
- RABIAH, P. K.: Frequency and predictors of glaucoma after pediatric cataract surgery, 30
- RABINOWITZ, Y. S.: See BERGWERK, K., 591
- RAMA, P.: See ORSONI, J. G., 757
- RAMIREZ, G.: See TSENG, W., 1105
- RAO, N. A.: See MEALLET, M. A., 765
- RAPUANO, C. J.: See ALDAVE, A. J., 465
- RAPUANO, C. J.: See NAJJAR, D. M., 1056
- RAPUANO, C. J.: See NAJJAR, D. M., 170
- RAPUANO, C. J.: See NAJJAR, D. M., 185
- RAPUANO, C. J.: See REZENDE, R. A., 415
- RAPUANO, C.: See KUNIMOTO, D. Y., 343
- RATAN, S. K.: See SODHI, P. K., 783
- RATAN, S. K.: See SODHI, P. K., 783
- READ, R.: See MEALLET, M. A., 765
- RECCHIA, F.: See KUNIMOTO, D. Y., 343
- REDDY, V. A. P.: See MURTHY, R., 594
- REYNARD, M. and HANSCOM, T. A.: Neodymium:yttrium-aluminum-garnet laser arteriotomy with embolectomy for central retinal artery occlusion, 196
- REZAI, K. A., FARROKH-SIAR, L., ERNEST, J. T., and VAN SEVENTER, G. A.: Indocyanine green induces apoptosis in human retinal pigment epithelial cells, 931
- REZENDE, R. A., UCHOA, U. B. C., RABER, I. M., RAPUANO, C. J., LAIBSON, P. R., and COHEN, E. J.: New onset of herpes simplex virus epithelial keratitis after penetrating keratoplasty, 415
- RICE, M. L., LESKE, D. A., and HOLMES, J. M.: Comparison of

the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years, 278

- RICKS, M. O.: See HUBBARD, L. D., 426
 RILK, A.: See JAGLE, H., 842
 RIPLEY, L. G.: See JACKSON, T. L., 283
 RIPLEY, L. G.: See ONG, G. L., 445
 ROBINS, D.: See KEARNEY, J. J., 96
 ROCHANAWUTINON, M.: See KRAJAEJUN, T., 370
 ROCHTCHINA, E.: See CHUA, B. E., 363
 ROCHTCHINA, E.: See LEE, A. J., 380
 ROCHTCHINA, E.: See WONG, T. Y., 1050
 RODANANT, N.: See KOSOBUCKI, B. R., 636
 RODRIGUEZ-REYES, A. A.: See QUIROZ-MERCADO, H., 287
 RODRIGUES, E. B.: See MEYER, C. H., 207
 RODRIGUES, E. B.: See MEYER, C. H., 386
 ROLANDO, M.: See BARABINO, S., 752
 ROMANO, A. C.: See MARANGON, F. B., 453
 ROQUET, W.: See PAWLAK, D., 880
 ROSBY, G.: See JACKSON, D. W., 1101
 ROSEN, R.: See YANNUZZI, L. A., 511
 ROSENBLATT, B.: See ESPINOZA, G., 90
 ROSENWAKS, Z.: See XU, K., 18
 ROSS, D. F., III: See NAKATA, K., 760
 ROTHOVA, A.: See PROBST, K., 850
 ROUBEROL, F., ROY, P., KODJIKIAN, L., GERARD, J. P., JEAN-LOUIS, B., and GRANGE, J. D.: Survival, anatomic, and functional long-term results in choroidal and ciliary body melanoma after ruthenium brachytherapy (15 years' experience with beta-rays), 893
 ROUBEROL, F.: See KODJIKIAN, L., 1002
 ROY, P.: See KODJIKIAN, L., 1002
 ROY, P.: See ROUBEROL, F., 893
 ROZENBERG, F.: See TRAN, T. H. C., 872
 RUMELT, S.: See SARRAZIN, L., 1042
 RUSSELL, S. R., GUPTA, R. R., FOLK, J. C., MULLINS, R. F., and HAGEMAN, G. S.: Comparison of color to fluorescein angiographic images from patients with early-adult onset grouped drusen suggests drusen substructure, 924

S

- SADE DE PAIVA, C. and PFLUGFELDER, S. C.: Corneal epitheliopathy of dry eye induces hyperesthesia to mechanical air jet stimulation, 109
 SADOWSKI, B.: See JAGLE, H., 842
 SADUN, A. A.: See SADUN, F., 271
 SADUN, F., DE NEGRI, A. M., CARELLI, V., SALOMAO, S. R., BEREZOVSKY, A., ANDRADE, R., MORAES, M., PASSOS, A., BELFORT, R., BASTOS DA ROSA, A., QUIROS, P., and SADUN, A. A.: Ophthalmologic findings in a large pedigree of 11778/Haplogroup J Leber hereditary optic neuropathy, 271
 SAGA, K.: See MITAMURA, Y., 368
 SAKAMOTO, T.: See SONODA, S., 181
 SAKAMOTO, T.: See YANAGAWA, Y., 775

- SALOMAO, S. R.: See SADUN, F., 271
 SAMEJIMA, T.: See AMANO, S., 988
 SAMPLE, P. A.: See MEDEIROS, F. A., 863
 SAMPLES, J. R.: See GRAY, A. V., 187
 SAMPLES, J. R.: See WESTFALL, A. C., 563
 SANO, T.: See MATSUNAGA, K., 552
 SARRAZIN, L., AVERBUKH, E., HALPERT, M., HEMO, I., and RUMELT, S.: Traumatic pediatric retinal detachment: a comparison between open and closed globe injuries, 1042
 SASANO, K.: See ANDO, F., 609
 SASCO, A. J.: See KODJIKIAN, L., 1002
 SASOH, M.: See MATSUNAGA, K., 552
 SATO, H.: See KAWAMURA, M., 1137
 SATO, H.: See MITAMURA, Y., 368
 SAUTER, J. L.: See WU, C. W., 655
 SAW, S.-M.: See TONG, L., 474
 SAWADA, Y., YUAN, C., and HUANG, A. J. W.: Impression cytology in the diagnosis of *Acanthamoeba* keratitis with surface involvement, 323
 SAYANAGI, K.: See IKUNO, Y., 719
 SCHANZLIN, D. J.: See ANGELES, R., 697
 SCHARRER, I.: See KUHLI, C., 459
 SCHICKNER, D. C., YARKONI, A., LANGER, P., FROHMAN, L., CHEN, X., FOLBERG, R., and DEL PRIORE, L. V.: Panophthalmitis due to *Clostridium Septicum*, 942
 SCHIEDLER, V., SCOTT, I. U., JR., H. W. F., DAVIS, J. L., BENZ, M. S., and MILLER, D.: Culture-proven endogenous endophthalmitis: clinical features and visual acuity outcomes, 725
 SCHIFF, W.: See CIARDELLA, A., 591
 SCHIRAGE, N. F.: See WEINBERGER, A. W. A., 589
 SCHLOSSMACHER, B.: See WEINBERGER, A. W. A., 589
 SCHLOSSMACHER, B.: See WEINBERGER, A. W. A., 590
 SCHNEIDER, S.: See FINGER, P. T., 944
 SCHOR, P.: See CHALITA, M. R., 43
 SCHORR, N.: See BERGWERK, K., 591
 SCHRAGE, N. F.: See WEINBERGER, A. W. A., 590
 SCHRIER, R. D.: See KOSOBUCKI, B. R., 636
 SCHULIN, T.: See SIEGERSMA, J. E., 202
 SCHUMAN, J. S., WOLLSTEIN, G., and HERTZMARK, E.: Reply to CESANA, B. M.: Comparison of measurement methods requires appropriate statistical methodology, 788
 SCHUTT, F.: See BINDEWALD, A., 556
 SCHWARTZ, D. M.: See KEARNEY, J. J., 96
 SCHWARTZ, D. M.: See WILSON, H. L., 615
 SCOTT, I. U., BENZ, M., MURRAY, T. G., SINESTERRA, J. P., QUIROZ, H., KAISER, R. S., BELMONT, J., BAKRI, S. J., BEER, P. M., MATURI, R. K., and MIELER, W. F.: Reply to YUEN, H. K. L.: Acute endophthalmitis following intravitreal triamcinolone acetate injection, 1167
 SCOTT, I. U., CRUZ-VILLEGAS, V., FLYNN, H. W., Jr., and MILLER, D.: Delayed-onset, bleb-associated endophthalmitis caused by *Lecythophora mutabilis*, 583

- SCOTT, I. U., SMIDDY, W. E., FEUER, W. J., and EHLIES, F. J.: The impact of echography on evaluation and management of posterior segment disorders, 24
- SCOTT, I. U.: See BENZ, M. S., 1168
- SCOTT, I. U.: See BENZ, M. S., 38
- SCOTT, I. U.: See JORGE, R., 1139
- SCOTT, I. U.: See LIEB, D. F., 940
- SCOTT, I. U.: See MOSHFEGHI, D. M., 1160
- SCOTT, I. U.: See SCHIEDLER, V., 725
- SEARS, J. E.: See MOSHFEGHI, D. M., 1160
- SEARS, J.: See AL-KHAYER, K., 375
- SEBAG, J.: Indocyanine green-assisted macular hole surgery: too pioneering?, 744
- SEBAG, M.: See PERRIER, M., 208
- SEITZ, B.: See SZENTMARY, N., 301
- SELA, B.-A.: See AXER-SIEGEL, R., 84
- SELVA, D. and KARAGIANNIS, A.: Reply to GOLDSTEIN, D. A.: Re: mitomycin-induced punctal stenosis, 593
- SEREY, L.: See JAGLE, H., 842
- SHAFRANOV, G.: See HART, J., 756
- SHAH, V. A. and CHALAM, K. V.: Autoclavable wide-angle contact lens for vitreous surgery, 359
- SHAMMAS, H. J.: Reply to CHENG, A. C. K.: Correcting the corneal power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis, 970
- SHAMMAS, H. J.: Reply to LIN, J. T.: Correcting the cornea power measurements for intraocular lens power calculations after myopic laser in situ keratomileusis, 787
- SHARMA, M. C.: See BHATT, H. K., 191
- SHARPE, L. T.: See JAGLE, H., 842
- SHEN, S. and LAM, D.: Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans, 597
- SHEU, W.-P.: See PARRISH, R. K., 211
- SHEU, W.-P.: See PARRISH, R. K., 388
- SHIELDS, C. L.: See SHIELDS, J. A., 209
- SHIELDS, J. A., DEMIRCI, H., and SHIELDS, C. L.: Reply to BRODSKY, M. C.: Melanocytoma or congenital optic disk pigmentation?, 209
- SHIMMYO, M.: Intraocular pressure, goldmann applanation tension, corneal thickness, and corneal curvature in caucasians, Asians, Hispanics, and African Americans, 1170
- SHIMMYO, M.: Reply to SHEN, S.: Intraocular pressure, Goldmann applanation tension, corneal thickness, and corneal curvature in Caucasians, Asians, Hispanics, and African Americans, 598
- SHIRAGA, F.: See OHTSUKI, H., 125
- SHIRAGA, F.: See YAMAJI, H., 834
- SHIRAMIZU, K. M., KREIGER, A. E., and MCCANNEL, C. A.: Severe visual loss caused by ocular perforation during chalazion removal, 204
- SHIRATO, S., MARUYAMA, K., and HANEDA, M.: Resuturing the scleral flap through conjunctiva for treatment of excess filtration, 173
- SHOEMAKER, D. W.: See FOOT, L., 979
- SHRESTHA, U. D.: See NEPAL, B. P., 888
- SHUKLA, D.: Radial optic neurotomy as treatment for central retinal vein occlusion, 1161
- SIATKOWSKI, R. L.: See NAZIR, S. A., 138
- SIATKOWSKI, R. M.: See NAZIR, S. A., 138
- SIEGERSMA, J. E., KLONT, R. R., TILANUS, M. A. D., VERBEEK, A. M., SCHULIN, T., CRUYSSBERG, J. R. M., and DEUTMAN, A. F.: Endogenous endophthalmitis after otitis media, 202
- SIMPSON, E. R.: See PAVLIN, C. J., 1169
- SINESTERRA, J. P.: See MOSHFEGHI, D. M., 1160
- SINESTERRA, J. P.: See SCOTT, I. U., 1167
- SINGH, K.: See TA, C. N., 662
- SINGH, R.: See KAUSHIK, S., 758
- SIVALINGAM, A.: See GARG, S. J., 351
- SLAKTER, J. S.: See YANNUZZI, L. A., 511
- SMALL, K.: See ALDAVE, A. J., 465
- SMIDDY, W. E. and FLYNN, H. W., Jr.: Pathogenesis of macular holes and therapeutic implications, 525
- SMIDDY, W. E.: See SCOTT, I. U., 24
- SMITH, A. R.: See ZANGWILL, L. M., 219
- SMITH, J. L.: See FLYNN, J. T., 480
- SNYERS, B., VEROUGSTRAETE, C., POSTELMANS, L., LEYS, A., and HYKIN, P.: Photodynamic therapy of subfoveal neovascular membrane in type 2A idiopathic juxtafoveal retinal telangiectasis, 812
- SODHI, P. K., VERMA, L., and RATAN, S. K.: Increased pericocular pigmentation with ocular hypotensive lipid use in African Americans, 783
- SODHI, P. K., VERMA, L., and RATAN, S. K.: Pupil dilatation with intracameral 1% lidocaine during glaucoma filtering surgery, 783
- SONODA, K.-H.: See SONODA, S., 181
- SONODA, S., UCHINO, E., SONODA, K.-H., YOTSUMOTO, S., UCHIO, E., ISASHIKI, Y., and SAKAMOTO, T.: Two patients with severe corneal disease in KID syndrome, 181
- SOTO-PEDRE, E. and HERNAEZ-ORTEGA, M. C.: Intravitreal triamcinolone acetonide in eyes with cystoid macular edema associated with central retinal vein occlusion, 596
- SOUBRANE, G.: See PAWLAK, D., 880
- SPAIDE, R. F.: See YANNUZZI, L. A., 511
- SPARROW, J.: See CIARDELLA, A., 591
- SPARROW, J.: See CIARDELLA, A. P., 956
- SPENCER, R.: See HOFFMAN, D. R., 704
- STALMANS, P.: Reply to GOPWANI, R.: Anatomical and visual outcome of macular hole surgery with intracyanine green-assisted peeling of the internal limiting membrane, endodrainage, and silicone oil tamponade, 1163
- STANESCU, D.: See TRAN, T. H. C., 872
- STERNBERG, P., Jr. and LEWIS, H.: Photodynamic therapy for age-related macular degeneration: a candid appraisal, 483
- STERNBERG, P., Jr.: See CASTELLARIN, A., 175
- STERNBERG, P., Jr.: See ZALDIVAR, R. A., 595
- STEWART, M. W.: Treatment of an avulsed retinal vessel with infrared diode laser photocoagulation, 767

- STEWART, W. C., JACKSON, A. L., and JENKINS, J. N.: Can patients guess their intraocular pressure?, 350
 - STEWART, W. C., JACKSON, A. L., and JENKINS, J. N.: Dropout rates for intent-to-treat and per protocol analyses, 639
 - STINNETT, S. S.: See WEIZER, J. S., 1161
 - STINNETT, S.: See TSENG, W., 1105
 - STINNETT, S.: See WEIZER, J., 971
 - STOLOVITCH, C.: See NEUDORFER, M., 1065
 - STOUT, J. T.: See MEALLET, M. A., 765
 - STRICKER, B. H. C.: See VAN LEEUWEN, R., 750
 - SUAREZ-TATA, L.: See QUIROZ-MERCADO, H., 287
 - SUBMACULAR SURGERY TRIALS PATIENT-CENTERED OUTCOMES SUBCOMMITTEE FOR THE SUBMACULAR SURGERY TRIALS P: See CHILDS, A. L., 373
 - SUGIMOTO, K.: See MATSUNAGA, K., 552
 - SUGITA, G.: See SUGITA, M., 377
 - SUGITA, M., KATO, S., SUGITA, G., and OSHIKA, T.: Migration of lens epithelial cells through haptic root of single-piece acrylic-foldable intraocular lens, 377
 - SUNG, J. J. Y.: See YUEN, K. S. C., 773
 - SUNNESS, J. S.: See PARK, W. L., 774
 - SUTTON, G.: See BUTLER, T. K. H., 763
 - SUTTON, L. N.: See LIU, G. T., 407
 - SUZUKI, M.: See NISHIDA, Y., 777
 - SUZUKI, T.: See MITAMURA, Y., 1155
 - SWANNER, J.: See MANSUETTA, C. C., 1096
 - SWAROOP, A.: See IANNACCONE, A., 785
 - SYED, H. M.: See BEN SIMON, G. J., 1145
 - SZECHTER, A.: See FINGER, P. T., 1149
 - SZENTMARY, N., LANGENBUCHER, A., HAFNER, A., and SEITZ, B.: Impact of phototherapeutic keratectomy on the outcome of subsequent penetrating keratoplasty in patients with stromal corneal dystrophies, 301
 - SZURMAN, P.: See GRISANTI, S., 914
- T**
- TA, C. N., EGBERT, P. R., SINGH, K., BLUMENKRANZ, M. S., and KASPAR, H. M.: The challenge of determining aqueous contamination rate in anterior segment intraocular surgery, 662
 - TABAN, M., BOYER, D. S., THOMAS, E. L., and TABAN, M.: Chronic central serous chorioretinopathy: photodynamic therapy, 1073
 - TABAN, M.: See TABAN, M., 1073
 - TAKAGI, H.: See NISHIJIMA, K., 770
 - TAKAHASHI, M.: See NISHIJIMA, K., 770
 - TAKANO, Y.: See OHGURO, H., 1117
 - TAKASU, I.: See OHTSUKI, H., 125
 - TALAGA, K. C.: See LEWIS, G. P., 1085
 - TAMAI, M.: See KAWAMURA, M., 1137
 - TAN, D.: See TONG, L., 474
 - TANAKA, K.: See KAWAMURA, M., 1137
 - TANAKA, M.: See MACHIDA, S., 938
 - TANAKA, S. C.: See KEARNEY, J. J., 96
 - TANAKA, Y., KATO, S., MIYATA, K., HONBO, M., NEJIMA, R., KITANO, S., AMANO, S., and OSHIKA, T.: Limitation of Scheimpflug videophotography system in quantifying posterior capsule opacification after intraocular lens implantation, 732
 - TANEMURA, M.: See NISHIJIMA, K., 770
 - TANNENBAUM, D. P.: See NOURI-MAHDAVI, K., 228
 - TANO, Y.: See FANG, X., 1034
 - TANO, Y.: See FUJIKADO, T., 361
 - TANO, Y.: See IDE, T., 1081
 - TANO, Y.: See IKUNO, Y., 719
 - TANO, Y.: See NAKATA, K., 760
 - TANO, Y.: See OHJI, M., 955
 - TASHIMO, A.: See MITAMURA, Y., 1155
 - TASMAN, W., PANGIA, K. A., and MCCABE, F. J.: Optical coherence tomography findings in familial foveal retinoschisis, 1157
 - TASMAN, W.: See KUNIMOTO, D. Y., 343
 - TATAR, O.: See GRISANTI, S., 914
 - TAZAWA, Y.: See MACHIDA, S., 938
 - TESSLER, H. H.: See GOLDSTEIN, D. A., 593
 - THAM, C. C. Y., NG, J. S. K., LI, R. T. H., CHIK, K. W., and LAM, D. S. C.: Intraocular pressure profile of a child on a systemic corticosteroid, 198
 - THAPAR, S.: See GUPTA, A., 675
 - THOMAS, E. L.: See TABAN, M., 1073
 - THOMAS, R., PARIKH, R., MULIYIL, J., BHAT, S., and GEORGE, R.: Validation of test duration as a screening criterion for frequency doubling perimetry, 562
 - THOMLEY, M. L.: See MANSUETTA, C. C., 1096
 - THOMPSON, J. T.: The role of patient age and intraocular gas use in cataract progression after vitrectomy for macular holes and epiretinal membranes, 250
 - THONAR, E. J.: See ALDAVE, A. J., 465
 - TIAN, X., FUJIKI, K., LI, Q., MURAKAMI, A., XIE, P., KANAI, A., WANG, W., and LIU, Z.: Compound heterozygous mutations of M1S1 gene in gelatinous droplike corneal dystrophy, 567
 - TILANUS, M. A. D.: See SIEGERSMA, J. E., 202
 - TO, K., ADAMIAN, M., and BERNSON, E. L.: Histologic study of retinitis pigmentosa due to a mutation in the RP13 gene (PRPC8): comparison with rhodopsin Pro23His, Cys110Arg, and Glu181Lys, 946
 - TOMANY, S. C.: See KLEIN, R., 435
 - TONG, L., SAW, S.-M., CHIA, K.-S., and TAN, D.: Anisometropia in Singapore school children, 474
 - TOPOUZIS, F., COLEMAN, A. L., YU, F., MAVROUDIS, L., ANASTASOPOULOS, E., KOSKOSAS, A., PAPPAS, T., DIMITRAKOS, S., and WILSON, M. R.: Sensitivity and specificity of the 76-Suprathreshold visual field test to detect eyes with visual field defect by Humphrey threshold testing in a population-based setting: the Thessaloniki Eye Study, 420
 - TRABOULSI, E. I.: See AL-KHAYER, K., 375
 - TRAN, T. H. C., STANESCU, D., CASPERS-VELU, L., ROZENBERG, F., LIESNARD, C., GAUDRIC, A.,

LEHOANG, P., and BODAGHI, B.: Clinical characteristics of acute HSV-2 retinal necrosis, 872

TREATMENT OF AGE-RELATED MACULAR GENERATION WITH PHOTODYNAMIC THERAPY (TAP) STUDY GROUP, and VERTEPORFIN IN PHOTODYNAMIC THERAPY (VIP) STUDY GROUP: Acute severe visual acuity decrease after photodynamic therapy with verteporfin: case reports from randomized clinical trials—TAP and VIP report no. 3, 683

TRICK, G.: See ZANGWILL, L. M., 219

TSENG, C.-H.: See FONG, C.-F., 329

TSENG, W., CORTEZ, R. T., RAMIREZ, G., STINNETT, S., and JAFFE, G. J.: Prevalence and risk factors for proliferative vitreoretinopathy in eyes with rhegmatogenous retinal detachment but no previous vitreoretinal surgery, 1105

TSUCHIDA, Y.: See YAMAJI, H., 834

TSUJIKAWA, M.: See IDE, T., 1081

TZEKOV, R. T.: See KULKARNI, A. D., 212

U

UCHINO, E.: See SONODA, S., 181

UCHIO, E.: See SONODA, S., 181

UCHOA, U. B. C.: See REZENDE, R. A., 415

UDAR, N.: See ALDAVE, A. J., 465

UJI, Y.: See MATSUNAGA, K., 552

UNO, T.: See GOTO, T., 116

UNONIUS, N.: See BENZ, M. S., 38

USUI, S.: See FANG, X., 1034

UZZAN, J.: See BENHAMOU, N., 1132

V

VAN DOOREN, B. T. H., MULDER, P. G. H., NIEUWENDAAL, C. P., BEEKHUIS, W. H., and MELLES, G. R. J.: Endothelial cell density after deep anterior lamellar keratoplasty (Melles technique), 397

VAN DUIJN, C. M.: See VAN LEEUWEN, R., 750

VAN LEEUWEN, R., KLAVER, C. C. W., VINGERLING, J. R., HOFMAN, A., VAN DUIJN, C. M., STRICKER, B. H. C., and DE JONG, P. T. V. M.: Cholesterol and age-related macular degeneration: is there a link?, 750

VAN SEVENTER, G. A.: See REZAI, K. A., 931

VANDER, J.: See KUNIMOTO, D. Y., 343

VANNEWKIRK, M. R.: See KLEIN, R., 486

VARNELL, E. D.: See AVUNDUK, A. M., 1158

VEDANTHAM, V.: Ciprofloxacin in endophthalmitis: an emerging alternative, 1167

VEECK, L.: See XU, K., 18

VEMUGANTI, G. K.: See MURTHY, R., 594

VERBEEK, A. M.: See SIEGERSMA, J. E., 202

VERDICK, R. L.: See GRASSI, M. A., 753

VERMA, L.: See SODHI, P. K., 783

VERMA, L.: See SODHI, P. K., 783

VEROUGSTRAETE, C.: See SNYERS, B., 812

VERTEPORFIN IN PHOTODYNAMIC THERAPY (VIP) STUDY GROUP: See TREATMENT OF AGE-RE-

LATED MACULAR GENERATION WITH PHOTODYNAMIC THERAPY (TAP) STUDY GROUP, 683

VIDNE, O.: See CIARDELLA, A., 591

VINCENTI, V.: See ORSONI, J. G., 757

VINGERLING, J. R.: See VAN LEEUWEN, R., 750

VOLPE, N. J.: See PINELES, S. L., 933

W

WACHMEISTER, L.: See MONESTAM, E., 145

WADA, Y.: See KAWAMURA, M., 1137

WALDRON, R. G.: See ZALDIVAR, R. A., 595

WANG, G., MEDEIROS, F. A., BARSHOP, B. A., and WEINREB, R. N.: Total plasma homocysteine and primary open-angle glaucoma, 401

WANG, I.-J.: See CHEN, W.-L., 736

WANG, I.-J.: See FONG, C.-F., 329

WANG, J. J.: See CHUA, B. E., 363

WANG, J. J.: See WONG, T. Y., 1050

WANG, J.-C.: See CHUNG, A. N., 294

WANG, L. and DEL PRIORE, L. V.: Bull's-eye maculopathy secondary to herbal toxicity from uva ursi, 1135

WANG, M. J.: See HU, G., 554

WANG, M.: See CHEUNG, M. C., 189

WANG, W.: See TIAN, X., 567

WANG, X.: See IANNACCONE, A., 785

WARMAN, R.: See AL-ATTAR, L., 569

WARREN, J. F.: See ALDAVE, A. J., 465

WATANABE, H.: See IDE, T., 1081

WEINBERG, D. V.: See GROSS, J. G., 630

WEINBERGER, A. W. A., DAHLKE, C., SCHLOSSMACHER, B., HERMEL, M., SCHIRAGE, N. F., and KIRCHHOF, B.: Internal limiting membrane staining with various concentrations of indocyanine green dye, 589

WEINBERGER, A. W. A., DAHLKE, C., SCHLOSSMACHER, B., HERMEL, M., SCHIRAGE, N. F., and KIRCHHOF, B.: Comment on papers by Ashikari, Ozeki, Tomida, Sakurai, Tamai, Ogura: retention of dye after indocyanine-green assisted internal limiting membrane peeling, and by Ciardella, Schiff, Barile, Vidne, Sparrow, Langton, Chang: persistent indocyanine green fluorescence after vitrectomy for macular hole, 590

WEINBERGER, D.: See AXER-SIEGEL, R., 84

WEINREB, R. N.: See ANGELES, R., 697

WEINREB, R. N.: See MEDEIROS, F. A., 863

WEINREB, R. N.: See WANG, G., 401

WEINREB, R. N.: See ZANGWILL, L. M., 219

WEISBROD, D. J.: See PAVLIN, C. J., 1169

WEISSMAN, B. A.: See ALDAVE, A. J., 1124

WEISSMAN, J. L.: See WESTFALL, A. C., 563

WEIZER, J. S., STINNETT, S. S., and FEKRAT, S.: Reply to SHUKLA, D.: Radial optic neurotomy as treatment for central retinal vein occlusion, 1161

WEIZER, J., STINNETT, S., and FEKRAT, S.: Reply to SHAMAS, H. J.: Radial optic neurotomy in retinal vein occlusion, 971

WELLS, J. M.: See CRAIG, J. E., 193

- WELLS, J.: See CHEN, C. S., 965
 WERNER, L.: See FOOT, L., 979
 WESSELS, I.: See LANDERS, M., 213
 WESTFALL, A. C., NG, J. D., SAMPLES, J. R., and WEISSMAN, J. L.: Hypotonus maculopathy: magnetic resonance appearance, 563
 WHALEN, P.: See LANDERS, M., 213
 WHEATON, D. H.: See HOFFMAN, D. R., 704
 WHITE, M. F., Jr.: See MANSUETTA, C. C., 1096
 WIGGINS, J.: See GIBSON, A., 968
 WIGLEY, F.: See JAYCOCK, P. D., 585
 WILHELMUS, K. R.: See JACKSON, D. W., 1101
 WILLIAMSON, J.: See JAYCOCK, P. D., 585
 WILLIAMSON, T. H.: See JAYCOCK, P. D., 585
 WILSON, D.: See KEARNEY, J. J., 96
 WILSON, H. L., SCHWARTZ, D. M., BHATT, H. R. F., MCCULLOCH, C. E., and DUNCAN, J. L.: Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration, 615
 WILSON, M. R.: See TOPOUZIS, F., 420
 WILSON, S. E.: See OLIVA, M. S., 244
 WIROSTKO, W. J.: See IYER, M. N., 120
 WISNICKI, H. J.: See FINGER, P. T., 944
 WOLLSTEIN, G.: See SCHUMAN, J. S., 788
 WONG, B. M. W.: See JAVELLANA, J. A. G., 780
 WONG, T. Y., WANG, J. J., ROCHTCHINA, E., KLEIN, R., and MITCHELL, P.: Does refractive error influence the association of blood pressure and retinal vessel diameters? The Blue Mountains Eye Study, 1050
 WONG, T. Y.: See KLEIN, R., 435
 WONGWAISAYAWAN, S.: See KRAJAEJUN, T., 370
 WU, C. W., SAUTER, J. L., JOHNSON, P. K., CHEN, C.-D., and OLSEN, T. W.: Identification and localization of major soluble vitreous proteins in human ocular tissue, 655
 WU, C.-Y.: See CHEN, W.-L., 736

X

- XIE, P.: See TIAN, X., 567
 XU, K., ROSENWAKS, Z., BEAVERSON, K., CHOLST, I., VEECK, L., and ABRAMSON, D. H.: Preimplantation genetic diagnosis for retinoblastoma: the first reported liveborn, 18

Y

- YAKUSHIGAWA, H.: See NISHIDA, Y., 777
 YALCIN, B., KOCABIYIK, N., OZAN, H., and KUTOGLU, T.: Muscular bridge between the inferior oblique and inferior rectus muscles, 121
 YAMAGAMI, S.: See AMANO, S., 988
 YAMAGUCHI, M.: See GOTO, T., 116
 YAMAJI, H., SHIRAGA, F., TSUCHIDA, Y., YAMAMOTO, Y., and OHTSUKI, H.: Evaluation of arteriovenous crossing sheathotomy for branch retinal vein occlusion by fluorescein videoangiography and image analysis, 834

- YAMAMOTO, S.: See IDE, T., 1081
 YAMAMOTO, Y.: See YAMAJI, H., 834
 YAMAZAKI, H.: See OHGURO, H., 1117
 YANAGAWA, Y., KIZOZUMI, T., HATANAKA, K., ITOH, T., SAKAMOTO, T., and OKADA, Y.: Reversible blindness associated with alcoholic ketoacidosis, 775
 YANG, H. S.: See DUH, E. J., 668
 YANNUZZI, L. A., OBER, M. D., SLAKTER, J. S., SPAIDE, R. F., FISHER, Y. L., FLOWER, R. W., and ROSEN, R.: Ophthalmic fundus imaging: today and beyond, 511
 YARKONI, A.: See SCHICKNER, D. C., 942
 YASUI, O.: See ANDO, F., 609
 YELLORE, V. S.: See ALDAVE, A. J., 1124
 YELLORE, V. S.: See ALDAVE, A. J., 465
 YOKOI, Y.: See OHGURO, H., 1117
 YOON, M. K.: See ALDAVE, A. J., 465
 YOSHIDA, A.: See YOSHIDA, S., 586
 YOSHIDA, K.: See NISHIDA, Y., 777
 YOSHIDA, S., YOSHIDA, A., NAKAO, S., EMORI, A., NAKAMURA, T., FUJISAWA, K., KUMANO, Y., and ISHIBASHI, T.: Lattice corneal dystrophy type I without typical lattice lines: role of mutational analysis, 586
 YOTSUMOTO, S.: See SONODA, S., 181
 YU, A.: See JAGLE, H., 842
 YU, F.: See TOPOUZIS, F., 420
 YUAN, C.: See SAWADA, Y., 323
 YUEN, H. K. L., CHAN, C. K. M., and LAM, D.: Acute endophthalmitis following intravitreal triamcinolone acetate injection, 1166
 YUEN, H. K. L.: See GOPWANI, R., 1162
 YUEN, K. S. C., CHAN, W.-M., FAN, D. S. P., CHONG, K. K. L., SUNG, J. J. Y., and LAM, D. S. C.: Ocular screening in severe acute respiratory syndrome, 773
 YUN, H. J.: See IYER, M. N., 120

Z

- ZACK, D. J.: See DUH, E. J., 668
 ZAFIRAKIS, P.: See CANAKIS, C., 1158
 ZALDIVAR, R. A., AABERT, T. M., Jr., STERNBERG, P., Jr., WALDRON, R. G., and GROSSNIKLAUS, H. E.: Reply to MURRAY, R.: Clinicopathologic findings in choroidal melanomas after failed transpupillary thermotherapy, 595
 ZANGWILL, L. M., WEINREB, R. N., BERRY, C. C., SMITH, A. R., DIRKES, K. A., LIEBMANN, J. M., BRANDT, J. D., TRICK, G., CIOFFI, G. A., COLEMAN, A. L., PILTZ-SEYMOUR, J. R., GORDON, M. O., KASS, M. A., and OHTS CSLO ANCILLARY STUDY GROUP: The confocal scanning laser ophthalmoscopy ancillary study to the ocular hypertension treatment study: study design and baseline factors, 219
 ZANGWILL, L. M.: See ANGELES, R., 697
 ZAVOTA, L.: See ORSONI, J. G., 757
 ZEGARRA, H.: See AL-KHAYER, K., 375
 ZHENG, X.: See GOTO, T., 116
 ZRENNER, E.: See JAGLE, H., 842

A

- Abducens nerve**
Abducens length and vulnerability?, 791
- African Americans**
Racial differences in the prevalence of hypertensive retinopathy, 791
- Age-related macular degeneration**
Association between C-reactive protein and age-related macular degeneration, 974
Carboxyethylpyrrole protein adducts and autoantibodies, biomarkers for age-related macular degeneration, 974
Collagen VI assemblies in age-related macular degeneration, 605
Dissection of genomewide-scan data in extended families reveals a major locus and oligogenic susceptibility for age-related macular degeneration, 790
Linkage analysis for age-related macular degeneration supports a gene on chromosome 10Q26, 793
- Age-related maculopathy**
Association between statin use and age related maculopathy, 217
Blood pressure, atherosclerosis, and the incidence of age-related maculopathy: the Rotterdam Study, 217
- Amblyopia**
Services provided for preschool-aged children with suspected amblyopia, 604
- Amniotic membrane**
Staphylococcus epidermidis adherence to human amniotic membrane and to human, rabbit, and cat conjunctiva, 393
- Amputations**
Retinal vascular changes and 20-year incidence of lower extremity amputations in a cohort with diabetes, 604
- Animal models**
Staphylococcus epidermidis adherence to human amniotic membrane and to human, rabbit, and cat conjunctiva, 393
- Anti-GQ1b antibodies**
Immunoglobulins inhibit pathophysiological effects of anti-GQ1b-positive sera at motor nerve terminals through inhibition of antibody binding, 391
- Apoptosis**
Platelets accumulate in the diabetic retinal vasculature following endothelial death and suppress blood-retinal barrier breakdown, 217
- Aqueous humor**
Aqueous humor levels of topically applied levofloxacin, norfloxacin, and lomefloxacin in the same human eyes, 602
- Astigmatism**
Keratometric astigmatism after suture removal in penetrating keratoplasty: double running versus single running suture techniques, 603
Laser in situ keratomileusis for hyperopia and hyperopic and mixed astigmatism with LADARVision using 7 to 10 mm ablation zones, 790
Long-term progression of astigmatism after penetrating keratoplasty for keratoconus: evidence of late recurrence, 214

Atherosclerosis

- Blood pressure, atherosclerosis, and the incidence of age-related maculopathy: the Rotterdam Study, 217

Autoantibodies

- Carboxyethylpyrrole protein adducts and autoantibodies, biomarkers for age-related macular degeneration, 974

Autografts

- Combined mitomycin C application and free flap conjunctival autograft in pterygium surgery, 602

B

Bacterial conjunctivitis

- Efficacy and safety of 0.5% levofloxacin ophthalmic solution for the treatment of bacterial conjunctivitis in pediatric patients, 789

Bacterial keratitis

- Clinical and epidemiological advantages of culturing bacterial keratitis, 789

B-cell lymphoma

- Radiotherapy for extranodal, marginal zone, B-cell lymphoma of mucosa-associated lymphoid tissue originating in the ocular adnexa. A multiinstitutional, retrospective review of 50 patients, 216

Bickerstaff's brainstem encephalitis

- Bickerstaff's brainstem encephalitis: clinical features of 62 cases and a subgroup associated with Guillain-Barre syndrome, 391

Blood pressure

- Blood pressure, atherosclerosis, and the incidence of age-related maculopathy: the Rotterdam Study, 217

Blood-retinal barrier

- Platelets accumulate in the diabetic retinal vasculature following endothelial death and suppress blood-retinal barrier breakdown, 217

Brimonidine

- Efficacy of brimonidine 0.2% in controlling acute postoperative intraocular pressure elevation after phacoemulsification, 1174

C

Carboxyethylpyrrole

- Carboxyethylpyrrole protein adducts and autoantibodies, biomarkers for age-related macular degeneration, 974

Cataracts

- Effect of a fixed dorzolamide-timolol combination on intraocular pressure after small-incision cataract surgery with Viscoat, 602
Novel GJA8 mutation in an Iranian family with progressive autosomal dominant congenital nuclear cataract, 1171

Cerebral atrophy

- Retinal microvascular changes and MRI signs of cerebral atrophy in healthy and middle-aged people, 390

Children

- Cost-benefit analysis of vision screening methods for preschoolers and school-age children, 973
Efficacy and safety of 0.5% levofloxacin ophthalmic solution for

- the treatment of bacterial conjunctivitis in pediatric patients, 789
- Services provided for preschool-aged children with suspected amblyopia, 604
- Single-piece acrylic intraocular lens implantation in children, 973
- Chromosome 10Q26**
Linkage analysis for age-related macular degeneration supports a gene on chromosome 10Q26, 793
- Cisplatin**
Transscleral permeability and intraocular concentrations of cisplatin from a collagen matrix, 791
- Clinical practice guidelines**
Standardized reporting of clinical practice guidelines: a proposal from the Conference on Guideline Standardization, 601
- Closed head injury**
Eye movement and visuomotor arm movement deficits following mild closed head injury, 1172
- Collagen matrix**
Transscleral permeability and intraocular concentrations of cisplatin from a collagen matrix, 791
- Collagen VI**
Collagen VI assemblies in age-related macular degeneration, 605
- Congenital nystagmus**
Use of contact lenses to treat visually symptomatic congenital nystagmus, 972
- Conjunctiva**
Expression of p63 in pterygium and normal conjunctiva, 1174
Staphylococcus epidermidis adherence to human amniotic membrane and to human, rabbit, and cat conjunctiva, 393
- Conjunctival autografts**
Combined mitomycin C application and free flap conjunctival autograft in pterygium surgery, 602
- Conjunctivitis**
Efficacy and safety of 0.5% levofloxacin ophthalmic solution for the treatment of bacterial conjunctivitis in pediatric patients, 789
- Contact lenses**
Use of contact lenses to treat visually symptomatic congenital nystagmus, 972
- Cornea**
Effects of topical nonsteroidal antiinflammatory drugs on the expression of matrix metalloproteinases in the cornea, 392
Innervated human corneal equivalents as in vitro models for nerve-target cell interactions, 973
- C-reactive protein**
Association between C-reactive protein and age-related macular degeneration, 974
- Culturing**
Clinical and epidemiological advantages of culturing bacterial keratitis, 789

D

- Diabetes mellitus**
Hemochromatosis-causing mutation C282Y is a risk factor for proliferative diabetic retinopathy in Caucasians with type 2 diabetes, 1171
Platelets accumulate in the diabetic retinal vasculature follow-

ing endothelial death and suppress blood-retinal barrier breakdown, 217

Retinal vascular changes and 20-year incidence of lower extremity amputations in a cohort with diabetes, 604

Supplemental oxygen improves diabetic macular edema: a pilot study, 975

Dorzolamide-timolol combination

Effect of a fixed dorzolamide-timolol combination on intraocular pressure after small-incision cataract surgery with Viscoat, 602

E

Elderly

Schnabel cavernous degeneration. A vascular change of the aging eye, 393

Encephalitis

Bickerstaff's brainstem encephalitis: clinical features of 62 cases and a subgroup associated with Guillain-Barre syndrome, 391

Endophthalmitis

Advanced *Fusarium* keratitis progressing to endophthalmitis, 214

Endothelial cells

Platelets accumulate in the diabetic retinal vasculature following endothelial death and suppress blood-retinal barrier breakdown, 217

Epithelial cells

Pharmacologic prevention of posterior capsule opacification: in vitro effects of preservative-free lidocaine 1% on lens epithelial cells, 604

Epithelial-defect-masquerade syndrome

Epithelial-defect-masquerade syndrome after laser in situ keratomileusis: characteristic clinical findings and visual outcomes, 1175

Extraocular muscles

Reinnervation of extraocular muscles by facial-to-oculomotor nerve anastomosis in rats: anatomic nuclear changes, 392

F

Free flap conjunctival autografts

Combined mitomycin C application and free flap conjunctival autograft in pterygium surgery, 602

Fusarium keratitis

Advanced *Fusarium* keratitis progressing to endophthalmitis, 214

G

Genetic testing

Disclosure of genetic testing for health insurance: is it ethical or not?, 973

Glaucoma

24-Hour monitoring of intraocular pressure in glaucoma management: a retrospective review, 215

Guillain-Barre syndrome

Bickerstaff's brainstem encephalitis: clinical features of 62 cases and a subgroup associated with Guillain-Barre syndrome, 391

H

Health insurance

Disclosure of genetic testing for health insurance: is it ethical or not?, 973

Support for national health insurance among U.S. physicians: a national survey, 601

Hemochromatosis

Hemochromatosis-causing mutation C282Y is a risk factor for proliferative diabetic retinopathy in Caucasians with type 2 diabetes, 1171

Hereditary factors

Dissection of genomewide-scan data in extended families reveals a major locus and oligogenic susceptibility for age-related macular degeneration, 790

Hyperopia

Laser in situ keratomileusis for hyperopia and hyperopic and mixed astigmatism with LADARVision using 7 to 10 mm ablation zones, 790

Hyperopic and mixed astigmatism

Laser in situ keratomileusis for hyperopia and hyperopic and mixed astigmatism with LADARVision using 7 to 10 mm ablation zones, 790

Hypertensive retinopathy

Racial differences in the prevalence of hypertensive retinopathy, 791

I

Immunoglobulins

Immunoglobulins inhibit pathophysiological effects of anti-GQ1b-positive sera at motor nerve terminals through inhibition of antibody binding, 391

Infrared pupillometer

Correlation of pupil sizes measured with a mesopic infrared pupillometer and a photopic topographer, 603

Intraocular lens

Iris-sutured posterior chamber intraocular lens implantation during penetrating keratoplasty, 789

Repositioning of a dislocated intraocular lens during a roller-coaster ride, 394

Single-piece acrylic intraocular lens implantation in children, 973

Intraocular lymphoma

High-dose methotrexate for intraocular lymphoma, 215

Molecular pathology of primary intraocular lymphoma, 975

Intraocular pressure

Effect of a fixed dorzolamide-timolol combination on intraocular pressure after small-incision cataract surgery with Viscoat, 602

Efficacy of brimonidine 0.2% in controlling acute postoperative intraocular pressure elevation after phacoemulsification, 1174

24-Hour monitoring of intraocular pressure in glaucoma management: a retrospective review, 215

Iridectomy

Latanoprost-induced iris darkening: a morphometric study of human peripheral iridectomies, 792

Iris

Iris-sutured posterior chamber intraocular lens implantation during penetrating keratoplasty, 789

Latanoprost-induced iris darkening: a morphometric study of human peripheral iridectomies, 792

K

Keratitis

Advanced *Fusarium* keratitis progressing to endophthalmitis, 214

Clinical and epidemiological advantages of culturing bacterial keratitis, 789

Keratoconus

Long-term progression of astigmatism after penetrating keratoplasty for keratoconus: evidence of late recurrence, 214

Keratometric astigmatism

Keratometric astigmatism after suture removal in penetrating keratoplasty: double running versus single running suture techniques, 603

L

Laser in situ keratomileusis

Epithelial-defect-masquerade syndrome after laser in situ keratomileusis: characteristic clinical findings and visual outcomes, 1175

Laser in situ keratomileusis for hyperopia and hyperopic and mixed astigmatism with LADARVision using 7 to 10 mm ablation zones, 790

Ocular surface management of photorefractive keratectomy and laser in situ keratomileusis, 1174

Outcomes after laser in situ keratomileusis retreatment in high myopes, 214

Two-stage laser in situ keratomileusis to correct refractive errors after penetrating keratoplasty, 215

Latanoprost

Latanoprost-induced iris darkening: a morphometric study of human peripheral iridectomies, 792

Lens

Pharmacologic prevention of posterior capsule opacification: in vitro effects of preservative-free lidocaine 1% on lens epithelial cells, 604

Levofloxacin

Aqueous humor levels of topically applied levofloxacin, norfloxacin, and lomefloxacin in the same human eyes, 602

Efficacy and safety of 0.5% levofloxacin ophthalmic solution for the treatment of bacterial conjunctivitis in pediatric patients, 789

Lidocaine

Pharmacologic prevention of posterior capsule opacification: in vitro effects of preservative-free lidocaine 1% on lens epithelial cells, 604

Linkage analysis

Linkage analysis for age-related macular degeneration supports a gene on chromosome 10Q26, 793

Lipofuscin

Lipofuscin and macular degeneration, 1171

Lomefloxacin

Aqueous humor levels of topically applied levofloxacin, norfloxacin, and lomefloxacin in the same human eyes, 602

Lower extremity amputations

Retinal vascular changes and 20-year incidence of lower extremity amputations in a cohort with diabetes, 604

Lymphoid tumors

Lymphoid tumours of the ocular adnexa: a morphologic and genotypic study of 15 cases, 394

Lymphoma

High-dose methotrexate for intraocular lymphoma, 215

Molecular pathology of primary intraocular lymphoma, 975

Radiotherapy for extranodal, marginal zone, B-cell lymphoma of mucosa-associated lymphoid tissue originating in the ocular adnexa. A multiinstitutional, retrospective review of 50 patients, 216

M

Macular degeneration

Lipofuscin and macular degeneration, 1171

Macular edema

Supplemental oxygen improves diabetic macular edema: a pilot study, 975

Maculopathy

Association between statin use and age related maculopathy, 217

Blood pressure, atherosclerosis, and the incidence of age-related maculopathy: the Rotterdam Study, 217

Magnetic resonance imaging

Retinal microvascular changes and MRI signs of cerebral atrophy in healthy and middle-aged people, 390

Utility of MRI in suspected MS: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology, 390

Magnetization transfer imaging

Serial magnetization transfer imaging in acute optic neuritis, 1172

Malignant melanoma

Perineural spread of malignant melanoma of the head and neck: clinical and imaging features, 1173

Matrix metalloproteinases

Effects of topical nonsteroidal antiinflammatory drugs on the expression of matrix metalloproteinases in the cornea, 392

Melanoma

Ocular melanoma. A review and the relationship to cutaneous melanoma, 216

Prolonged survival after complete resection of metastases from intraocular melanoma, 792

Meningiomas

Meningiomas involving the optic nerve: technical aspects and outcomes for a series of 50 patients, 392

Mesopic infrared pupillometer

Correlation of pupil sizes measured with a mesopic infrared pupillometer and a photopic topographer, 603

Metastases

Prolonged survival after complete resection of metastases from intraocular melanoma, 792

Methotrexate

High-dose methotrexate for intraocular lymphoma, 215

Mitomycin C

Combined mitomycin C application and free flap conjunctival autograft in pterygium surgery, 602

Pterygium surgery with mitomycin C: how much sclera should be left bare?, 603

Multiple sclerosis

Utility of MRI in suspected MS: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology, 390

Myopia

Outcomes after laser in situ keratomileusis retreatment in high myopes, 214

N

Nerve growth factor

Innervated human corneal equivalents as in vitro models for nerve-target cell interactions, 973

Neurology

Utility of MRI in suspected MS: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology, 390

Nonsteroidal antiinflammatory drugs

Effects of topical nonsteroidal antiinflammatory drugs on the expression of matrix metalloproteinases in the cornea, 392

Norfloxacin

Aqueous humor levels of topically applied levofloxacin, norfloxacin, and lomefloxacin in the same human eyes, 602

Nuclear cataracts

Novel GJA8 mutation in an Iranian family with progressive autosomal dominant congenital nuclear cataract, 1171

Nystagmus

Use of contact lenses to treat visually symptomatic congenital nystagmus, 972

O

Ocular adnexa

Lymphoid tumours of the ocular adnexa: a morphologic and genotypic study of 15 cases, 394

Radiotherapy for extranodal, marginal zone, B-cell lymphoma of mucosa-associated lymphoid tissue originating in the ocular adnexa. A multiinstitutional, retrospective review of 50 patients, 216

Ocular melanoma

Ocular melanoma. A review and the relationship to cutaneous melanoma, 216

Ocular pathology

"Demise" of diagnostic and research ocular pathology: temporary or forever?, 974

Oculomotor nerve

Reinnervation of extraocular muscles by facial-to-oculomotor nerve anastomosis in rats: anatomic nuclear changes, 392

Optic nerve

Meningiomas involving the optic nerve: technical aspects and outcomes for a series of 50 patients, 392

Optic neuritis

Serial magnetization transfer imaging in acute optic neuritis, JUN 2

Oxygen supplementation

Supplemental oxygen improves diabetic macular edema: a pilot study, 975

P

p63

Expression of p63 in pterygium and normal conjunctiva, 1171

Parkinson's disease

Ophthalmologic features of Parkinson's disease, 972

Penetrating keratoplasty

Iris-sutured posterior chamber intraocular lens implantation during penetrating keratoplasty, 789

Keratometric astigmatism after suture removal in penetrating keratoplasty: double running versus single running suture techniques, 603

Long-term progression of astigmatism after penetrating keratoplasty for keratoconus: evidence of late recurrence, 214

Outcome of repeat penetrating keratoplasty and risk factors for graft failure, 215

Two-stage laser in situ keratomileusis to correct refractive errors after penetrating keratoplasty, 215

Phacoemulsification

Efficacy of brimonidine 0.2% in controlling acute postoperative intraocular pressure elevation after phacoemulsification, 1174

Photorefractive keratectomy

Ocular surface management of photorefractive keratectomy and laser in situ keratomileusis, 1174

Phototopic topographer

Correlation of pupil sizes measured with a mesopic infrared pupillometer and a phototopic topographer, 603

Physicians

Support for national health insurance among U.S. physicians: a national survey, 601

Platelets

Platelets accumulate in the diabetic retinal vasculature following endothelial death and suppress blood-retinal barrier breakdown, 217

Posterior capsule opacification

Pharmacologic prevention of posterior capsule opacification: in vitro effects of preservative-free lidocaine 1% on lens epithelial cells, 604

Pregnancy

Refractive changes in pregnancy, 393

Proliferative diabetic retinopathy

Hemochromatosis-causing mutation C282Y is a risk factor for proliferative diabetic retinopathy in Caucasians with type 2 diabetes, 1171

Pterygium

Combined mitomycin C application and free flap conjunctival autograft in pterygium surgery, 602

Expression of p63 in pterygium and normal conjunctiva, 1174

Pterygium surgery with mitomycin C: how much sclera should be left bare?, 603

Pupil

Correlation of pupil sizes measured with a mesopic infrared pupillometer and a phototopic topographer, 603

Pupillometer

Correlation of pupil sizes measured with a mesopic infrared pupillometer and a phototopic topographer, 603

R

Race

Racial differences in the prevalence of hypertensive retinopathy, 791

Radiotherapy

Radiotherapy for extranodal, marginal zone, B-cell lymphoma of mucosa-associated lymphoid tissue originating in the

ocular adnexa. A multiinstitutional, retrospective review of 50 patients, 216

Refraction

Refractive changes in pregnancy, 393

Refractive errors

Two-stage laser in situ keratomileusis to correct refractive errors after penetrating keratoplasty, 215

Research

Using saccades as a research tool in the clinical neurosciences, 1173

Resection

Prolonged survival after complete resection of metastases from intraocular melanoma, 792

Retinal microvasculature

Retinal microvascular changes and MRI signs of cerebral atrophy in healthy and middle-aged people, 390

Retinal vascular changes and 20-year incidence of lower extremity amputations in a cohort with diabetes, 604

Retinitis pigmentosa

Clinical and immunohistochemical evidence for a X linked retinitis pigmentosa syndrome with recurrent infections and hearing loss in association with an RPGR mutation, 1172

Retinoblastoma

Histopathologic analysis of 232 eyes with retinoblastoma conducted in an Indian tertiary-care ophthalmic center, 790

Retinopathy

Hemochromatosis-causing mutation C282Y is a risk factor for proliferative diabetic retinopathy in Caucasians with type 2 diabetes, 1171

RPGR mutation

Clinical and immunohistochemical evidence for a X linked retinitis pigmentosa syndrome with recurrent infections and hearing loss in association with an RPGR mutation, 1172

S

Saccades

Using saccades as a research tool in the clinical neurosciences, 1173

Schnabel cavernous degeneration

Schnabel cavernous degeneration. A vascular change of the aging eye, 393

Sclera

Pterygium surgery with mitomycin C: how much sclera should be left bare?, 603

Screenings

Cost-benefit analysis of vision screening methods for preschoolers and school-age children, 973

Staphylococcus epidermidis

Staphylococcus epidermidis adherence to human amniotic membrane and to human, rabbit, and cat conjunctiva, 393

Statins

Association between statin use and age related maculopathy, 217

Surgery

Combined mitomycin C application and free flap conjunctival autograft in pterygium surgery, 602

Effect of a fixed dorzolamide-timolol combination on intraocular pressure after small-incision cataract surgery with Viscoat, 602

Pterygium surgery with mitomycin C: how much sclera should be left bare?, 603

Suturing

Keratometric astigmatism after suture removal in penetrating keratoplasty: double running versus single running suture techniques, 603

T

Timolol

Effect of a fixed dorzolamide-timolol combination on intraocular pressure after small-incision cataract surgery with Viscoat, 602

Trauma

Eye movement and visuomotor arm movement deficits following mild closed head injury, JUN 2

Repositioning of a dislocated intraocular lens during a rollercoaster ride, 394

V

Video games

Action video game modifies visual processing, 972

Viscoat

Effect of a fixed dorzolamide-timolol combination on intraocular pressure after small-incision cataract surgery with Viscoat, 602

Vision screening

Cost-benefit analysis of vision screening methods for preschoolers and school-age children, 973

Visual processing

Action video game modifies visual processing, 972

X

X linked retinitis pigmentosa

Clinical and immunohistochemical evidence for a X linked retinitis pigmentosa syndrome with recurrent infections and hearing loss in association with an RPGR mutation, 1172